PART 39—AIRWORTHINESS DIRECTIVES

1. The authority citation for part 39 continues to read as follows:

Authority: 49 USC 106(g), 40113, 44701.

§ 39.13 [Amended]

2. Section 39.13 is amended by removing amendment 39–9049 (59 FR 52414, October 18, 1994), and by adding a new airworthiness directive (AD), amendment 39–9573, to read as follows:

96-08-07 Airbus Industrie: Amendment 39-9573. Docket 95-NM-137-AD. Supersedes AD 94-21-07, Amendment 39-9049.

Applicability: All Model A310 and A300–600 series airplanes, certificated in any category.

Note 1: This AD applies to each airplane identified in the preceding applicability provision, regardless of whether it has been modified, altered, or repaired in the area subject to the requirements of this AD. For airplanes that have been modified, altered, or repaired so that the performance of the requirements of this AD is affected, the owner/operator must request approval for an alternative method of compliance in accordance with paragraph (d) of this AD. The request should include an assessment of the effect of the modification, alteration, or repair on the unsafe condition addressed by this AD; and, if the unsafe condition has not been eliminated, the request should include specific proposed actions to address it.

Compliance: Required as indicated, unless accomplished previously.

To prevent an out-of-trim condition between the trimmable horizontal stabilizer and the elevator, which may severely reduce controllability of the airplane, accomplish the following:

(a) Within 10 days after the effective date of this AD, revise the Limitations Section of the FAA-approved Airplane Flight Manual (AFM) to include the information contained in paragraph (a)(1) or (a)(2) of this AD, as applicable. This may be accomplished by inserting a copy of this AD in the AFM. The AFM limitation required by AD 94–21–07, amendment 39–9049, may be removed following accomplishment of the requirements of this paragraph.

(1) For airplanes on which the flight control computers (FCC) have not been modified in accordance with the requirements of paragraph (b) of this AD:

"Overriding the autopilot (AP) in pitch axis does not cancel the AP autotrim when LAND TRACK mode [green LAND on both Flight Mode Annunciators (FMA)] or GO-AROUND mode is engaged. In these modes, if the pilot counteracts the AP, the autotrim will trim against pilot input. This could lead to a severe out-of-trim situation in a critical phase of flight."

(2) For airplanes on which the FCC's have been modified in accordance with requirements of paragraph (b) of this AD.

"Overriding the autopilot (AP) in pitch axis does not cancel the AP autotrim when LAND TRACK mode (green LAND on both FMA's) is engaged, or GO-AROUND mode is engaged below 400 feet radio altitude (RA). In these modes, if the pilot counteracts the AP, the autotrim will trim against pilot input. This could lead to a severe out-of-trim situation in a critical phase of flight."

(b) For airplanes equipped with FCC's having either part number (P/N) B470ABM1 (for Model A310 series airplanes) or B470AAM1 (for Model A300–600 series airplanes): Within 60 days after November 2, 1994 (the effective date of AD 94–21–07, amendment 39–9049), modify the FCC's in accordance with Airbus Service Bulletin A310–22–2036, dated December 14, 1993 (for Model A310 series airplanes), or Airbus Service Bulletin A300–22–6021, Revision 1, dated December 24, 1993 (for Model A300–600 series airplanes), as applicable.

Note 2: Paragraph (b) of this AD merely restates the requirements of paragraph (b) of AD 94–21–07, amendment 39–9049. As allowed by the phrase, "unless accomplished previously," specified in the compliance statement of this AD, if those requirements of AD 94–21–07 have already been accomplished, this AD does not require that those actions be repeated.

(c) As of November 2, 1994 (the effective date of AD 94–21–07, amendment 39–9049), no person shall install an FCC having either P/N B470ABM1 or B470AAM1 on any airplane.

(d) An alternative method of compliance or adjustment of the compliance time that provides an acceptable level of safety may be used if approved by the Manager, Standardization Branch, ANM–113, FAA, Transport Airplane Directorate. Operators shall submit their requests through an appropriate FAA Principal Maintenance Inspector, who may add comments and then send it to the Manager, Standardization Branch, ANM–113.

Note 3: Information concerning the existence of approved alternative methods of compliance with this AD, if any, may be obtained from the Standardization Branch, ANM–113.

(e) Special flight permits may be issued in accordance with sections 21.197 and 21.199 of the Federal Aviation Regulations (14 CFR 21.197 and 21.199) to operate the airplane to a location where the requirements of this AD can be accomplished.

(f) The modification shall be done in accordance with Airbus Service Bulletin A310-22-2036, dated December 14, 1993, or Airbus Service Bulletin A300-22-6021, Revision 1, dated December 24, 1993, as applicable. The incorporation by reference of these documents was approved previously by the Director of the Federal Register in accordance with 5 U.S.C. 552(a) and 1 CFR part 51 as of November 2, 1994 (59 FR 52414, October 18, 1994). Copies may be inspected at the FAA, Transport Airplane Directorate, 1601 Lind Avenue, SW., Renton, Washington; or at the Office of the Federal Register, 800 North Capitol Street, NW., suite 700, Washington, DC.

(g) This amendment becomes effective on May 23, 1996.

Issued in Renton, Washington, on April 10, 1996.

Darrell M. Pederson,

Acting Manager, Transport Airplane Directorate, Aircraft Certification Service. [FR Doc. 96–9337 Filed 4–17–96; 8:45 am]

BILLING CODE 4910-13-P

FEDERAL EMERGENCY MANAGEMENT AGENCY

44 CFR Part 65

Changes in Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency, FEMA.

ACTION: Final rule.

SUMMARY: Modified base (1% annual chance) flood elevations are finalized for the communities listed below. These modified elevations will be used to calculate flood insurance premium rates for new buildings and their contents.

EFFECTIVE DATE: The effective dates for these modified base flood elevations are indicated on the following table and revise the Flood Insurance Rate Map(s) (FIRMs) in effect for each listed community prior to this date.

ADDRESSES: The modified base flood elevations for each community are available for inspection at the office of the Chief Executive Officer of each community. The respective addresses are listed in the following table.

FOR FURTHER INFORMATION CONTACT: Michael K. Buckley, P.E., Chief, Hazard Identification Branch, Mitigation Directorate, 500 C Street, SW., Washington, DC 20472, (202) 646–2756.

SUPPLEMENTARY INFORMATION: The Federal Emergency Management Agency makes the final determinations listed below of modified base flood elevations for each community listed. These modified elevations have been published in newspapers of local circulation and ninety (90) days have elapsed since that publication. The Acting Associate Director has resolved any appeals resulting from this notification.

The modified base flood elevations are not listed for each community in this notice. However, this rule includes the address of the Chief Executive Officer of the community where the modified base flood elevation determinations are available for inspection.

The modifications are made pursuant to section 206 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4105, and are in accordance with the National

Flood Insurance Act of 1968, 42 U.S.C. 4001 et seq., and with 44 CFR part 65.

For rating purposes, the currently effective community number is shown and must be used for all new policies and renewals.

The modified base flood elevations are the basis for the floodplain management measures that the community is required to either adopt or to show evidence of being already in effect in order to qualify or to remain qualified for participation in the National Flood Insurance Program.

These modified elevations, together with the floodplain management criteria required by 44 CFR 60.3, are the minimum that are required. They should not be construed to mean that the community must change any existing ordinances that are more stringent in their floodplain management requirements. The community may at any time enact stricter requirements of its own, or pursuant to policies established by other Federal, state or regional entities.

These modified elevations are used to meet the floodplain management requirements of the NFIP and are also used to calculate the appropriate flood insurance premium rates for new buildings built after these elevations are made final, and for the contents in these buildings.

The changes in base flood elevations are in accordance with 44 CFR 65.4.

National Environmental Policy Act

This rule is categorically excluded from the requirements of 44 CFR Part 10, Environmental Consideration. No environmental impact assessment has been prepared.

Regulatory Flexibility Act

The Acting Associate Director, Mitigation Directorate, certifies that this rule is exempt from the requirements of the Regulatory Flexibility Act because modified base flood elevations are required by the Flood Disaster Protection Act of 1973, 42 U.S.C. 4105, and are required to maintain community eligibility in the National Flood Insurance Program. No regulatory flexibility analysis has been prepared.

Regulatory Classification

This final rule is not a significant regulatory action under the criteria of section 3(f) of Executive Order 12866 of September 30, 1993, Regulatory Planning and Review, 58 FR 51735.

Executive Order 12612, Federalism

This rule involves no policies that have federalism implications under Executive Order 12612, Federalism, dated October 26, 1987.

Executive Order 12778, Civil Justice Reform

This rule meets the applicable standards of section 2(b)(2) of Executive Order 12778.

List of Subjects in 44 CFR Part 65

Flood insurance, Floodplains, Reporting and recordkeeping requirements. Accordingly, 44 CFR part 65 is amended to read as follows:

PART 65—[AMENDED]

1. The authority citation for part 65 continues to read as follows:

Authority: 42 U.S.C. 4001 et seq.; Reorganization Plan No. 3 of 1978, 3 CFR, 1978 Comp., p. 329; E.O. 12127, 44 FR 19367, 3 CFR, 1979 Comp., p. 376.

§65.4 [Amended]

2. The tables published under the authority of \S 65.4 are amended as follows:

State and county	Location	Dates and name of newspaper where notice was pub- lished	Chief executive officer of community	Effective date of modification	Community No.
Georgia: Effingham County (FEMA Docket No. 7150).	Unincorporated areas .	August 23, 1995, August 30, 1995, The Her- ald.	Mr. George G. Allen, Chairman of the Effingham County Board of Commissioners, Effingham County Courthouse, P.O. Box 307, Springfield, Georgia.	August 15, 1995	130076
Illinois: Cook (FEMA Docket No. 7158).	Village of Orland Park .	September 28, 1995, October 5, 1995, The Daily Southtown Economist.	The Honorable Daniel McLaughlin,	September 21, 1995.	170140 B
Ohio: Montgomery (FEMA Docket No. 7158).	City of Trotwood	October 10, 1995, October 17, 1995, Daily Court Reporter.	Mr. Michael Ratcliff, City of Trotwood Manager, 35 North Olive Road, Trotwood, Ohio 45426.	September 19, 1995.	390417 B

(Catalog of Federal Domestic Assistance No. 83.100, "Flood Insurance.")

Dated: April 9, 1996. Richard W. Krimm,

Acting Associate Director for Mitigation. [FR Doc. 96–9608 Filed 4–17–96; 8:45 am]

BILLING CODE 6718-03-P

44 CFR Part 67

Final Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency (FEMA).

ACTION: Final rule.

SUMMARY: Base (1% annual chance) flood elevations and modified base flood elevations are made final for the communities listed below. The base flood elevations and modified base flood elevations are the basis for the floodplain management measures that each community is required either to adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

EFFECTIVE DATES: The date of issuance of the Flood Insurance Rate Map (FIRM) showing base flood elevations and

modified base flood elevations for each community. This date may be obtained by contacting the office where the maps are available for inspection as indicated on the table below.

ADDRESSES: The final base flood elevations for each community are available for inspection at the office of the Chief Executive Officer of each community. The respective addresses are listed in the table below.

FOR FURTHER INFORMATION CONTACT:

Michael K. Buckley, P.E., Chief, Hazard Identification Branch, Mitigation Directorate, 500 C Street SW., Washington, DC 20472, (202) 646–2756.