

CAS number	Substance or mixture name	Testing	FR publication date
*	*	*	*

[FR Doc. 98-8069 Filed 3-26-98; 8:45 am]

BILLING CODE 6560-50-F

DEPARTMENT OF THE INTERIOR

Bureau of Land Management

43 CFR Part 2620

RIN 1004-AC71

State Grants, Alaska

AGENCY: Bureau of Land Management, Interior.

ACTION: Proposed rule; withdrawal.

SUMMARY: The Bureau of Land Management (BLM) is withdrawing a proposed rule published in the November 15, 1996, **Federal Register**, that proposed removing subpart 2627 of 43 CFR part 2620. This subpart spells out the application process involved in the State of Alaska's selection of lands under the Alaska Statehood Act and the Act of January 21, 1929 (University of Alaska land grant). BLM had proposed removing the regulations because we thought they were repetitive of statutory language, outdated, and not necessary for program implementation.

FOR FURTHER INFORMATION CONTACT: Frances Watson, Regulatory Affairs Group (WO-630), Bureau of Land Management, Mail Stop 401LS, 1849 C Street, N.W., Washington, D.C. 20240; telephone (202) 452-5006 (Commercial or FTS).

SUPPLEMENTARY INFORMATION: BLM published the proposed rule on November 15, 1996, at 61 FR 58500-58501. We received one comment from a State agency during the public comment period that ended on January 14, 1997. The agency opposed the proposed rule as being premature since all State selections have not been made under the Alaska Statehood Act and the Act of January 21, 1929 (University of Alaska land grants). After consideration of that comment, BLM has decided to withdraw the proposed rule and will take no further action on the proposal.

Dated: March 5, 1998.

Bob Armstrong,

Assistant Secretary, Land and Minerals Management.

[FR Doc. 98-7827 Filed 3-26-98; 8:45 am]

BILLING CODE 4310-84-P

FEDERAL EMERGENCY MANAGEMENT AGENCY

44 CFR Part 67

[Docket No. FEMA-7247]

Proposed Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency, FEMA.

ACTION: Proposed rule.

SUMMARY: Technical information or comments are requested on the proposed base (1% annual chance) flood elevations and proposed base flood elevation modifications for the communities listed below. The base flood elevations are the basis for the floodplain management measures that the community is required either to adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

DATES: The comment period is ninety (90) days following the second publication of this proposed rule in a newspaper of local circulation in each community.

ADDRESSES: The proposed base flood elevations for each community are available for inspection at the office of the Chief Executive Officer of each community. The respective addresses are listed in the following table.

FOR FURTHER INFORMATION CONTACT: Matthew B. Miller, P.E., Chief, Hazards Study Branch, Mitigation Directorate, 500 C Street SW., Washington, DC 20472, (202) 646-3461.

SUPPLEMENTARY INFORMATION: The Federal Emergency Management Agency (FEMA or Agency) proposes to make determinations of base flood elevations and modified base flood elevations for each community listed below, in accordance with section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR 67.4(a).

These proposed base flood and modified base flood elevations, together with the floodplain management criteria required by 44 CFR 60.3, are the minimum that are required. They should not be construed to mean that the community must change any existing ordinances that are more stringent in their floodplain

management requirements. The community may at any time enact stricter requirements of its own, or pursuant to policies established by other Federal, state or regional entities. These proposed elevations are used to meet the floodplain management requirements of the NFIP and are also used to calculate the appropriate flood insurance premium rates for new buildings built after these elevations are made final, and for the contents in these buildings.

National Environmental Policy Act

This proposed rule is categorically excluded from the requirements of 44 CFR Part 10, Environmental Consideration. No environmental impact assessment has been prepared.

Regulatory Flexibility Act

The Associate Director, Mitigation Directorate, certifies that this proposed rule is exempt from the requirements of the Regulatory Flexibility Act because proposed or modified base flood elevations are required by the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and are required to establish and maintain community eligibility in the National Flood Insurance Program. As a result, a regulatory flexibility analysis has not been prepared.

Regulatory Classification

This proposed rule is not a significant regulatory action under the criteria of section 3(f) of Executive Order 12866 of September 30, 1993, Regulatory Planning and Review, 58 FR 51735.

Executive Order 12612, Federalism

This proposed rule involves no policies that have federalism implications under Executive Order 12612, Federalism, dated October 26, 1987.

Executive Order 12778, Civil Justice Reform.

This proposed rule meets the applicable standards of section 2(b)(2) of Executive Order 12778.

List of Subjects in 44 CFR Part 67

Administrative practice and procedure, Flood insurance, Reporting and recordkeeping requirements.

Accordingly, 44 CFR part 67 is proposed to be amended as follows:

PART 67—[AMENDED]

Authority: 42 U.S.C. 4001 *et seq.*;
Reorganization Plan No. 3 of 1978, 3 CFR,
1978 Comp., p. 329; E.O. 12127, 44 FR 19367,
3 CFR, 1979 Comp., p. 376.

§ 67.4 [Amended]

2. The tables published under the
authority of § 67.4 are proposed to be
amended as follows:

1. The authority citation for part 67
continues to read as follows:

State	City/town/county	Source of flooding	Location	#Depth in feet above ground. *Elevation in feet (NGVD)	
				Existing	Modified
Connecticut	Fairfield (Town), Fairfield County.	Londons Brook	Approximately 430 feet downstream of State Route 59.	None	*107
			Approximately 1,100 feet upstream of Casmir Drive.	None	*173
		Londons Brook Divided Flow.	At confluence with Londons Brook	None	*118
			At Bond Street	None	*129

Maps available for inspection at the Town of Fairfield Planning and Zoning Department, 725 Old Post Road, Fairfield, Connecticut.

Send comments to Mr. Kenneth Flatto, First Selectman for the Town of Fairfield, 725 Old Post Road, Fairfield, Connecticut 06430.

Connecticut	Windham (Town), Windham County.	Willimantic River	Approximately 1,370 feet upstream from confluence with Shetucket River.	*159	*160
			At upstream corporate limits	*254	*255

Maps available for inspection at the Windham Town Clerk's Office, 979 Main Street, Willimantic, Connecticut.

Send comments to Walter Pawelkiewicz, Ph.D., First Selectman for the Town of Windham, 979 Main Street, Willimantic, Connecticut 06226.

Florida	Belleair (Town), Pinellas County.	Gulf of Mexico	Approximately 1,100 feet northwest of the intersection of Corbett Street and Druid Road.	*13	*16
			Approximately 300 feet south of the inter- section of Bellevue Boulevard and Druid Road.	*9	*12

Maps available for inspection at the Belleair Town Hall, 901 Ponce De Leon Boulevard, Belleair, Florida.

Send comments to Mr. Stephen Cottrell, Belleair Town Manager, 901 Ponce De Leon Boulevard, Belleair, Florida 33756.

Florida	Belleair Beach (City), Pinellas County.	Gulf of Mexico	At the intersection of Donato Drive and Altea Drive.	*9	*11
			Approximately 300 feet west of the inter- section of Harrison Avenue and Gulf Boulevard.	*14	*16

Maps available for inspection at the Belleair Beach City Hall, 444 Causeway Boulevard, Belleair Beach, Florida.

Send comments to The Honorable William L. Atteberry, Mayor of the City of Belleair Beach, 444 Causeway Boulevard, Belleair Beach, Florida 33786.

Florida	Belleair Bluffs (City), Pinellas County.	Gulf of Mexico	Approximately 300 feet west of the inter- section of Renatta Drive and Bluff View Drive.	*10	*12
			Approximately 1,700 feet west of the inter- section of Lentz Road and Los Gatos Drive.	*12	*14

Maps available for inspection at the Belleair Bluffs City Hall, 115 Florence Drive, Belleair Bluffs, Florida.

Send comments to The Honorable David Coyner, Mayor of the City of Belleair Bluffs, 115 Florence Drive, Belleair Bluffs, Florida 33770–1978.

Florida	Belleair Shore (Town), Pinellas County.	Gulf of Mexico	Approximately 300 feet west of the inter- section of 13th Street and Gulf Boule- vard.	*12	*15
			Approximately 50 feet west of the inter- section of 1st Street and Gulf Boule- vard.	*9	*12

Maps available for inspection at the Belleair Shore Town Hall, 1200 Gulf Boulevard, Belleair Shore, Florida.

Send comments to The Honorable George Jirotko, Mayor of the Town of Belleair Shore, 1200 Gulf Boulevard, Belleair Shore, Florida 33786.

Florida	Clearwater (City), Pinellas County.	Gulf of Mexico	At the intersection of Fulton Avenue and Harbor Drive.	*10	*11
			Approximately 0.4 mile northwest of inter- section of Bay Esplanade and Eldo- rado Avenue.	*15	*16
		Joe's Creek	Approximately 500 feet downstream of 49th Street North.	None	*24
			Downstream side of 49th Street North	None	*25

State	City/town/county	Source of flooding	Location	#Depth in feet above ground. *Elevation in feet (NGVD)	
				Existing	Modified

Maps available for inspection at the City of Clearwater Central Permitting Department, 100 South Myrtle Avenue, Clearwater, Florida.

Send comments to Mr. Michael Roberto, Clearwater City Manager, P.O. Box 4748, Clearwater, Florida 33758-4748.

Florida	Dunedin (City), Pinellas County.	Curlew Creek	At confluence with Intracoastal Waterway	*14	*17
			Approximately 0.34 mile upstream of County Road 1.	None	*25
		Jerry Branch	At confluence with Curlew Creek	None	*25
			Approximately 0.4 mile upstream of Main Street.	None	*47
		Gulf of Mexico	Approximately 1.0 mile northwest of the intersection of Edinburgh Drive and Causeway Boulevard.	*15	*17
			Approximately 300 feet west of the intersection of Douglas Avenue and Lyndhurst Street.	*10	*11

Maps available for inspection at the City of Dunedin Engineering Department, 737 Loudon Street, Dunedin, Florida.

Send comments to Mr. John Lawrence, Dunedin City Manager, P.O. Box 1348, Dunedin, Florida 34697-1348.

Florida	Gulfport (City), Pinellas County.	Gulf of Mexico/Boca Ciega Bay.	Approximately 1,500 feet southeast of the intersection of Seabreeze Point Boulevard and Seabird Road.	*12	*6
			Approximately 300 feet east of the intersection of Pompano Place and Dolphin Boulevard East.	*10	*12

Maps available for inspection at the City of Gulfport Public Services Department, 5330 23rd Avenue South, Gulfport, Florida.

Send comments to Mr. Robert E. Lee, Gulfport City Manager, 2401 53rd Street South, Gulfport, Florida 33707.

Florida	Indian Rocks Beach (City), Pinellas County.	Gulf of Mexico	Approximately 200 feet west of the intersection of Gulf Boulevard and 27th Avenue.	*9	*13
			At the intersection of 20th Avenue and Bay Boulevard.	*9	*11

Maps available for inspection at the Indian Rocks Beach City Hall, 1507 Bay Palm Boulevard, Indian Rocks Beach, Florida.

Send comments to The Honorable Robert Dinicola, Mayor of the City of Indian Rocks Beach, 1507 Bay Palm Boulevard, Indian Rocks Beach, Florida 33785.

Florida	Indian Shores (Town), Pinellas County.	Gulf of Mexico	Approximately 200 feet east of the intersection of 200th Avenue and Gulf Boulevard.	*9	*11
			Approximately 250 feet west of the intersection of 199th Avenue and Gulf Boulevard.	*12	*15

Maps available for inspection at the Indian Shores Town Hall, 19305 Gulf Boulevard, Indian Shores, Florida.

Send comments to The Honorable Robert G. McEwen, Mayor of the Town of Indian Shores, 19305 Gulf Boulevard, Indian Shores, Florida 33785.

Florida	Kenneth City (Town), Pinellas County.	Joe's Creek	Upstream side of 66th Street	*16	*15
			Approximately 23 miles upstream of 58th Street.	*23	*21

Maps available for inspection at the Kenneth City Town Hall, 6000 54th Avenue North, Kenneth City, Florida.

Send comments to The Honorable Maurice Knox, Mayor of the Town of Kenneth City, 6000 54th Avenue North, Kenneth City, Florida 33709.

Florida	Largo (City), Pinellas County.	Gulf of Mexico	At the intersection of Indian Rocks Road and Dryer Avenue.	*9	*10
			Approximately 1,200 feet northwest of the intersection of Indian Rocks Road and Kent Drive.	*11	*13

Maps available for inspection at the Largo City Hall, Engineering Department, 225 1st Avenue, SW, Largo, Florida.

Send comments to Mr. Steve Stanton, Largo City Manager, P.O. Box 296, Largo, Florida 33779-0296.

Florida	Madeira Beach (City), Pinellas County.	Gulf of Mexico	Approximately 100 feet east of the intersection of 154th Avenue and Second Street East.	*9	*11
---------------	--	----------------------	---	----	-----

State	City/town/county	Source of flooding	Location	#Depth in feet above ground. *Elevation in feet (NGVD)	
				Existing	Modified
			Approximately 600 feet southwest of the intersection of 132nd Avenue and Gulf Boulevard.	*15	*16

Maps available for inspection at the Madeira Beach Building Department, 300 Municipal Drive, Madeira Beach, Florida.

Send comments to Mr. Kim Leinbach, Madeira Beach City Manager, 300 Municipal Drive, Madeira Beach, Florida 33708.

Florida	North Redington Beach (Town), Pinellas County.	Gulf of Mexico	At the intersection of Rosa Lee Way and 173rd Avenue.	*9	*11
			Approximately 450 feet west of the intersection of 173rd Avenue and Gulf Boulevard.	*12	*16

Maps available for inspection at the North Redington Beach Town Hall, 190 173rd Avenue, North Redington Beach, Florida.

Send comments to The Honorable Harold Radcliffe, Mayor of the Town of North Redington Beach, 190 173rd Avenue, North Redington Beach, Florida 33708.

Florida	Pinellas County (Unincorporated Areas).	Brooker Creek, Tributary A.	At East Lake Road	None	*6
			Approximately 0.42 mile upstream of Ridgemoor Boulevard.	None	*16
		Brooker Creek, Tributary B.	At confluence with Brooker Creek Tributary A.	None	*8
		Joe's Creek, Tributary No. 4.	At Eastlake Woodlands Parkway	None	*9
			At confluence with Joe's Creek	*12	*10
		Joe's Creek Tributary No. 5.	Approximately 0.25 mile upstream of 53rd Street.	*18	*17
			At 74th Avenue (Park Boulevard)	None	*10
		Miles Creek	Approximately 0.26 mile upstream of Park Boulevard.	None	*10
			At confluence with Joe's Creek	*15	*13
			Approximately 700 feet downstream of 38th Avenue.	*15	*13
		Hollin Creek Tributary A ...	Approximately 0.06 mile downstream of Old East Lake Road.	None	*9
			Approximately 0.29 mile upstream of Crescent Oaks Boulevard.	None	*22
		Hollin Creek Tributary A-2	At confluence with Hollin Creek Tributary A.	None	*19
		Hollin Creek Tributary B ...	At Dirt Road	None	*19
			At confluence with Hollin Creek Tributary A.	None	*12
		Jerry Branch	At Trinity Boulevard	None	*21
			At Brady Drive	None	*25
		Joe's Creek	At the weir on north end of Indigo Drive ..	None	*47
			Approximately 1,250 feet downstream of 54th Avenue North.	*11	*10
		Curlew Creek	At 28th Street North	None	*45
			Approximately 0.7 mile upstream of CSX Transportation.	*11	*12
		Gulf of Mexico/Boca Ciega Bay.	Approximately 750 feet upstream of County Road 1/Palm Harbor Road.	None	*21
			At the intersection of Gulfwinds Drive West and Crosswinds Drive.	*10	*11
			Approximately 300 feet southwest of the intersection of Curlew Place and Florida Avenue.	*16	*18

Maps available for inspection at the Pinellas County Zoning Department, 310 Court Street, Clearwater, Florida.

Send comments to Mr. Fred E. Marquis, Pinellas County Administrator, 315 Court Street, Clearwater, Florida 33756.

Florida	Pinellas Park (City), Pinellas County.	Joe's Creek Tributary No. 4.	At 62nd Avenue North	*11	*14
			Approximately 0.25 mile upstream of 53rd Street North.	*18	*17
		Joe's Creek Tributary No. 5.	Approximately 0.26 mile upstream of Park Boulevard.	None	*10

State	City/town/county	Source of flooding	Location	#Depth in feet above ground. *Elevation in feet (NGVD)	
				Existing	Modified
			Approximately 0.02 mile upstream of 61st Street North.	None	*16
Maps available for inspection at the City of Pinellas Park Technical Services Building, 6051—78th Avenue North, Pinellas Park, Florida. Send comments to Mr. Robert Bray, Jr., AICP, City of Pinellas Park Floodplain Manager/Planning Director, P.O. Box 1100, Pinellas Park, Florida 33780–1100.					
Florida	Redington Beach (Town), Pinellas County.	Gulf of Mexico	At the intersection of East 3rd Street and Redington Drive.	*9	*11
			Approximately 500 feet west of the intersection of Gulf Boulevard and 164th Avenue.	*15	*16
Maps available for inspection at the Redington Beach Town Hall, 105 164th Avenue, Redington Beach, Florida. Send comments to The Honorable Mark Deighton, Mayor of the Town of Redington Beach, 105 164th Avenue, Redington Beach, Florida 33708.					
Florida	Redington Shores (Town), Pinellas County.	Gulf of Mexico	Approximately 100 feet north of the intersection of 1st Street and Long Point Drive.	*9	*11
			Approximately 600 feet west of intersection of Gulf Boulevard and Coral Avenue.	*14	*16
Maps available for inspection at the Redington Shores Town Hall, 17798 Gulf Boulevard, Redington Shores, Florida. Send comments to The Honorable J. J. Beyrouti, Mayor of the Town of Redington Shores, 17798 Gulf Boulevard, Redington Shores, Florida 33708.					
Florida	Seminole (City), Pinellas County.	Gulf of Mexico/Boca Ciega Bay.	At the intersection of 94th Street and 46th Avenue North.	*10	*11
			Approximately 400 feet southeast of the intersection of Woodlawn Drive and Seminole Boulevard.	*10	*15
Maps available for inspection at the City of Seminole Technical Services Department, 7464 Ridge Road, Seminole, Florida. Send comments to The Honorable Dottie Reeder, Mayor of the City of Seminole, 7464 Ridge Road, Seminole, Florida 33772.					
Florida	South Pasadena (City), Pinellas County.	Gulf of Mexico/Boca Ciega Bay.	At the intersection of Gulfport Boulevard and Pasadena Avenue.	*10	*12
			Approximately 500 feet west of the intersection of Sunset Drive and Bigonia Way.	*12	*15
Maps available for inspection at the South Pasadena City Hall, 7047 Sunset Drive South, South Pasadena, Florida. Send comments to The Honorable Fred G. Held, Jr., Mayor of the City of South Pasadena, 7047 Sunset Drive, South Pasadena, Florida 33707.					
Florida	St. Pete Beach (City), Pinellas County.	Gulf of Mexico	At the intersection of 80th Way and Blind Pass Road.	*10	*11
			Approximately 600 feet southwest of the intersection of 72nd Avenue and Sunset Avenue.	*15	*16
Maps available for inspection at the St. Pete Beach City Hall, 7701 Boca Ciega Drive, St. Pete Beach, Florida. Send comments to Mr. Carl L. Schwing, St. Pete Beach City Manager, 7701 Boca Ciega Drive, St. Pete Beach, Florida 33706.					
Florida	St. Petersburg (City) Pinellas County.	Miles Creek	Approximately 700 feet downstream of 38th Avenue.	*16	*13
			Approximately 0.05 mile upstream of 22nd Avenue and 58th Street.	*18	*19
		Gulf of Mexico/Boca Ciega Bay.	Approximately 50 feet west of the intersection of Park Street and 24th Avenue North.	*10	*12
			Approximately 200 feet southwest of the intersection of Sunset Drive North and 31st Terrace North.	*13	*15

State	City/town/county	Source of flooding	Location	#Depth in feet above ground. *Elevation in feet (NGVD)	
				Existing	Modified
Maps available for inspection at the City of St. Petersburg Municipal Services Center, Permit Division, 14th Street North, St. Petersburg, Florida.					
Send comments to The Honorable David Fischer, Mayor of the City of St. Petersburg, P.O. Box 2842, St. Petersburg, Florida 33731–2842.					
Florida	Tarpon Springs (City) Pinellas County.	Gulf of Mexico	Approximately 300 feet south of the intersection of Castleworks Lane and Coldstream Court. Approximately 1,000 feet west of the intersection of Harbor Watch Circle and North Pointe Alexis Drive.	*10 *17	*11 *18
Maps available for inspection at the Tarpon Springs City Hall, 324 East Pine Street, Tarpon Springs, Florida.					
Send comments to Mr. Costa F. Vatikiotis, Tarpon Springs City Manager, P.O. Box 5004, Tarpon Springs, Florida 33688–5004.					
Florida	Treasure Island (City) Pinellas County.	Gulf of Mexico	Approximately 1,000 feet west of the intersection of Dolphin Drive and Paradise Boulevard. Approximately 900 feet west of the intersection of 125th Avenue and Gulf Boulevard.	*10 *15	*11 *17
Maps available for inspection at the Treasure Island City Hall, Building Department, 120 108th Avenue, Treasure Island, Florida.					
Send comments to Mr. Charles Coward, Treasure Island City Manager, 120 108th Avenue, Treasure Island, Florida 33706.					
Indiana	New Albany (City), Floyd County.	Fall Run	At confluence with Falling Run	*438	*443
			At downstream side of Grant Line Road ..	*442	*443
		Falling Run	At Ohio River levee	*433	*438
			At Janie Drive	*479	*474
		Middle Creek	Approximately 150 feet downstream of State Route 111.	None	*448
			Approximately 75 feet upstream of upstream crossing of Southern Railway.	None	*472
		Vincennes Run	At confluence with Middle Creek	None	*448
			Approximately 70 feet upstream of Eagle Lane.	None	*471
Maps available for inspection at the City of New Albany Planning Commission, Room 329, City-County Building, 311 Hauss Square, New Albany, Indiana.					
Send comments to The Honorable Douglas B. England, Mayor of the City of New Albany, Room 316, City-County Building, 1 Hauss Square, New Albany, Indiana 47150–5336.					
Kentucky	Pike County (Unincorporated Areas).	Tug Fork	Approximatley 0.35 mile upstream of confluence of Turkey Creek.	*664	*663
			Approximately 0.5 mile upstream of confluence of Sycamore Creek.	*675	*674
		Shelby Creek	Approximately 1.14 mile upstream of confluence with Levisa Fork.	*687	*688
			Approximately 0.26 mile upstream of Low Water Crossing.	*822	*821
Maps available for inspection at the Pike County Courthouse, 324 Main Street, Pikeville, Kentucky.					
Send comments to The Honorable Donna Damron, Pike County Judge/Executive, 324 Main Street, Pikeville, Kentucky 41501.					
Kentucky	Pikeville (City), Pike County.	Harold Branch	At confluence with Pikeville Road	*671	*672
			Approximately 290 feet upstream of confluence with Pikeville Pond.	*671	*672
		Ferguson Creek	At confluence with Pikeville Pond	*671	*670
			Approximately 0.25 mile upstream of confluence with Pikeville Pond.	*671	*670
Maps available for inspection at the Building Inspector's Office, 260 Hambley Boulevard, Pikeville, Kentucky.					
Send comments to The Honorable Steven D. Combs, Mayor of the City of Pikeville, P.O. Box 1228, Pikeville, Kentucky 41502.					
Maine	Sidney (Town), Kennebec County.	Kennebec River	At downstream corporate limits	None	*45
			At upstream corporate limits	None	*56
		Messalonskee Lake	Entire shoreline within community	None	*238

State	City/town/county	Source of flooding	Location	#Depth in feet above ground. *Elevation in feet (NGVD)	
				Existing	Modified

Maps available for inspection at the Sidney Town Office, RR 3 Middle Road, Augusta, Maine.

Send comments to Mr. Gary Fuller, Town of Sidney Code Enforcement Officer, RR 3 Middle Road, Box 491, Augusta, Maine 04330.

Maine	Vienna (Town), Kennebec County.	Flying Pond	Entire shoreline within community	None	*349
-------------	------------------------------------	-------------------	---	------	------

Maps available for inspection at the Vienna Town Hall, Route 41, Vienna, Maine.

Send comments to Mr. Creston Gaither, Secretary of the Town of Vienna Planning Board, RFD 1, Box 630, Vienna, Maine 04306.

Massachusetts	Sudbury (Town), Middlesex County.	Cold Brook	Approximately 2.05 miles above confluence with Pantry Brook.	*122	*123
			Approximately 150 feet downstream of Pantry Road.	None	*131
		Dudley Brook and Tributary A to Dudley Brook.	Approximately 900 feet upstream of Bent Road.	None	*155
			Approximately 10 feet upstream of Boston Post Road.	None	*162
		Mineway Brook	Approximately 410 feet upstream of confluence with Pantry Brook.	*125	*126
			Approximately 240 feet upstream of Concord Road.	None	*224
		Pantry Brook	Approximately 110 feet upstream of Marlboro Road.	None	*142
			Approximately 0.54 mile upstream of Marlboro Road.	None	*161
		Run Brook	Approximately 700 feet upstream of confluence with Hop Brook.	*149	*148
			Approximately 155 feet upstream of Fairbank Road.	None	*182
		Tributary A to Cold Brook	Approximately 1300 feet upstream of confluence with Cold Brook.	*122	*123
			Approximately 635 feet upstream of Tantamouse Trail.	None	*175
		Tributary A to Hop Brook	Approximately 550 feet upstream with Hop Brook/Stearns Mill Pond.	None	*159
			Approximately 65 feet upstream of Firecut Lane.	None	*182
		Tributary A to Pantry Brook.	At confluence with Pantry Brook	None	*142
			Approximately 21 feet downstream of Willis Road.	None	*182
		Tributary B to Hop Brook	Approximately 500 feet upstream of confluence with Hop Brook.	None	*160
			Approximately 20 feet upstream of Moore Road.	None	*174
		Tributary C to Hop Brook	Approximately 710 feet upstream of confluence with Hop Brook.	*163	*164
			Approximately 0.8 mile above confluence with Hop Brook.	None	*176
		Tributary D to Hop Brook	Approximately 660 feet upstream of confluence with Hop Brook.	*163	*164
			At upstream corporate limits	None	*180

Maps available for inspection at the Sudbury Town Hall, 288 Old Sudbury Road, Sudbury, Massachusetts.

Send comments to Mr. Steven Ledoux, Sudbury Town Manager, 288 Old Sudbury Road, Sudbury, Massachusetts 01776.

Minnesota	Chaska (City), Carver County.	East Creek	Approximately 1875 feet upstream of confluence with Minnesota River.	*723	*712
			Approximately 100 feet upstream of North Valley Road.	None	*775
		Minnesota River	At upstream side of Milwaukee Road Railroad.	*723	*724
			Approximately 1320 feet upstream of Milwaukee Road Railroad.	*723	*724
		Old Clay Hole	Entire shoreline within community	*738	*729
		Ponding Areas at Outlet A	Entire shoreline within community	*726	*719
		Courthouse Lake	Entire shoreline within community	*723	*703

State	City/town/county	Source of flooding	Location	#Depth in feet above ground. *Elevation in feet (NGVD)	
				Existing	Modified

Maps available for inspection at the City of Chaska Engineer's Office, One City Hall Plaza, Chaska, Minnesota.

Send comments to Mr. David Pokorney, Chaska City Administrator, One City Hall Plaza, Chaska, Minnesota 55318-1962.

Mississippi	Columbus (City), Lowndes County.	Luxapalila Creek	At upstream side of Burlington Northern Railroad.	*170	*169
			Approximately 600 feet upstream of U.S. Highway 82 Bypass.	*180	*178
		McCrary Creek	At confluence with Luxapalila Creek	*172	*170
			Approximately 500 feet upstream of Idlewood Road.	*173	172
		Magby Creek	At confluence with Luxapalila Creek	*177	*173
			Approximately 0.60 mile downstream of Lehmberg Road.	*184	*183

Maps available for inspection at the Columbus City Hall, Building Inspection Department, 1215 2nd Avenue North, Columbus, Mississippi.

Send comments to The Honorable George Wade, Mayor of the City of Columbus, City Hall, Columbus, Mississippi 39703.

Mississippi	Lowndes County (Unincorporated Areas).	Black Creek	At confluence with Luxapalila Creek	*185	*183
			Approximately 1.0 mile upstream of confluence with Luxapalila Creek.	*186	*185
		Luxapalila Creek Tributary	At confluence with Luxapalila Creek	*199	*198
			Approximately 1.3 miles upstream of confluence with Luxapalila Creek.	*201	*202
		Yellow Creek	At Confluence with Luxapalila Creek	*196	*195
			Approximately 1.0 mile upstream of confluence with Luxapalila Creek.	*199	*198
		Laxapalila Creek	At upstream side of Burlington Northern Railroad.	*170	*169
			At county/state boundary	*214	*211

Maps available for inspection at the Lowndes County Building Inspection Department, 17 Airline Road, Columbus, Mississippi.

Send comments to Mr. J.L. Williams, President of the Lowndes County Board of Supervisors, P.O. Box 1364, Columbus, Mississippi 39703.

New Jersey	Berkeley Heights (Township), Union County.	Green Brook	At confluence of Blue Brook	*196	*197
			Approximately 1600 feet upstream of Apple Tree Road.	*406	*405
		Blue Brook	At confluence with Green Brook	*196	*197
			Approximately 1.4 miles upstream of Seely's Pond Dam.	None	*240
		Branch Green Brook	At confluence with Green Brook	*358	*363
			Approximately 110 feet upstream of confluence with Green Brook.	*362	*363
		Branch Blue Brook	At confluence with Blue Brook	*209	*210
			Approximately 10 feet upstream of confluence with Blue Brook.	*209	*210

Maps available for inspection at the Berkeley Heights Township Engineering Office, 29 Park Avenue, Berkeley Heights, New Jersey.

Send comments to The Honorable David Palladino, Mayor of the Township of Berkeley Heights, 29 Park Avenue, Berkeley Heights, New Jersey 07922.

New Jersey	Scotch Plains (Township), Union County.	Green Brook	Approximately 250 feet upstream of Terrill Road.	*137	*136
			At upstream corporate limits	*196	*198
		Blue Brook	At confluence with Green Brook	*196	*198
			At upstream corporate limits	*243	*240

Maps available for inspection at the Township of Scotch Plains Engineering Office, 430 Park Avenue, Scotch Plains, New Jersey.

Send comments to The Honorable Irene Schmidt, Mayor of the Township of Scotch Plains, 430 Park Avenue, Scotch Plains, New Jersey 07076.

North Carolina	Atlantic Beach (Town), Carteret County.	Bogue Sound	Approximately 800 feet north of intersection of North Court and Hoop Pole Road within extraterritorial jurisdiction limits.	None	*8
			Approximately 2,000 feet north of intersection of Salter Path Road and Dunes Avenue within extraterritorial jurisdiction limits.	None	*8

State	City/town/county	Source of flooding	Location	#Depth in feet above ground. *Elevation in feet (NGVD)	
				Existing	Modified
			Approximately 0.5 mile east of intersection of North Court and Hoop Pole Road within extraterritorial jurisdiction limits.	*7	*9
			Approximately 0.6 mile northwest of intersection of Old Causeway and Pond Drive within extraterritorial jurisdiction limits.	*7	*9
			Approximately 1,500 feet north of intersection of Fort Macon Drive and Tar Landing Road within extraterritorial jurisdiction limits.	None	*9

Maps available for inspection at the Atlantic Beach Town Office, 125 West Fort Macon Road, Atlantic Beach, North Carolina.

Send comments to Mr. Anthony Barrett, Atlantic Beach Town Manager, P.O. Box 10, Atlantic Beach, North Carolina 28512.

North Carolina	Carteret County (Unincorporated Areas).	Atlantic Ocean	Approximately 300 feet south of the intersection of NC 58 and Hoffman Road.	None	*13
		Atlantic Ocean/Onslow Bay.	Approximately 1240 feet south of the intersection of State Route 1190 and State Route 1191.	*15	*18
		Atlantic Ocean/Bogue Sound.	Approximately 450 feet north of the intersection of NC 58 and Hoffman Road.	*6	*18
			Approximately 1.2 miles east of the intersection of State Route 1190 and State Route 1191.	*14	*18

Maps available for inspection at the Carteret County Central Permit Office, Courthouse Square, Beaufort, North Carolina.

Send comments to Mr. Robert Murphy, Carteret County Manager, County Manager's Office, Courthouse Square, Beaufort, North Carolina 28516.

North Carolina	Grifton (Town) Lenoir and Pitt Counties.	Contentnea Creek	Approximately 3.7 miles downstream of CSX Transportation.	None	*21
			Approximately 2.6 miles upstream of State Highway 11.	None	*28
		Eagle Swamp	Approximately 0.9 mile downstream of County Route 1800.	None	*24
			Approximately 500 feet upstream of County Route 1709.	None	*33

Maps available for inspection at the Grifton Town Hall, 212 West Queen Street, Grifton, North Carolina.

Send comments to The Honorable Marian McLawhorn, Mayor of the Town of Grifton, P.O. Box 579, Grifton, North Carolina 28530.

North Carolina	Pine Knoll Shores (Town), Carteret County.	Bogue Sound	At the intersection of Arborvitae Court and Cottonwood Court.	None	*7
			Approximately 400 feet upstream of the intersection of Morey and Coral Drives.	*6	*7
		Atlantic Ocean	At the intersection of Pinewood and Bay Drives.	None	*12
			Entire shoreline within community between western and eastern corporate limits.	*16	*19
		Pine Knoll Waterway	Entire shoreline within community	None	*7
		Kings Corner Hearth Cove	Entire shoreline within community	None	*7

Maps available for inspection at the Pine Knoll Shores Town Hall, 100 Municipal Circle, Pine Knoll Shores, North Carolina.

Send comments to The Honorable Reese Musgrave, Mayor of the Town of Pine Knoll Shores, 100 Municipal Circle, Pine Knoll Shores, North Carolina 28512.

North Carolina	Raleigh (City), Wake County.	Southwest Prong Beaverdam Creek.	At the confluence with Beaverdam Creek (Basin 18, Stream 28).	*247	*248
			Approximately 50 feet downstream of Cambridge Road.	*258	*257

Maps available for inspection at the City of Raleigh Inspections Department, Conservation Section, 222 West Hargett Street, Raleigh, North Carolina.

Send comments to Mr. D.E. Benton, Jr., Raleigh City Manager, P.O. Box 590, 222 West Hargett Street, Raleigh, North Carolina 27602.

Ohio	Ashville (Village), Pickaway County.	Walnut Creek	Just upstream of Cromley Road	None	*687
------------	--------------------------------------	--------------------	-------------------------------------	------	------

State	City/town/county	Source of flooding	Location	#Depth in feet above ground. *Elevation in feet (NGVD)	
				Existing	Modified
			Approximately 700 feet downstream of Lockbourne Eastern Road.	None	*694

Maps available for inspection at the Village of Ashville Municipal Building, 91 West Main Street, Ashville, Ohio.

Send comments to The Honorable Jane Cline, Mayor of the Village of Ashville, 91 West Main Street, Ashville, Ohio 43103.

Ohio	Circleville (City), Pickaway County.	Hargus Creek	At Island Road	*671	*670
			Approximately 50 feet upstream of Stoutsville Pike.	None	*700
		Hominy Creek	Approximately 350 feet upstream of confluence with Hargus Creek.	*687	*686
			Approximately 0.73 mile downstream of Bolender-Pontius Road.	*702	*704
		McHenry Ditch	At confluence with Hargus Creek	*675	*676
			Approximately 750 feet upstream of Nicholas Drive.	None	*702
		Scioto River	Area between U.S. Route 23 and CSX Transportation.	None	*666

Maps available for inspection at the City of Circleville Public Service Office, 127 South Court Street, Circleville, Ohio.

Send comments to The Honorable Patricia Radabaugh, Mayor of the City of Circleville, 127 South Court Street, Circleville, Ohio 43113.

Ohio	Pickaway County ... (Unincorporated Areas).	Hargus Creek	At CSX Transportation	*671	*670
			Approximately 700 feet upstream of Bolender-Pontius Road.	None	*753
		Hominy Creek	Approximately 0.78 mile downstream of Bolender-Pontius Road.	*702	*703
			Approximately 600 feet upstream of Conrail.	None	*752
		Scioto River	At the downstream county boundary	*652	*651
			Approximately 1,600 feet upstream of confluence of Big Walnut Creek.	*693	*694
		Mud Run	At upstream side of State Route 316 (Ashville Road).	None	*680
			Approximately 1.5 miles upstream of State Route 752.	None	*695
		Scioto Overflow to Mud Run.	At confluence with Mud Run	None	*683
			At downstream side of Weigand Road	None	*687
		Big Run	At county boundary	None	*809
		Big Walnut Creek	Approximately 1.1 miles upstream of confluence with Scioto River.	*693	*694

Maps available for inspection at the Pickaway County Commissioners Office, 207 South Court Street, Circleville, Ohio.

Send comments to Mr. Robert Huffer, Chairman of the Pickaway County Board of Commissioners, 207 South Court Street, Circleville, Ohio 43113.

Ohio	South Bloomfield (Village) Pickaway County.	Mud Run	At a point approximately 2,000 feet downstream of Ashville Road (State Route 316).	*678	*679
			At State Route 752	*681	*680
		Scioto River	At a point approximately 0.5 mile downstream of State Route 316.	None	*682
			At a point approximately 1,400 feet downstream of State Route 316.	None	*682

Maps available for inspection at the Village of South Bloomfield Municipal Building, 5023 South Union Street, South Bloomfield, Ohio.

Send comments to The Honorable Albert Junior Roesse, Mayor of the Village of South Bloomfield, 5023 South Union Street, South Bloomfield, Ohio 43103-1035.

Pennsylvania	Upper Merion (Township), Montgomery County.	Abrams Run	At confluence with Crow Creek	None	*141
			Approximately 420 feet upstream of Falcon Road.	None	*234
		Unnamed	At confluence with Matsunk Creek	*68	*76
		Creek A	Approximately 80 feet upstream of Flint Hill Road.	None	*114
		Crow Creek	At upstream side of ConRail	*78	*80
			Approximately 80 feet upstream of Croton Road.	None	*287

State	City/town/county	Source of flooding	Location	#Depth in feet above ground. *Elevation in feet (NGVD)	
				Existing	Modified
		Frog Run	At Flint Hill Road	None	*92
			Approximately 440 feet upstream of South Henderson Road.	None	*188
		Gulph Mills Creek	Approximately 130 feet downstream of I-76.	None	*127
			Approximately 330 feet upstream of Gypsy Road.	None	*270
		Abrams Creek	At upstream side of ConRail	*78	*80
			Approximately 60 feet upstream of Brownlee Road.	None	*116
		Matsunk Creek	Approximately 120 feet upstream of confluence with Schuylkill River.	*68	*69
			Approximately 140 feet upstream of School Line Drive.	None	*211
		Gulph Mills Tributary A	At confluence with Gulph Mills Creek	None	*154
			Approximately 80 feet upstream of Arden Road.	None	*155
		Gulph Mills Tributary B	At confluence with Gulph Mills Creek	None	*161
			Approximately 65 feet upstream of Lantern Lane.	None	*173

Maps available for inspection at the Upper Merion Public Works Department, 175 West Valley Forge Road, King of Prussia, Pennsylvania.

Send comments to Mr. Ronald G. Wagenmann, Upper Merion Township Manager, 175 West Valley Forge Road, King of Prussia, Pennsylvania 19406.

West Virginia	Berkeley County (Unincorporated Areas).	Rockymarsh Run	Approximately 80 feet downstream of Billmyer Mill Road.	None	*418
			At confluence of Tributary to Rockymarsh Run.	None	*427
		Tributary to Rockymarsh Run.	At confluence with Rockymarsh Run	None	*427
			Approximately 820 feet upstream of State Route 45.	None	*436

Maps available for inspection at the Berkeley County Planning Commission, 119 West King Street, Martinsburg, West Virginia.

Send comments to Mr. James C. Smith, President of the Berkeley County Board of Commissioners, 126 West King Street, Martinsburg, West Virginia 25401.

West Virginia	Jefferson County (Unincorporated Areas).	Rockymarsh Run	Approximately 430 feet downstream of Billmyer Mill Road.	None	*411
			Approximately 700 feet upstream of State Route 45.	None	*442
		Tributary to Rockymarsh Run.	At confluence with Rockymarsh Run	None	*427
			Approximately 820 feet upstream of State Route 45.	None	*436

Maps available for inspection at the Jefferson County Clerk's Office, 100 East Washington Street, Charlestown, West Virginia.

Send comments to Mr. James Knode, President of the Jefferson County Commission, P.O. Box 250, 110 East Washington Street, Charlestown, West Virginia 25414.

Wisconsin	Chetek (City), Barron County.	Chetek River	Approximately 1,700 feet downstream of Chicago and North Railway (At corporate limits).	None	*1,031
			Approximately 50 feet downstream of dam on Chetek River.	None	*1,039

Maps available for inspection at the Chetek City Clerk's Office, Chetek City Hall, 220 Stout Street, Chetek, Wisconsin.

Send comments to The Honorable Shirley A. Webb, Mayor of the City of Chetek, P.O. Box 194, Chetek, Wisconsin 54728.

Wisconsin	Merrill (City) Lincoln County.	Wisconsin River	Approximately 1.1 miles downstream of U.S. Route 51.	*1,244	*1,241
			Approximately 500 feet upstream of Alexander Dam.	None	*1,276
		Prairie River	At the confluence with Wisconsin River ...	*1,253	*1,252
			Approximately 1,480 feet upstream of Third Street.	*1,258	*1,259
		Devil Creek	At the confluence with Wisconsin River ...	*1,255	*1,254
			At Heldt Street	*1,255	*1,266

State	City/town/county	Source of flooding	Location	#Depth in feet above ground. *Elevation in feet (NGVD)	
				Existing	Modified

Maps available for inspection at the City of Merrill Building Inspector/Zoning Administrator's Office, Merrill City Hall, 1004 East First Street, Merrill, Wisconsin.

Send comments to The Honorable Patricia Woller, Mayor of the City of Merrill, 1004 East First Street, Merrill, Wisconsin 54452.

(Catalog of Federal Domestic Assistance No. 83.100, "Flood Insurance")

Dated: March 19, 1998.

Michael J. Armstrong,

Associate Director for Mitigation.

[FR Doc. 98-8088 Filed 3-26-98; 8:45 am]

BILLING CODE 6718-04-P

DEPARTMENT OF DEFENSE

48 CFR Parts 228 and 252

[DFARS Case 98-D002]

Defense Federal Acquisition Regulation Supplement; Compliance with Spanish Laws and Insurance

AGENCY: Department of Defense (DoD).

ACTION: Proposed rule with request for comments.

SUMMARY: The Director of Defense Procurement is proposing to amend the Defense Federal Acquisition Regulation Supplement (DFARS) to clarify requirements for use of a clause pertaining to compliance with Spanish laws and insurance under contracts for services or construction to be performed in Spain.

DATES: Comments on the proposed rule should be submitted in writing to the address shown below on or before May 26, 1998, to be considered in the formulation of the final rule.

ADDRESSES: Interested parties should submit written comments to: Defense Acquisition Regulations Council, Attn: Ms. Amy Williams, PDUSD (A&T) DP (DAR), IMB 3D139, 3062 Defense Pentagon, Washington, DC 20301-3062. Telefax (703) 602-0350.

E-mail comments submitted over the Internet should be addressed to: dfars@acq.osd.mil

Please cite DFARS Case 98-D002 in all correspondence related to this issue. E-mail comments should cite DFARS Case 98-D002 in the subject line.

FOR FURTHER INFORMATION CONTACT: Ms. Amy Williams, (703) 602-0131.

SUPPLEMENTARY INFORMATION:

A. Background

This proposed rule amends DFARS 228.370(f) to clarify the prescription for

use of the clause at 252.228-7006, Compliance with Spanish Laws and Insurance. The rule also amends the clause at 552.228-7006 to clarify that the requirements of the clause apply only if the contractor is not a Spanish concern; and that the requirements of the clause apply to subcontracts with non-Spanish concerns that will perform work in Spain under the contract.

B. Regulatory Flexibility Act

The proposed rule is not expected to have a significant economic impact on a substantial number of small entities within the meaning of the Regulatory Flexibility Act, 5 U.S.C. 601, *et seq.*, because the rule is a clarification of existing requirements and applies only to contracts for services or construction to be performed in Spain. An Initial Regulatory Flexibility Analysis has therefore not been performed. Comments are invited from small businesses and other interested parties. Comments from small entities concerning the affected DFARS subparts also will be considered in accordance with 5 U.S.C. 610. Such comments should be submitted separately and should cite DFARS Case 98-D002 in correspondence.

C. Paperwork Reduction Act

The existing paperwork burden requirements of the clause at DFARS 252.228-7006 have been approved by the Office of Management and Budget under Clearance Number 0704-0229, which expires on September 30, 1998. This rule is not expected to result in a change in the estimated burden hours.

List of Subjects in 48 CFR Parts 228 and 252

Government procurement.

Michele P. Peterson,

Executive Editor, Defense Acquisition Regulations Council.

Therefore, 48 CFR Parts 228 and 252 are proposed to be amended as follows:

1. The authority citation for 48 CFR Parts 228 and 252 continues to read as follows:

Authority: 41 U.S.C. 421 and 48 CFR Chapter 1.

PART 228—BONDS AND INSURANCE

2. Section 228.370 is amended by revising paragraph (f) to read as follows:

228.370 Additional clauses.

* * * * *

(f) Use the clause at 252.228-7006, Compliance with Spanish Laws and Insurance, in solicitations and contracts for services or construction to be performed in Spain, unless the contractor is a Spanish concern.

PART 252—SOLICITATION PROVISIONS AND CONTRACT CLAUSES

3. Section 252.228-7006 is amended by revising the clause date; and redesignating paragraphs (a) through (e) as paragraphs (b) through (f), respectively; adding a new paragraph (a); and revising newly designated paragraph (e) to read as follows:

252.228-7006 Compliance with Spanish laws and insurance.

* * * * *

COMPLIANCE WITH SPANISH LAWS AND INSURANCE (XXX 19XX)

(a) The requirements of this clause apply only if the Contractor is not a Spanish concern.

* * * * *

(e) The Contractor shall provide the Contracting Officer with a similar representation for all subcontracts with non-Spanish concerns that will perform work in Spain under this contract.

* * * * *

[FR Doc. 98-7712 Filed 3-26-98; 8:45 am]

BILLING CODE 5000-04-M

DEPARTMENT OF THE INTERIOR

Fish and Wildlife Service

50 CFR Part 17

RIN 1018-AE86

Endangered and Threatened Wildlife and Plants; Proposed Rule To List the Devils River Minnow (*Dionda diaboli*) as Endangered

AGENCY: Fish and Wildlife Service, Interior.