postcard on which the following statement is made: "Comments to Docket No. 98–SW–48–AD." The postcard will be date stamped and returned to the commenter.

The regulations adopted herein will not have substantial direct effects on the States, on the relationship between the national government and the States, or on the distribution of power and responsibilities among the various levels of government. Therefore, in accordance with Executive Order 12612, it is determined that this final rule does not have sufficient federalism implications to warrant the preparation of a Federalism Assessment.

The FAA has determined that this regulation is an emergency regulation that must be issued immediately to correct an unsafe condition in aircraft and that it is not a "significant regulatory action" under Executive Order 12866. It has been determined further that this action involves an emergency regulation under DOT Regulatory Policies and Procedures (44 FR 11034, February 26, 1979). If it is determined that this emergency regulation otherwise would be significant under DOT Regulatory Policies and Procedures, a final regulatory evaluation will be prepared and placed in the Rules Docket. A copy of it, if filed, may be obtained from the Rules Docket at the location provided under the caption ADDRESSES.

## List of Subjects in 14 CFR Part 39

Air transportation, Aircraft, Aviation safety, Safety.

## Adoption of the Amendment

Accordingly, pursuant to the authority delegated to me by the Administrator, the Federal Aviation Administration amends part 39 of the Federal Aviation Regulations (14 CFR part 39) as follows:

# PART 39—AIRWORTHINESS DIRECTIVES

1. The authority citation for part 39 continues to read as follows:

Authority: 49 U.S.C. 106(g), 40113, 44701.

### § 39.13 [Amended]

2. Section 39.13 is amended by adding a new airworthiness directive to read as follows:

# AD 99-09-05 Bell Helicopter Textron

Canada: Amendment 39–11137. Docket No. 98–SW–48–AD.

Applicability: Model 230 helicopters, serial numbers 23001 through 23038, certificated in any category.

**Note 1:** This AD applies to each helicopter identified in the preceding applicability

provision, regardless of whether it has been otherwise modified, altered, or repaired in the area subject to the requirements of this AD. For helicopters that have been modified, altered, or repaired so that the performance of the requirements of this AD is affected, the owner/operator must request approval for an alternative method of compliance in accordance with paragraph (b) of this AD. The request should include an assessment of the effect of the modification, alteration, or repair on the unsafe condition addressed by this AD; and, if the unsafe condition has not been eliminated, the request should include specific proposed actions to address it.

Compliance: Required as indicated, unless accomplished previously.

To prevent fretting induced fatigue cracking of the main rotor flapping bearing assembly (flapping bearing assembly) and around the bolt holes of the main rotor pitch horn (pitch horn), loss of the rotor system, and subsequent loss of control of the helicopter, accomplish the following:

- (a) Within 10 hours time-in-service (TIS), and thereafter at intervals not to exceed 150 hours TIS:
- (1) Perform a visual inspection of the main rotor hub for fretting between the pitch horn and main rotor grip tangs (grip tangs) and between the flapping bearing assembly and the main rotor yoke assembly. If fretting is found on any part, replace it with an airworthy part.
- (2) Verify the torque of the main rotor grip retaining bolts and the flapping bearing assembly bolts in the tightening direction, minimum 100 foot-pounds. If 100 foot-pounds torque is reached without movement of the bolts, torque bolts to 125 foot-pounds.
- (3) If any bolt moves before 100 footpounds torque is reached, remove the pitch horn or the flapping bearing assembly, as applicable, from the main rotor hub assembly for further inspection. Inspect the pitch horn or flapping bearing assembly, as applicable, and all faying surfaces of the pitch horn, flapping bearing assembly, buffers, main rotor yoke assembly, and the grip tangs for fretting. If fretting is found on any part, replace it with an airworthy part.
- (4) Apply corrosion preventive compound to the exposed portions of the bolts and nuts.

**Note 2:** Bell Helicopter Textron Alert Service Bulletin No. 230–98–13, dated April 23, 1998, pertains to the subject of this AD.

(b) An alternative method of compliance or adjustment of the compliance time that provides an acceptable level of safety may be used if approved by the Manager, Rotorcraft Certification Office, FAA, Rotorcraft Directorate. Operators shall submit their requests through an FAA Principal Maintenance Inspector, who may concur or comment and then send it to the Manager, Rotorcraft Certification Office.

**Note 3:** Information concerning the existence of approved alternative methods of compliance with this AD, if any, may be obtained from the Rotorcraft Certification Office.

(c) Special flight permits may be issued in accordance with sections 21.197 and 21.199 of the Federal Aviation Regulations (14 CFR 21.197 and 21.199) to operate the helicopter

to a location where the requirements of this AD can be accomplished.

(d) This amendment becomes effective on May 5, 1999.

**Note 4:** The subject of this AD is addressed in Transport Canada (Canada) AD CF-98-17, dated July 15, 1998.

Issued in Fort Worth, Texas, on April 13, 1999.

### Eric Bries,

Acting Manager, Rotorcraft Directorate, Aircraft Certification Service.

[FR Doc. 99–9825 Filed 4–19–99; 8:45 am] BILLING CODE 4910–13–U

## **DEPARTMENT OF TRANSPORTATION**

### **Federal Aviation Administration**

### 14 CFR Part 71

[Airspace Docket No. 99-AAL-1]

Revision of Class D Airspace; Fairbanks, Eielson Air Force Base (AFB), AK; Revision and Establishment of Class E Airspace; Fairbanks, Eielson AFB, AK

**AGENCY:** Federal Aviation Administration (FAA), DOT.

**ACTION:** Final rule.

**SUMMARY:** This action revises Class D airspace operational times, revises and revokes current Class E airspace, and establishes additional Class E airspace at Eielson AFB, AK. The United States Air Force (USAF) requested this action in response to (1) a critical Air Traffic Control (ATC) controller shortage throughout the USAF and (2) an airspace review after redesigning their instrument approaches. Adoption of this proposal would result in the provision of a part time operation of the Class D airspace; revision of the current Class E airspace; and when the tower is closed, establishment of additional Class E airspace for Instrument Flight Rules (IFR) and Special Visual Flight Rules (VFR) operations at Eielson AFB, AK. EFFECTIVE DATE: 0901 UTC, July 15,

# FOR FURTHER INFORMATION CONTACT:

Derril Bergt, Operations Branch, AAL–535, Federal Aviation Administration, 222 West 7th Avenue, Box 14, Anchorage, AK 99513–7587; telephone number (907) 271–2796; fax: (907) 271–2850; email: Derril.Bergt@faa.gov. Internet address: http://www.alaska.faa.gov/at or at address http://162.58.28.41/at.

## SUPPLEMENTARY INFORMATION:

# History

On February 1, 1999, a proposal to amend part 71 of the Federal Aviation

Regulations (14 CFR part 71) to allow the USAF to revise Class D airspace operational times, modify existing Class E airspace, and establish additional Class E airspace for IFR and Special VFR operations when the Class D airspace is inactive at Eilson AFB, AK was published in the **Federal Register** (64 FR 4793). This rule is necessary due to a critical ATC controller shortage and a redesign of the required airspace for IFR operations. This action decreases the physical dimensions of the Class D airspace from a 5.2 mile radius to a 4.7 mile radius. The following phraseology will be added to the end of the Class D airspace description: "This Class D airspace area is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airport/ Facility Directory." This action allows part time operation of the Airport Traffic Control Tower (ATCT) at Eielson AFB, AK. The USAF plans for the Eielson AFB tower to be closed between 2300 and 0700 (local times). During this closure, the Class D airspace will convert to Class E airspace which this rule is establishing for IFR and Special VFR operations. The existing Class E airspace is revised to eliminate extensions and the result is a single 7.2 mile radius circle of Eielson AFB.

The Eielson AFB mission has changed in recent years. Present flight operations rarely exceed 16 hours per day, and quiet hours are in effect from 2200 to 0700 local times. Less than one percent of annual flight traffic occurs during the planned closure times. Eielson AFB base operations and the runway will remain a 24-hour facility. Eielson Tower will retain sufficient personnel to revert to 24-hour operations in the event of a contingency. Air traffic controllers will be on a standby schedule to provide oncall services to North American Defense (NORAD) missions, approved arrivals and departures, and emergency diverts. The USAF intends to meet all criteria to remain a viable alternate airport.

Interested parties were invited to participate in this rulemaking by submitting written comments on the proposal to the FAA. No public comments to the proposal were received. However, while stating the extensions will be eliminated, the reference for the Eielson AFB Class E airspace extensions was inadvertently omitted. The following verbiage has been added to the rule, "Class E airspace areas extending upward from the surface designated as an extension to a Class D or Class E surface area are published in paragraph 6004," and "AAL AK E4 Fairbanks, Eielson AFB,

AK [Revoked]." Additionally, the verbiage "This Class E airspace area is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airport/Facility Directory" was inadvertently omitted from the Class E airspace description. This verbiage is required because the time of activation is not continuous, 24 hours a day. The Federal Aviation Administration has determined that these changes are editorial in nature and will not increase the scope of this rule. Except for the non-substantive change just discussed, the rule is adopted as written.

The area would be depicted on aeronautical charts for pilot reference. The coordinates for this airspace docket are based on North American Datum 83. The Class D airspace areas are published in paragraph 5000, Class E airspace areas designated as a surface area are published in paragraph 6002, Class E airspace areas extending upward from the surface designated as an extension to a Class D or Class E surface area are published in paragraph 6004, and Class E airspace areas extending upward from 700 feet or more above the surface of the earth are published in paragraph 6005 in FAA Order 7400.9F, Airspace Designations and Reporting Points, dated September 10, 1998, and effective September 16, 1998, which is incorporated by reference in 14 CFR 71.1 (63 FR 50139; September 21, 1998). The Class D and Class E airspace listed in this document will be revised, revoked, and published in the Order.

## The Rule

This amendment to 14 CFR part 71 allows the USAF to revise the Class D airspace operational times at Eielson AFB, AK, revokes Class E surface area extensions, revises the existing Class E airspace, and establishes Class E airspace for IFR and Special VFR operations when the Class D airspace is inactive. The intended effect of this action is to provide the USAF the flexibility to adjust the operational time of the Eielson AFB Tower and make revisions to the Class E airspace at Eielson AFB, AK.

The FAA has determined that these actions only involve an established body of technical regulations for which frequent and routine amendments are necessary to keep them operationally current. It, therefore—(1) is not a "significant regulatory action" under Executive Order 12866; (2) is not a "significant rule" under DOT Regulatory Policies and Procedures (44 FR 11034; February 26, 1979); and (3)

does not warrant preparation of a regulatory evaluation as the anticipated impact is so minimal. Since this is a routine matter that will only affect air traffic procedures and air navigation, it is certified that this rule, when promulgated, will not have a significant economic impact on a substantial number of small entities under the criteria of the Regulatory Flexibility Act.

## List of Subjects in 14 CFR Part 71

Airspace, Incorporation by reference, Navigation (air).

## **Adoption of the Amendment**

In consideration of the foregoing, the Federal Aviation Administration amends 14 CFR part 71 as follows:

## PART 71—DESIGNATION OF CLASS A, CLASS B, CLASS C, CLASS D, AND CLASS E AIRSPACE AREAS; AIRWAYS; ROUTES; AND REPORTING POINTS

1. The authority citation for 14 CFR part 71 continues to read as follows:

**Authority:** 49 U.S.C. 106(g), 40103, 40113, 40120; E.O. 10854, 24 FR 9565, 3 CFR, 1959–1963 Comp., p. 389.

## §71.1 [Amended]

2. The incorporation by reference in 14 CFR 71.1 of Federal Aviation Administration Order 7400.9F, *Airspace Designations and Reporting Points*, dated September 10, 1998, and effective September 16, 1998, is amended as follows:

Paragraph 5000 Class D Airspace.

# AAL AK D Fairbanks, Eielson AFB, AK [Revised]

Fairbanks, Eielson AFB, AK (Lat. 64°39′56″ N, long. 147°06′05″ W)

That airspace extending upward from the surface to and including 3,000 feet MSL within a 4.7-mile radius of Eielson AFB. This Class D airspace area is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airport/Facility Directory.

Paragraph 6002 Class E airspace designated as surface areas.

# AAL AK E2 Fairbanks, Eielson AFB, AK [New]

Fairbanks, Eielson AFB, AK (Lat.  $64^{\circ}39'56''$  N, long.  $147^{\circ}06'05''$  W)

That airspace extending upward from the surface to and including 3,000 feet MSL within a 4.7-mile radius of Eielson AFB. This Class E airspace area is effective during the specific dates and times established in advance by a Notice to Airmen. The effective

date and time will thereafter be continuously published in the Airport/Facility Directory.

Paragraph 6004 Class E airspace areas extending upward from the surface designated as an extension to a Class D or Class E surface area.

AAL AK E4 Fairbanks, Eielson AFB, AK

[Revoked]

Paragraph 6005 Class E airspace areas extending upward from 700 feet or more above the surface of the earth.

## AAL AK E5 Fairbanks, Eielson AFB, AK [Revised]

Fairbanks, Eielson AFB, AK (Lat. 64°39'56" N, long. 147°06'05" W) That airspace extending upward from 700 feet above the surface within a 7.2-mile radius of Eielson AFB.

Issued in Anchorage, AK, on April 9, 1999.

Willis C. Nelson, Manager, Air Traffic Division, Alaskan

Region.

[FR Doc. 99-9780 Filed 4-19-99; 8:45 am] BILLING CODE 4910-13-M

### DEPARTMENT OF TRANSPORTATION

### **Federal Aviation Administration**

14 CFR Part 71

[Airspace Docket No. 98-AAL-25]

## Revision of Class E Airspace; Port Heiden, AK

**AGENCY: Federal Aviation** Administration (FAA), DOT.

**ACTION:** Final rule.

**SUMMARY:** This rule modifies Class E airspace at Port Heiden, AK, The establishment of a new Micowave Landing System (MLS) instrument approaches to runway (RWY) 05 at Port Heiden, AK, made this action necessary. Adoption of this proposal will provide adequate controlled airspace for Instrument Flight Rules (IFR) operations at Port Heiden, AK.

EFFECTIVE DATE: 0901 UTC, July 15, 1999.

## FOR FURTHER INFORMATION CONTACT:

Robert van Haastert, Operations Branch, AAL-538, Federal Aviation Administration, 222 West 7th Avenue, Box 14, Anchorage, AK 99513-7587; telephone number (907) 271-5863; fax: (907) 271-2850; email:

Robert.van.Haastert@faa.gov. Internet address: http://162.58.28.41/at or at address http://www.alaska.faa.gov/at.

SUPPLEMENTARY INFORMATION:

### History

On February 1, 1999, a proposal to amend part 71 of the Federal Aviation Regulations (14 CFR part 71) to revise the Class E airspace at Port Heiden, AK, was published in the **Federal Register** (64 FR 4800). The proposal was necessary due to the establishment of MLS instrument approaches to RWY 05.

Interested parties were invited to participate in this rulemaking proceeding by submitting written comments on the proposal to the FAA. No public comments to the proposal were received, however the coordinates for Port Heiden Airport were published with errors. The latitude coordinates are corrected to read: Lat. 56°57'34" and the longitude coordinates are corrected to read: long. 158°37'55". The Federal Aviation Administration has determined that these changes are editorial in nature and will not increase the scope of this rule. Except for the non-substantive change just discussed, the rule is adopted as written.

The area will be depicted on aeronautical charts for pilot reference. The coordinates for this airspace docket are based on North American Datum 83. The Class E airspace areas designated as 700/1200 foot transition areas are published in paragraph 6005 of FAA Order 7400.9F, Airspace Designations and Reporting Points, dated September 10, 1998, and effective September 16, 1998, which is incorporated by reference in 14 CFR 71.1 (63 FR 50139; September 21, 1998). The Class E airspace designations listed in this document will be revised and published subsequently in the Order.

### The Rule

This amendment to 14 CFR part 71 revises the Class E airspace at Port Heiden, AK, due to the establishment of MLS instrument approaches to RWY 05. The intended effect of this action is to provide adequate controlled airspace for IFR operations at Port Heiden, AK.

The FAA has determined that this action only involves an established body of technical regulations for which frequent and routine amendments are necessary to keep them operationally current. It, therefore—(1) is not a "significant regulatory action" under Executive Order 12866; (2) is not a ''significant rule'' under DOT Regulatory Policies and Procedures (44 FR 11034; February 26, 1979); and (3) does not warrant preparation of a regulatory evaluation as the anticipated impact is so minimal. Since this is a routine matter that will only affect air traffic procedures and air navigation, it is certified that this rule, when

promulgated, will not have a significant economic impact on a substantial number of small entities under the criteria of the Regulatory Flexibility Act.

# List of Subjects in 14 CFR Part 71

Airspace, Incorporation by reference, Navigation (air).

## **Adoption of the Amendment**

In consideration of the foregoing, the Federal Aviation Administration amends 14 CFR part 71 as follows:

## PART 71—DESIGNATION OF CLASS A, CLASS B, CLASS C, CLASS D, AND **CLASS E AIRSPACE AREAS**; **AIRWAYS: ROUTES: AND REPORTING POINTS**

1. The authority citation for 14 CFR part 71 continues to read as follows:

Authority: 49 U.S.C. 106(g), 40103, 40113, 40120; E.O. 10854, 24 FR 9565, 3 CFR, 1959-1963 Comp., p. 389.

### §71.1 [Amended]

2. The incorporation by reference in 14 CFR 71.1 of Federal Aviation Administration Order 7400.9F, Airspace Designations and Reporting Points, dated September 10, 1998, and effective September 16, 1998, is amended as follows:

Paragraph 6005 Class E airspace areas extending upward from 700 feet or more above the surface of the earth.

## AAL AK E5 Port Heiden, AK [Revised]

\*

\*

Port Heiden Airport, AK (Lat. 56°57′34″ N., long. 158°37′55″ W.) Port Heiden NDB

(Lat. 56°57′15" N., long. 158°38′56" W.) Turnbull VOR/DME

(Lat. 56°57′04" N., long. 158°38′27" W.)

That airspace extending upward from 700 feet above the surface within a 6.9-mile radius of the Port Heiden Airport, and within 4 miles north and 8 miles south of the Port Heiden NDB 248° bearing extending from the NDB to 20 miles west, and within 8 miles west and 4 miles east of the Port Heiden NDB 339° bearing extending from the NDB to 20 miles northwest; and that airspace extending upward from 1200 feet above the surface within 13 miles west and 4 miles east of the Port Heiden NDB 339° bearing extending from the NDB to 25 miles north, and within 17 miles of the Turnbull VOR/DME extending clockwise from the 213° radial to the 074° radial, and within 9 miles north of the Port Heiden NDB 248° bearing extending from the NDB to 24 miles west.

Issued in Anchorage, AK, on April 9, 1999. Willis C. Nelson,

Manager, Air Traffic Division, Alaskan Region.

[FR Doc. 99-9779 Filed 4-19-99; 8:45 am] BILLING CODE 4910-13-P