

assure authorized use of nuclear weapons when directed by the President while assuring against unauthorized or inadvertent use. This meeting will be closed to the public.

DATES: August 7–9, 2001.

ADDRESSES: National Security Agency, 9800 Savage Road, Fort Meade, MD 20755.

FOR FURTHER INFORMATION CONTACT: Mr. William L. Jones, U.S. Nuclear Command and Control System Support Staff (NSS), Skyline 3, 5201 Leesburg Pike, Suite 500, Falls Church, Virginia 22041, (703) 681–8681.

Janet A. Long,

Air Force Federal Register Liaison Officer.

[FR Doc. 01–17876 Filed 7–17–01; 8:45 am]

BILLING CODE 5001–05–U

DEPARTMENT OF DEFENSE

Department of the Navy

Public Hearings for the Draft Programmatic Environmental Impact Statement for Ford Island Development, Pearl Harbor, HI

AGENCY: Department of the Navy, DOD.

ACTION: Announcement of public hearings.

SUMMARY: The Department of the Navy (Navy) has prepared and filed with the United States Environmental Protection Agency (EPA) a Draft Programmatic Environmental Impact Statement (PEIS) for Ford Island Development, Pearl Harbor, Hawaii. Two public hearings will be held to receive oral and written comments on the Draft PEIS in accordance with the National Environmental Policy Act of 1969 (NEPA), as implemented by the Council on Environmental Quality regulations (40 CFR Parts 1500–1508), and request input as part of the Section 106 process of the National Historic Preservation Act of 1966, as implemented by the Advisory Council on Historic Preservation regulations (36 CFR Part 800). Federal, state, and local agencies and interested individuals are invited to be present or represented at the hearing.

DATES AND ADDRESSES: The first public hearing will be held on Wednesday, August 1, 2001, at 7 p.m. in the Aliamanu Intermediate School Cafeteria, 3271 Salt Lake Boulevard, Honolulu, HI. The second public hearing will be held on Thursday, August 2, 2001, at 7:00 p.m. in the Washington Middle School Cafeteria, 1633 South King Street, Honolulu, HI.

FOR FURTHER INFORMATION CONTACT: Mr. Stanley Uehara (Code PLN231), Pacific

Division, Naval Facilities Engineering Command, 258 Makalapa Drive, STE 100, Pearl Harbor, HI 96860–3134, telephone (808) 471–9338, fax (808) 474–5909, E-Mail .

SUPPLEMENTARY INFORMATION: Pursuant to Section 102(2)(C) of NEPA, the Navy has prepared and filed with the EPA a Draft PEIS for development of Ford Island at Pearl Harbor, HI.

A Notice of Intent for this PEIS was published in the **Federal Register** on April 14, 2000 (65 FR 20141).

Two public scoping meetings were held in Honolulu, HI, on May 2, 2000, and on May 4, 2000.

The proposed action is to consolidate selected operations at Pearl Harbor by locating and relocating certain activities onto Ford Island. This proposed action will use special legislation (10 U.S.C. 2814) that permits the Navy to sell or lease underutilized Navy properties on Oahu and to use the proceeds (in cash or in kind) for construction and facilities maintenance on Ford Island. Other work will be accomplished through conventional means such as the Military Construction Program, Non-Appropriated Funds, and Family Housing Public-Private Venture. Under consideration are new construction and, as appropriate, adaptive reuse of existing structures on Ford Island, for up to 420 new family housing units, up to 250,000 square feet of administrative space, bachelor enlisted quarters for up to 1,000 personnel, and a consolidated training complex, as well as infrastructure improvements. Up to 75 acres on Ford Island are proposed for private sector opportunities through a lease agreement. Four other Navy-owned parcels are proposed for sale or lease in return for revenues or in-kind consideration: Navy property at the Waikale Branch of Naval Magazine Pearl Harbor; family housing and related property at the former Naval Air Station Barbers Point; family housing and related property at Iroquois Point/Puuloa Housing; and Halawa Landing property on Pearl Harbor main side.

The proposed action will make positive use of the available lands and historic buildings on Ford Island in order to achieve greater operational efficiency and provide improved housing and quality of life for sailors and their families. Specific objectives are to provide additional high-quality family housing and community support services in close proximity to the Pearl Harbor Naval Complex where sailors work, thereby reducing commuting distances and improving the quality of their lives, and reducing maintenance costs and congestion at Pearl Harbor

main side by relocating certain activities to Ford Island and replacing obsolete facilities. Use of some portions of Ford Island is constrained by existing facilities, historic resources, and operational requirements.

Alternatives for different levels of intensity of land use on Ford Island are considered in the Draft PEIS: High Intensity; Medium Intensity; Low Intensity; and No Action. Each development alternative represents a different designed balance between Navy and private development activities on Ford Island, and each alternative, except the No Action Alternative, includes the sale or lease of Navy properties to support Ford Island development. The High Intensity alternative assumes a level of development on Ford Island that meets all Navy facilities requirements, combined with private development that maximizes mixed-use development. The Medium Intensity Alternative also meets Navy facilities requirements on Ford Island with private development representing a reasonably sized mixed-use development. The Low Intensity Alternative limits the development on Ford Island to Navy requirements only. The Draft PEIS also considers the No Action Alternative, which assumes no further development of Ford Island, no private development, and no sale or long-term lease of Navy properties.

No decision on the proposed action will be made until the NEPA process is completed. The decision will be announced when the Secretary of the Navy releases the Record of Decision.

The Draft PEIS has been distributed to various federal, state, and local agencies, elected officials, and special interest groups. The Draft PEIS is available for public review at the following public libraries:

- Hawaii State Library, 478 South King Street, Honolulu, HI
- Salt Lake/Moanalua Public Library, 3225 Salt Lake Boulevard, Honolulu, HI
- Aiea Public Library, 99–143 Moanalua Road, Aiea, HI
- Pearl City Public Library, 1138 Waimano Home Road, Pearl City, HI
- Waipahu Public Library, 94–275 Mokuola Street, Waipahu, HI
- Ewa Beach Public Library, 91–950 North Road, Ewa Beach, HI

The Navy will conduct two public hearings to receive oral and written comments concerning the Draft PEIS. The public hearings will begin with a brief presentation followed by a request for comments on the Draft PEIS. Federal, state, and local agencies, and interested parties are invited to be

present or represented at the hearings. Those who intend to speak will be asked to submit a speaker card (available at the door). Oral comments will be transcribed by a stenographer. To assure accuracy of the record, all statements should be submitted in writing. All statements, both oral and written, will become part of the public record in the study, with equal weight given to each. In the interest of available time, each speaker will be asked to limit oral comments to three minutes. Longer comments should be summarized at the public hearing and submitted in writing either at the hearing or mailed to Naval Facilities Engineering Command, Pacific Division, 258 Makalapa Drive, STE 100, Pearl Harbor, Hawaii 96860-3134 (Attn: Mr. Stanley Uehara, Code PLN231). Written comments should be postmarked by August 27, 2001.

Dated: July 11, 2001.

T. J. Welsh,

Lieutenant Commander, Office of the Judge Advocate General, Federal Register Liaison Officer.

[FR Doc. 01-17905 Filed 7-17-01; 8:45 am]

BILLING CODE 3810-FF-P

DELAWARE RIVER BASIN COMMISSION

Notice of Commission Meeting and Public Hearing

Notice is hereby given that the Delaware River Basin Commission will hold an informal conference followed by a public hearing on Wednesday, July 25, 2001. The hearing will be part of the Commission's regular business meeting. Both the conference session and business meeting are open to the public and will be held at the Commission offices at 25 State Police Drive, West Trenton, New Jersey.

The conference among the Commissioners and staff will begin at 9:30 a.m. Topics of discussion will include a report on the Watershed Advisory Council meeting of July 24, 2001; status of the Current Comprehensive Plan; status of PCB Point Source Discharge Monitoring; and summaries of the Toxics Advisory Committee meetings of June 28 and July 18, 2001. The conference also will include presentations on Sustainable Wastewater Management Within the Tri-State Middle Delaware Region and Cooperative Inter-Agency Development of a Delaware River Water Trail.

The subjects of the public hearing to be held during the 1:00 p.m. business meeting include, in addition to the dockets listed below, a resolution

confirming the appointment of Acting General Counsel to the Commission.

The dockets scheduled for public hearing are as follows:

1. *North Wales Water Authority D-90-6 CP (Revision)*. An application for the revision of a ground water withdrawal project to reallocate the existing 210 million gallons (mg)/30 days to 195 mg/30 days for the applicant's public water distribution system from Wells Nos. 1, 4B, 8, 9, 10, 11, 14, 17, 21, 22, 25, 31 and 34 in the Stockton, Lockatong and Brunswick Formations. The project is located in North Wales Borough, Upper Gwynedd, Lower Gwynedd, Whitpain, Upper Dublin and Montgomery Townships in Montgomery County; and New Britain Township in Bucks County, all in the Southeastern Pennsylvania Ground Water Protected Area.

2. *Walnutport Authority D-90-87 CP RENEWAL*. An application for the renewal of a ground water withdrawal project to supply up to 8 mg/30 days of water to the applicant's public water distribution system from existing Wells Nos. 1 through 5 in the Martinsburg Formation. No increase in maximum allocation is proposed. The project is located in Walnutport Borough and Lehigh Township, Northampton County, Pennsylvania.

3. *Yardley Country Club D-2000-32*. An application for approval of a ground water withdrawal project to supply up to 15 mg/30 days of water to the applicant's golf course irrigation system from new Well No. 1 in the Stockton Formation and to limit the withdrawal from all sources to 15 mg/30 days. The project is located in Yardley Borough, Bucks County, Pennsylvania.

4. *Kimberton Golf Club D-2001-4*. An application for approval of a ground water withdrawal project to supply up to 4.2 mg/30 days of water to the applicant's golf course irrigation system from newly redeveloped Well No. PW-1. The project well is located in the Stockton Formation in East Vincent Township, Chester County in the Southeastern Pennsylvania Ground Water Protected Area.

5. *Heritage Building Group D-2001-8*. An application for approval of a ground water withdrawal project to supply up to 6.5 mg/30 days of water to irrigate the applicant's Heritage Hills Golf Club from new Wells Nos. TW-1 and TW-2. The project is located in the Brunswick Formation in Limerick and Lower Pottsgrove Townships, Montgomery County in the Southeastern Pennsylvania Ground Water Protected Area.

6. *New Jersey Department of Corrections D-2001-22 CP*. An application to rerate the Bayside State

Prison sewage treatment plant (STP) from 0.55 million gallons per day (mgd) to 0.61 mgd and continue to provide advanced secondary treatment. The STP serves only the correctional facilities and will continue to discharge through the existing outfall to Riggins Ditch, a tributary of Delaware Bay. The project is located just west of Delsea Drive (State Route 47) in Maurice River Township, Cumberland County, New Jersey.

7. *S.W.E.C. LLC D-2001-28*. An application to provide a non-utility electric power generator with an average of 8.5 mgd of water diverted via the USX Fairless Works intake on the Delaware River. USX's current surface water allocation is sufficient for supply of the project water demand. The proposed natural gas-fired combustion turbines and steam turbine generators are designed to produce 1,190 megawatts (MW) of electric power for the Pennsylvania-Jersey-Maryland (PJM) grid. The project will be constructed on a 45 acre site within the USX Industrial Park off Bordentown Road in Falls Township, Bucks County, Pennsylvania. Following average consumptive losses of 6.15 mgd to evaporation and drift, approximately 2.35 mgd of wastewater will be routed to the USX wastewater treatment facility prior to discharge to the Delaware River in Delaware River Basin Commission Water Quality Zone 2.

8. *Joyfor Joint Venture D-2001-32*. An application to construct a 0.05 mgd tertiary level STP to serve a proposed adjacent shopping center and hotel located approximately 6,000 feet northeast of the intersection of State Route 3 and Providence Road in Newtown Township, Delaware County, Pennsylvania. Treated effluent will be discharged to an unnamed tributary of Crum Creek, locally known as Reese's Run.

9. *Village of Delhi D-2001-33 CP*. An application to upgrade and expand a 0.515 mgd secondary level STP to provide tertiary treatment of 0.815 mgd. The plant is located just south of State Route 10, about 1 mile west of State Route 28 in the Town of Delhi, Delaware County, New York. The project will continue to serve the residents of Delhi Village and will be rerated after the upgrade to receive and process the pretreated waste from two small industries, which will discontinue their own existing discharge. The STP effluent will continue to be discharged via the existing outfall to the West Branch Delaware River, about 22 river miles upstream from the Cannonsville Reservoir in Delaware River Basin Commission Water Quality Zone W1.