December 31, 1999, we determine the following net subsidy rates:

Producer/exporter	Net subsidy rate [percent]
P.T. Krakatau Steel	10.21 Ad Valorem.
All Others	10.21 Ad Valorem.

In accordance with our preliminary affirmative determination, we instructed the U.S. Customs Service to suspend liquidation of all entries of certain hotrolled carbon steel flat products from Indonesia, which were entered or withdrawn from warehouse, for consumption on or after April 20, 2001, the date of the publication of our preliminary determination in the Federal Register. In accordance with section 703(d) of the Act, we instructed the U.S. Customs Service to discontinue the suspension of liquidation for merchandise entered on or after August 18, 2001, but to continue the suspension of liquidation of entries made between April 20, 2001 and August 17, 2001.

We will reinstate suspension of liquidation under section 706(a) of the Act for all entries if the ITC issues a final affirmative injury determination and will require a cash deposit of estimated countervailing duties for such entries of merchandise in the amounts indicated above. If the ITC determines that material injury, or threat of material injury, does not exist, this proceeding will be terminated and all estimated duties deposited or securities posted as a result of the suspension of liquidation will be refunded or canceled.

ITC Notification

In accordance with section 705(d) of the Act, we will notify the ITC of our determination. In addition, we are making available to the ITC all non-privileged and non-proprietary information related to this investigation. We will allow the ITC access to all privileged and business proprietary information in our files, provided that the ITC confirms that it will not disclose such information, either publically or under an administrative protective order (APO), without the written consent of the Assistant Secretary for Import Administration.

If the ITC determines that material injury, or threat of material injury, does not exist, these proceedings will be terminated. If however, the ITC determines that such injury does exist, we will issue a countervailing duty order.

Return or Destruction of Proprietary Information

In the event that the ITC issues a final negative injury determination, this

notice will serve as the only reminder to parties subject to APO of their responsibility concerning the destruction of proprietary information disclosed under APO in accordance with 19 CFR 351.305(a)(3). Failure to comply is a violation of the APO.

This determination is published pursuant to sections 705(d) and 777(i) of the Act.

Dated: September 21, 2001.

Farvar Shirzad,

Assistant Secretary for Import Administration.

Appendix I—Issues and Decision Memorandum

Methodology and Background Information

- I. Subsidies Valuation Information A. Allocation Period
 - B. Creditworthiness and Calculation of Discount Rate
 - C. Equityworthiness

Analysis of Programs

- I. Programs Conferring Subsidies A. GOI Equity Infusions
 - B. Two Step Loan
- II. Program Determined To Be Not Countervailable
- III. Program Determined To Be Not Used A. Rediscount Loans from the Bank of Indonesia
- IV. Total Ad Valorem Rate
- V. Analysis of Comments
 - Comment 1: Effects of Hyperinflation during 1998
 - Comment 2: GOI's Equity Infusion to Krakatau
 - Comment 3: GOI's Equity Infusion Specific to Krakatau
 - Comment 4: Use of Consolidated Total Sales as the Denominator
 - Comment 5: Feasibility Study and
 Equityworthiness
 - Comment 6: Two Step Loan Program Comment 7: GOI Equity Infusions applying Adverse Facts Available
 - Comment 8: Krakatau's Creditworthiness

[FR Doc. 01–24406 Filed 9–27–01; 8:45 am] BILLING CODE 3510–DS-P

DEPARTMENT OF COMMERCE

International Trade Administration [C-580-835]

Stainless Steel Sheet and Strip in Coils from the Republic of Korea: Notice of Initiation of Changed Circumstances Countervailing Duty Administrative Review

AGENCY: Import Administration, International Trade Administration, Department of Commerce.

ACTION: Notice of Initiation of Changed Circumstances Countervailing Duty Administrative Review.

SUMMARY: On August 6, 2001, the Department of Commerce ("Department") received a letter on behalf of the INI Steel Company ("INI"), formerly Inchon Iron and Steel Co., Ltd. ("Inchon"), notifying the Department that Inchon's corporate name has changed to INI Steel Company. INI requests that the Department initiate a changed circumstance administrative review to confirm that INI is the successor-in-interest to Inchon, and entitled to Inchon's rate.

FOR FURTHER INFORMATION CONTACT:

Tipten Troidl or Richard Herring, Import Administration, International Trade Administration, U.S. Department of Commerce, 14th Street and Constitution Avenue, NW., Washington, DC 20230; telephone (202) 482–2786.

SUPPLEMENTARY INFORMATION:

Applicable Statute and Regulations

Unless otherwise indicated, all citations to the statute are references to the provisions effective January 1, 1995, the effective date of the amendments made to the Tariff Act of 1930 ("the Act") by the Uruguay Round Agreements Act ("URAA"). In addition, unless otherwise indicated, all citations to the Department's regulations are to the regulations at 19 CFR part 351 (2001).

Background

In an August 6, 2001, letter to the Department, INI Steel Company, formerly Inchon Iron and Steel Co., Ltd., notified the Department that as of August 1, 2001, Inchon's corporate name had changed to INI Steel Company. INI stated that its owners, management structure, production facilities, supplier relationships and customer base are unchanged and unaffected by the adoption of the new corporate name. INI provided documentation to support the official adoption of a new corporation name consisting of: The minutes of Inchon's July 27, 2001 shareholders' meeting where the name change was approved; the Inchon District Court's official certification of the name change registered on July 31, 2001; and INI's Business Registration Certificate issued on August 1, 2001 by the Inchon Tax Office.

Scope of the Review

For purposes of this changed circumstances review, the products covered are certain stainless steel sheet and strip in coils. Stainless steel is an alloy steel containing, by weight, 1.2 percent or less of carbon and 10.5 percent or more of chromium, with or without other elements. The subject

sheet and strip is a flat-rolled product in coils that is greater than 9.5 mm in width and less than 4.75 mm in thickness, and that is annealed or otherwise heat treated and pickled or otherwise descaled. The subject sheet and strip may also be further processed (e.g., cold-rolled, polished, aluminized, coated, etc.) provided that it maintains the specific dimensions of sheet and strip following such processing.

The merchandise subject to this review is classified in the Harmonized Tariff Schedule of the United States (HTSUS) at subheadings: 7219.13.0031, 7219.13.0051, 7219.13.0071, 7219.1300.81,1 7219.14.0030, 7219.14.0065, 7219.14.0090, 7219.32.0005, 7219.32.0020, 7219.32.0025, 7219.32.0035, 7219.32.0036, 7219.32.0038, 7219.32.0042, 7219.32.0044, 7219.33.0005, 7219.33.0020, 7219.33.0025, 7219.33.0035, 7219.33.0036, 7219.33.0038, 7219.33.0042, 7219.33.0044, 7219.34.0005, 7219.34.0020, 7219.34.0025, 7219.34.0030, 7219.34.0035, 7219.35.0005, 7219.35.0015, 7219.35.0030, 7219.35.0035, 7219.90.0010, 7219.90.0020, 7219.90.0025, 7219.90.0060, 7219.90.0080, 7220.12.1000, 7220.12.5000, 7220.20.1010, 7220.20.1015, 7220.20.1060, 7220.20.1080, 7220.20.6005, 7220.20.6010, 7220.20.6015, 7220.20.6060, 7220.20.6080, 7220.20.7005, 7220.20.7010, 7220.20.7015, 7220.20.7060, 7220.20.7080, 7220.20.8000, 7220.20.9030, 7220.20.9060, 7220.90.0010, 7220.90.0015, 7220.90.0060, and 7220.90.0080. Although the HTSUS subheadings are provided for convenience and Customs purposes, the Department's written description of the merchandise under review is dispositive.

Excluded from the scope of this review are the following: (1) Sheet and strip that is not annealed or otherwise heat treated and pickled or otherwise descaled, (2) sheet and strip that is cut to length, (3) plate (*i.e.*, flat-rolled stainless steel products of a thickness of 4.75 mm or more), (4) flat wire (*i.e.*, cold-rolled sections, with a prepared edge, rectangular in shape, of a width of not more than 9.5 mm), and (5) razor blade steel. Razor blade steel is a flat-rolled product of stainless steel, not further worked than cold-rolled (cold-

reduced), in coils, of a width of not more than 23 mm and a thickness of 0.266 mm or less, containing, by weight, 12.5 to 14.5 percent chromium, and certified at the time of entry to be used in the manufacture of razor blades. See Chapter 72 of the HTSUS, "Additional U.S. Note" 1(d).

The Department has determined that certain additional specialty stainless steel products are also excluded from the scope of this review. These excluded products are described below.

Flapper value steel is excluded from this review. Flapper valve steel is defined as stainless steel strip in coils containing, by weight, between 0.37 and 0.43 percent carbon, between 1.15 and 1.35 percent molybdenum, and between 0.20 and 0.80 percent manganese. This steel also contains, by weight, phosphorus of 0.025 percent or less, silicon of between 0.20 and 0.50 percent, and sulfur of 0.020 percent or less. The product is manufactured by means of vacuum arc remelting, with inclusion controls for sulphide of no more than 0.04 percent and for oxide of no more than 0.05 percent. Flapper valve steel has a tensile strength of between 210 and 300 ksi, yield strength of between 170 and 270 ksi, plus or minus 8 ksi, and a hardness (Hv) of between 460 and 590. Flapper valve steel is most commonly used to produce specialty flapper valves in compressors.

Also excluded is a product referred to as suspension foil, a specialty steel product used in the manufacture of suspension assemblies for computer disk drives. Suspension foil is described as 302/304 grade or 202 grade stainless steel of a thickness between 14 and 127 microns, with a thickness tolerance of plus-or-minus 2.01 microns, and surface glossiness of 200 to 700 percent Gs. Suspension foil must be supplied in coil widths of not more than 407 mm, and with a mass of 225 kg or less. Roll marks may only be visible on one side, with no scratches of measurable depth. The material must exhibit residual stresses of 2 mm maximum deflection, and flatness of 1.6 mm over 685 mm length.

Certain stainless steel foil for automotive catalytic converters is also excluded from the scope of this review. This stainless steel strip in coils is a specialty foil with a thickness of between 20 and 110 microns used to produce a metallic substrate with a honeycomb structure for use in automotive catalytic converters. The steel contains, by weight, carbon of no more than 0.030 percent, silicon of no more than 1.0 percent, manganese of no more than 1.0 percent, chromium of between 19 and 22 percent, aluminum of no less than 5.0 percent, phosphorus

of no more than 0.045 percent, sulfur of no more than 0.03 percent, lanthanum of less than 0.002 or greater than 0.05 percent, and total rare earth elements of more than 0.06 percent, with the balance iron.

Permanent magnet iron-chromiumcobalt alloy stainless strip is also excluded from the scope of this review. This ductile stainless steel strip contains, by weight, 26 to 30 percent chromium, and 7 to 10 percent cobalt, with the remainder of iron, in widths 228.6 mm or less, and a thickness between 0.127 and 1.270 mm. It exhibits magnetic remanence between 9,000 and 12,000 gauss, and a coercivity of between 50 and 300 oersteds. This product is most commonly used in electronic sensors and is currently available under proprietary trade names such as "Arnokrome III." 2

Certain electrical resistance alloy steel is also excluded from the scope of this review. This product is defined as a non-magnetic stainless steel manufactured to American Society of Testing and Materials ("ASTM") specification B344 and containing, by weight, 36 percent nickel, 18 percent chromium, and 46 percent iron, and is most notable for its resistance to high temperature corrosion. It has a melting point of 1390 degrees Celsius and displays a creep rupture limit of 4 kilograms per square millimeter at 1000 degrees Celsius. This steel is most commonly used in the production of heating ribbons for circuit breakers and industrial furnaces, and in rheostats for railway locomotives. The product is currently available under proprietary trade names such as "Gilphy 36."3

Certain martensitic precipitationhardenable stainless steel is also excluded from the scope of this review. This high-strength, ductile stainless steel product is designated under the Unified Numbering System ("UNS") as S45500-grade steel, and contains, by weight, 11 to 13 percent chromium, and 7 to 10 percent nickel. Carbon, manganese, silicon and molybdenum each comprise, by weight, 0.05 percent or less, with phosphorus and sulfur each comprising, by weight, 0.03 percent or less. This steel has copper, niobium, and titanium added to achieve aging, and will exhibit yield strengths as high as 1700 Mpa and ultimate tensile strengths as high as 1750 Mpa after aging, with elongation percentages of 3 percent or less in 50 mm. It is generally provided in thicknesses between 0.635 and 0.787 mm, and in widths of 25.4

 $^{^1\}mathrm{Due}$ to changes to the HTSUS numbers in 2001, 7219.13.0030, 7219.13.0050, 7219.13.0070, and 7219.13.0080 are now 7219.13.0031, 7219.13.0051, 7219.13.0071, and 7219.13.0081, respectively.

² "Arnokrome III" is a trademark of the Arnold Engineering Company.

³ "Gilphy 36" is a trademark of Imphy, S.A.

mm. This product is most commonly used in the manufacture of television tubes and is currently available under proprietary trade names such as "Durphynox 17." ⁴

Finally, three specialty stainless steels typically used in certain industrial blades and surgical and medical instruments are also excluded from the scope of this review. These include stainless steel strip in coils used in the production of textile cutting tools (e.g., carpet knives).5 This steel is similar to AISI grade 420 but containing, by weight, 0.5 to 0.7 percent of molybdenum. The steel also contains, by weight, carbon of between 1.0 and 1.1 percent, sulfur of 0.020 percent or less, and includes between 0.20 and 0.30 percent copper and between 0.20 and 0.50 percent cobalt. This steel is sold under proprietary names such as "GIN4 Mo." The second excluded stainless steel strip in coils is similar to AISI 420-J2 and contains, by weight, carbon of between 0.62 and 0.70 percent, silicon of between 0.20 and 0.50 percent, manganese of between 0.45 and 0.80 percent, phosphorus of no more than 0.025 percent and sulfur of no more than 0.020 percent. This steel has a carbide density on average of 100 carbide particles per 100 square microns. An example of this product is "GIN5" steel. The third specialty steel has a chemical composition similar to AISI 420 F, with carbon of between 0.37 and 0.43 percent, molybdenum of between 1.15 and 1.35 percent, but lower manganese of between 0.20 and 0.80 percent, phosphorus of no more than 0.025 percent, silicon of between 0.20 and 0.50 percent, and sulfur of no more than 0.020 percent. This product is supplied with a hardness of more than Hv 500 guaranteed after customer processing, and is supplied as, for example, "GIN6".6

Initiation of Changed Circumstance CVD Review

At the request of INI, and in accordance with sections 751(b)(1) of the Act, and § 351.216 of the Department's regulations, the Department is initiating a changed circumstance review of stainless steel sheet and strip in coils from Korea to determine whether INI is the successor-in-interest to Inchon Iron and Steel, Co., Ltd.

The information submitted by INI shows changed circumstances sufficient

to warrant a review under 19 CFR 351.216. We will publish in the **Federal Register** a notice of preliminary results of countervailing duty changed circumstances review, in accordance with 19 CFR 351.221(b)(4) and 351.221(c)(3)(i), which will set forth the factual and legal conclusions upon which our preliminary results are based and a description of any action proposed based on those results. As per 351.221(b)(4), interested parties will have an opportunity to comment. The Department will issue its final results of review in accordance with the time limitations set forth in 19 CFR 351.216(e). All written comments must be submitted to the Department and served on all interested parties on the Department's service list in accordance with 19 CFR 351.303.

During the course of this changed circumstances review, we will not change any cash deposit instructions on the merchandise subject to this changed circumstances review, unless a change is determined to be warranted pursuant to the final results of this review.

This notice is in accordance with section 751(b)(1) of the Act and 19 CFR 351.216 and 351.221.

Dated: September 21, 2001.

Faryar Shirzad,

Assistant Secretary for Import Administration.

[FR Doc. 01–24407 Filed 9–27–01; 8:45 am] $\tt BILLING\ CODE\ 3510–DS-P$

DEPARTMENT OF COMMERCE

International Trade Administration

[C-580-842]

Structural Steel Beams From the Republic of Korea: Notice of Initiation of Changed Circumstances Countervailing Duty Administrative Review

AGENCY: Import Administration, International Trade Administration, Department of Commerce.

ACTION: Notice of initiation of changed circumstances countervailing duty administrative review.

SUMMARY: On August 6, 2001, the Department of Commerce ("Department") received a letter on behalf of the INI Steel Company ("INI"), formerly Inchon Iron and Steel Co., Ltd. ("Inchon"), notifying the Department that Inchon's corporate name has changed to INI Steel Company. INI requests that the Department initiate a changed circumstance administrative review to confirm that INI is the

successor-in-interest to Inchon, and excluded from the order.

FOR FURTHER INFORMATION CONTACT:

Tipten Troidl or Richard Herring, Import Administration, International Trade Administration, U.S. Department of Commerce, 14th Street and Constitution Avenue, NW., Washington, DC 20230; telephone (202) 482–2786.

SUPPLEMENTARY INFORMATION:

Applicable Statute and Regulations

Unless otherwise indicated, all citations to the statute are references to the provisions effective January 1, 1995, the effective date of the amendments made to the Tariff Act of 1930 ("the Act") by the Uruguay Round Agreements Act ("URAA"). In addition, unless otherwise indicated, all citations to the Department's regulations are to the regulations at 19 CFR Part 351 (2001).

Background

In an August 6, 2001, letter to the Department, INI Steel Company, formerly Inchon Iron and Steel Co., Ltd., notified the Department that as of August 1, 2001, Inchon's corporate name had changed to INI Steel Company. INI stated that its owners, management structure, production facilities, supplier relationships and customer base are unchanged and unaffected by the adoption of the new corporate name. INI provided documentation to support the official adoption of a new corporate name consisting of: The minutes of Inchon's July 27, 2001 shareholders' meeting where the name change was approved; the Inchon District Court's official certification of the name change registered on July 31, 2001; and INI's **Business Registration Certificate issued** on August 1, 2001 by the Inchon Tax Office.

Scope of the Review

The products covered by this review include structural steel beams that are doubly-symmetric shapes, whether hotor cold-rolled, drawn, extruded, formed or finished, having at least one dimension of at least 80 mm (3.2 inches or more), whether of carbon or alloy (other than stainless) steel, and whether or not drilled, punched, notched, painted, coated or clad. These products include, but are not limited to, wideflange beams ("W" shapes), bearing piles ("HP" shapes), standard beams ("S" or "I" shapes), and M-shapes.

All products that meet the physical and metallurgical descriptions provided above are within the scope of this investigation unless otherwise excluded. The following products are

 ^{4 &}quot;Durphynox 17" is a trademark of Imphy, S.A.
 5 This list of uses is illustrative and provided for descriptive purposes only.

⁶ "GIN4 Mo," "GIN5" and "GIN6" are the proprietary grades of Hitachi Metals America, Ltd.