Flooding source(s)	Location of referenced elevation**	*Elevation in feet (NGVD) + Elevation in feet (NAVD) #Depth in feet above ground ^ Elevation in meters (MSL)		Communities affected
		Effective	Modified	
Humphrey Creek (backwater effects from Ohio River.	From the confluence with Lucy Creek to approximately 2,007 feet upstream of the confluence with Lucy Creek.	+332	+331	Unincorporated Areas of Ballard County.
Humphrey Creek Tributary 9 (backwater effects from Ohio River).	From the confluence with Humphrey Creek to approximately 1,320 feet upstream of the confluence with Humphrey Creek.	+332	+331	Unincorporated Areas of Ballard County.
Lucy Creek (backwater effects from Ohio River).	From the confluence with Humphrey Creek to approximately 0.45 mile upstream of the confluence with Humphrey Creek.	+332	+331	Unincorporated Areas of Ballard County.
Mississippi River	Approximately 3.5 miles downstream of the confluence with the Ohio River.	+330	+329	City of Wickliffe, Unincorporated Areas of Ballard County.
	Approximately 0.5 mile upstream of the confluence with the Ohio River.	+331	+330	,
Ohio River	Approximately 3.0 miles upstream of the confluence with the Mississippi River.	+331	+330	Unincorporated Areas of Ballard County.
	Approximately 6.3 miles upstream of Lock and Dam 53.	+335	+334	
Stovall Creek (backwater effects from Mississippi River).	From the confluence with the Mississippi River to approximately 1 mile upstream of Mayfield Road.	+330	+329	Unincorporated Areas of Ballard County.

^{*} National Geodetic Vertical Datum.

Send comments to Luis Rodriguez, Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472.

ADDRESSES

City of Wickliffe

Maps are available for inspection at 321 Court Street, Wickliffe, KY 42087.

Unincorporated Areas of Ballard County

Maps are available for inspection at 134 North 4th Street, Wickliffe, KY 42087.

(Catalog of Federal Domestic Assistance No. 97.022, "Flood Insurance.")

Dated: November 8, 2012.

James A. Walke,

Acting Deputy Associate Administrator for Mitigation, Department of Homeland Security, Federal Emergency Management Agency.

[FR Doc. 2012–29698 Filed 12–7–12; 8:45 am]

BILLING CODE 9110-12-P

DEPARTMENT OF HOMELAND SECURITY

Federal Emergency Management Agency

44 CFR Part 67

[Docket ID FEMA-2010-0003; Internal Agency Docket No. FEMA-B-1127]

Proposed Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency, DHS. **ACTION:** Proposed rule; correction.

SUMMARY: On September 13, 2010, FEMA published in the **Federal Register** a proposed rule that contained an erroneous table. This notice provides corrections to that table, to be used in lieu of the information published at 75 FR 55515. The table provided here

represents the flooding sources, location of referenced elevations, effective and modified elevations, and communities affected for Mercer County, Pennsylvania (All Jurisdictions). Specifically, it addresses the following flooding sources: Baker Run, Little Shenango River, Munnell Run, Neshannock Creek, Otter Creek, Sawmill Run, Shenango River, and Wolf Creek.

DATES: Comments are to be submitted on or before March 11, 2013.

ADDRESSES: You may submit comments, identified by Docket No. FEMA-B-1127, to Luis Rodriguez, Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472, (202) 646-4064 or (email)

Luis.Rodriguez3@fema.dhs.gov.

⁺ North American Vertical Datum.

[#] Depth in feet above ground.

A Mean Sea Level, rounded to the nearest 0.1 meter.

^{**}BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

FOR FURTHER INFORMATION CONTACT: Luis Rodriguez, Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472, (202) 646–4064 or (email) Luis.Rodriguez3@fema.dhs.gov.

SUPPLEMENTARY INFORMATION: The Federal Emergency Management Agency (FEMA) publishes proposed determinations of Base (1% annual-chance) Flood Elevations (BFEs) and modified BFEs for communities participating in the National Flood Insurance Program (NFIP), in accordance with section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR 67.4(a).

These proposed BFEs and modified BFEs, together with the floodplain management criteria required by 44 CFR 60.3, are minimum requirements. They should not be construed to mean that the community must change any existing ordinances that are more stringent in their floodplain management requirements. The community may at any time enact stricter requirements of its own or pursuant to policies established by other Federal, State, or regional entities. These proposed elevations are used to meet the floodplain management requirements of the NFIP and also are used to calculate the appropriate flood insurance premium rates for new buildings built after these elevations are made final, and for the contents in those buildings.

Corrections

In the proposed rule published at 75 FR 55515, in the September 13, 2010,

issue of the Federal Register, FEMA published a table under the authority of 44 CFR 67.4. The table, entitled "Mercer County, Pennsylvania (All Jurisdictions)" addressed the following flooding sources: Baker Run, Little Shenango River, Munnell Run, Neshannock Creek, Otter Creek, Sawmill Run, Shenango River, and Wolf Creek. That table contained inaccurate information as to the location of referenced elevation, effective and modified elevation in feet, and/or communities affected for the flooding source, the Shenango River. FEMA is publishing a table containing the accurate information, to address these prior errors. The information provided below should be used in lieu of that previously published.

Flooding source(s)	Location of referenced elevation**	*Elevation in feet (NGVD) +Elevation in feet (NAVD) #Depth in feet above ground ^Elevation in meters (MSL)		Communities affected
		Effective	Modified	
	Mercer County, Pennsylvania (All Juri	sdictions)		
Baker Run	Approximately 55 feet upstream of Highland Road	None None	+1114	City of Sharon.
Little Shenango River	Approximately 30 feet downstream of Richmond Drive Approximately 0.94 mile downstream of the confluence with Little Shenango River Tributary 1.	None	+ 1117 + 968	Township of Sugar Grove.
	Approximately 0.9 mile downstream of the confluence with Little Shenango River Tributary 1.	None	+968	
Munnell Run	Approximately 0.31 mile upstream of Home Street Approximately 0.21 mile downstream of Franklin Street.	None None	+ 1125 + 1131	Township of Findley.
Neshannock Creek	Approximately 425 feet downstream of the intersection of Plantation Drive and Cypress Lane.	None	+ 1093	Township of Findley.
	Approximately 0.3 mile upstream of the intersection of Schaffer Road and Grove City Road.	None	+ 1095	
Otter Creek	Approximately 0.28 mile upstream of the confluence with Munnell Run.	None	+ 1099	Township of Findley.
	Approximately 0.3 mile upstream of the confluence with Munnell Run.	None	+ 1099	
Sawmill Run	Approximately 0.35 mile upstream of the confluence with Sawmill Run Tributary 1.	None	+1164	Township of Sandy Lake.
	Approximately 0.46 mile upstream of the confluence with Sawmill Run Tributary 1.	None	+1165	
Sawmill Run	Approximately 0.23 mile downstream of Franklin Street (just below Maple Street).	None	+ 1167	Borough of Stoneboro.
	Approximately 305 feet upstream of Franklin Street	None	+ 1167	
Shenango River	Approximately 690 feet upstream of the confluence with Big Run No. 1.	None	+930	Borough of Greenville, Township of West Salem.
	Approximately 295 feet upstream of the intersection of Clinton Street and Canal Street.	None	+943	
Shenango River	Approximately 275 feet upstream of the confluence with Shenango River Tributary 3.	None	+835	Municipality of Hermitage.
	Approximately 490 feet downstream of the confluence with Little Yankee Run.	None	+845	
	Just downstream of Clark Street	None	+856	
	Approximately 820 feet upstream of the confluence with Big Run No. 2.	None	+859	
Shenango River	Approximately 2,400 feet upstream of I-80	+832	+833	Township of Shenango.
Change Diver	Approximately 1.1 miles upstream of I–80	+832	+833	Township of Whastles
Shenango River	Approximately 645 feet downstream of Sieg Hill Road Approximately 1,000 upstream of Sieg Hill Road	None None	+ 833 + 834	Township of Wheatland.

Flooding source(s)	Location of referenced elevation**	*Elevation in feet (NGVD) +Elevation in feet (NAVD) #Depth in feet above ground A Elevation in meters (MSL)		Communities affected
		Effective	Modified	
Shenango River	Approximately 0.34 mile upstream of the confluence with the Little Shenango River.	None	+ 949	Township of West Salem.
	Approximately 200 feet downstream of Porter Road	None	+ 951	
Wolf Creek	Approximately 0.21 mile upstream of the confluence with Barmore Run.	None	+ 1220	Township of Pine.
	Approximately 0.34 mile downstream of the intersection of Craig Street and Garden Avenue.	None	+1226	
	Approximately 0.2 mile downstream of the intersection of Craig Street and Garden Avenue.	None	+ 1226	
	Approximately 0.38 mile downstream of State Route 58 (Main Street).	None	+1226	
	Approximately 0.22 mile downstream of the confluence with Black Run.	None	+ 1245	
	Approximately 0.21 mile downstream of the confluence with Black Run.	None	+ 1245	

^{*} National Geodetic Vertical Datum.

Send comments to Luis Rodriguez, Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472.

ADDRESSES

Borough of Greenville

Maps are available for inspection at 125 Main Street, Greenville, PA 16125.

Borough of Stoneboro

Maps are available for inspection at 59 Lake Street, Stoneboro, PA 16153.

City of Sharon

Maps are available for inspection at the Municipal Building, 155 West Connelly Boulevard, Sharon, PA 16146.

Municipality of Hermitage

Maps are available for inspection at City Hall, 800 North Hermitage Road, Hermitage, PA 16148.

Township of Findley

Maps are available for inspection at the Findley Township Building, 369 McClelland Road, Mercer, PA 16137.

Township of Pine

Maps are available for inspection at the Pine Township Building, 545 Barkeyville Road, Grove City, PA 16127.

Township of Sandy Lake

Maps are available for inspection at the Township Building, 3271 South Main Street, Sandy Lake, PA 16145.

Township of Shenango

Maps are available for inspection at the Shenango Township Building, 3439 Hubbard-West Middlesex Road, West Middlesex, PA 16159.

Township of Sugar Grove

Maps are available for inspection at 359 Groover Road, Greenville, PA 16125.

Township of West Salem

Maps are available for inspection at the West Salem Township Building, 610 Vernan Road, Greenville, PA 16125.

Township of Wheatland

Maps are available for inspection at the Wheatland Township Building, 739 Kilgore Road, Jackson Center, PA 16133.

(Catalog of Federal Domestic Assistance No. 97.022, "Flood Insurance.")

Dated: November 8, 2012.

James A. Walke,

Acting Deputy Associate Administrator for Mitigation, Department of Homeland Security, Federal Emergency Management Agency.

[FR Doc. 2012–29682 Filed 12–7–12; 8:45 am]

BILLING CODE 9110-12-P

DEPARTMENT OF HOMELAND SECURITY

Federal Emergency Management Agency

44 CFR Part 67

[Docket ID FEMA-2010-0003; Internal Agency Docket No. FEMA-B-1089]

Proposed Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency, DHS.

ACTION: Proposed rule; correction.

SUMMARY: On May 25, 2010, FEMA published in the **Federal Register** a proposed rule that contained an erroneous table. This notice provides corrections to that table, to be used in lieu of the information published at 75 FR 29219. The table provided here represents the flooding sources, location of referenced elevations, effective and modified elevations, and communities affected for Scott County, Kentucky, and Incorporated Areas. Specifically, it addresses the following flooding

⁺ North American Vertical Datum.

[#] Depth in feet above ground.

A Mean Sea Level, rounded to the nearest 0.1 meter.

^{**}BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.