### DEPARTMENT OF HOMELAND SECURITY

### U.S. Customs and Border Protection

### Accreditation and Approval of AmSpec Services, LLC, as a Commercial Gauger and Laboratory

**AGENCY:** U.S. Customs and Border Protection, Department of Homeland Security.

**ACTION:** Notice of accreditation and approval of AmSpec Services, LLC, as a commercial gauger and laboratory.

**SUMMARY:** Notice is hereby given, pursuant to CBP regulations, that AmSpec Services, LLC, has been approved to gauge and accredited to test petroleum and petroleum products, organic chemicals and vegetable oils for customs purposes for the next three years as of September 5, 2012.

**DATES:** Effective Dates: The accreditation and approval of AmSpec Services, LLC, as commercial gauger and laboratory became effective on September 5, 2012. The next triennial inspection date will be scheduled for September 2015.

### FOR FURTHER INFORMATION CONTACT:

Approved Gauger and Accredited Laboratories Manager, Laboratories and Scientific Services, U.S. Customs and Border Protection, 1300 Pennsylvania Avenue NW., Suite 1500N, Washington, DC 20229, tel. 202–344–1060.

**SUPPLEMENTARY INFORMATION:** Notice is hereby given pursuant to 19 CFR 151.12 and 19 CFR 151.13, AmSpec Services, LLC, 2800-B Loop 197 South, Texas City, TX 77590, has been approved to gauge and accredited to test petroleum and petroleum products, organic chemicals and vegetable oils for customs purposes, in accordance with the provisions of 19 CFR 151.12 and 19 CFR 151.13. Anyone wishing to employ this entity to conduct laboratory analyses and gauger services should request and receive written assurances from the entity that it is accredited or approved by the U.S. Customs and Border Protection to conduct the specific test or gauger service requested. Alternatively, inquires regarding the specific test or gauger service this entity is accredited or approved to perform may be directed to the U.S. Customs and Border Protection by calling (202) 344-1060. The inquiry may also be sent to cbp.labhq@dhs.gov. Please reference the Web site listed below for a complete listing of CBP approved gaugers and accredited laboratories. http://cbp.gov/ linkhandler/cgov/trade/basic\_trade/ labs scientific svcs/

commercial\_gaugers/gaulist.ctt/gaulist.pdf.

Dated: June 21, 2013.

#### Ira S. Reese,

Executive Director, Laboratories and Scientific Services.

[FR Doc. 2013-15483 Filed 6-27-13; 8:45 am]

BILLING CODE 9111-14-P

### DEPARTMENT OF HOMELAND SECURITY

### **U.S. Customs and Border Protection**

## Accreditation and Approval of Saybolt, LP, as a Commercial Gauger and Laboratory

**AGENCY:** U.S. Customs and Border Protection, Department of Homeland Security.

**ACTION:** Notice of accreditation and approval of Saybolt, LP, as a commercial gauger and laboratory.

**SUMMARY:** Notice is hereby given, pursuant to CBP regulations, that Saybolt, LP, has been approved to gauge and accredited to test petroleum and petroleum products, organic chemicals and vegetable oils for customs purposes for the next three years as of February 26, 2013.

**DATES:** The accreditation and approval of Saybolt, LP, as commercial gauger and laboratory became effective on February 26, 2013. The next triennial inspection date will be scheduled for February 2016.

### FOR FURTHER INFORMATION CONTACT:

Approved Gauger and Accredited Laboratories Manager, Laboratories and Scientific Services, U.S. Customs and Border Protection, 1300 Pennsylvania Avenue NW., Suite 1500N, Washington, DC 20229, tel. 202–344–1060.

**SUPPLEMENTARY INFORMATION:** Notice is hereby given pursuant to 19 CFR 151.12 and 19 CFR 151.13, Saybolt, LP, Road 127, KM 13.4, Bo. Magas Arriba Guayanilla, P.R. 00656, has been approved to gauge and accredited to test petroleum and petroleum products, organic chemicals and vegetable oils for customs purposes, in accordance with the provisions of 19 CFR 151.12 and 19 CFR 151.13. Anyone wishing to employ this entity to conduct laboratory analyses and gauger services should request and receive written assurances from the entity that it is accredited or approved by the U.S. Customs and Border Protection to conduct the specific test or gauger service requested. Alternatively, inquires regarding the specific test or gauger service this entity is accredited or approved to perform may be directed to the U.S. Customs and Border Protection by calling (202) 344–1060. The inquiry may also be sent to cbp.labhq@dhs.gov. Please reference the Web site listed below for a complete listing of CBP approved gaugers and accredited laboratories: http://cbp.gov/linkhandler/cgov/trade/basic\_trade/labs\_scientific\_svcs/commercial\_gaugers/gaulist.ctt/gaulist.pdf.

Dated: June 21, 2013.

#### Ira S. Reese,

Executive Director, Laboratories and Scientific Services.

[FR Doc. 2013–15484 Filed 6–27–13; 8:45 am]

BILLING CODE 9111-14-P

### DEPARTMENT OF HOUSING AND URBAN DEVELOPMENT

[Docket No. FR-5683-N-52]

# 30-Day Notice of Proposed Information Collection: Uniform Physical Standards and Physical Inspection Requirements

**AGENCY:** Office of the Chief Information Officer, HUD.

ACTION: Notice.

**SUMMARY:** HUD has submitted the proposed information collection requirement described below to the Office of Management and Budget (OMB) for review, in accordance with the Paperwork Reduction Act. The purpose of this notice is to allow for an additional 30 days of public comment.

**DATES:** Comments Due Date: July 29, 2013.

ADDRESSES: Interested persons are invited to submit comments regarding this proposal. Comments should refer to the proposal by name and/or OMB Control Number and should be sent to: HUD Desk Officer, Office of Management and Budget, New Executive Office Building, Washington, DC 20503; fax: 202–395–5806. Email: OIRA\_Submission@omb.eop.gov.

### FOR FURTHER INFORMATION CONTACT:

Colette Pollard, Reports Management Officer, QDAM, Department of Housing and Urban Development, 451 7th Street SW., Washington, DC 20410; email Colette Pollard at Colette.Pollard@hud.gov or telephone

202–402–3400. Persons with hearing or speech impairments may access this number through TTY by calling the toll-free Federal Relay Service at (800) 877–8339. This is not a toll-free number. Copies of available documents submitted to OMB may be obtained from Ms. Pollard.

SUPPLEMENTARY INFORMATION: This notice informs the public that HUD has submitted to OMB a request for approval of the information collection described in Section A. The Federal Register notice that solicited public comment on the information collection for a period of 60 days was published on March 18, 2013.

### A. Overview of Information Collection

Title of Information Collection: Uniform Physical Standards and Physical Inspection Requirements.

OMB Approval Number: 2502–0369. Type of Request: Extension without change of a currently approved collection.

Form Number: HUD–92426. Description of the need for the information and proposed use: All multifamily properties with Section 8 project based assistance or housing with HUD insured or HUD Held mortgages or Housing that is receiving insurance from HUD must be inspected regularly. Entities responsible for conducting physical inspections of the properties are HUD, the lender or the owner. Owners/Agents which have been cited with Exigent Health and Safety (EH&S) deficiencies must certify that (EH&S) deficiencies noted during the than 30 days past due on a mortgage payment, and to elect to assign a defaulted mortgage to the Department (per regulations at 24 CFR Part 207.256) by the 75th day from the date of default. To avoid an assignment of mortgage to HUD, which costs the Government millions of dollars each year, HUD and the mortgagor may develop a plan for reinstating the loan since HUD uses the information as an early warning mechanism. HUD Field Office and Headquarters staff use the data to (a) monitor mortgagee compliance with HUD's loan servicing procedures and assignments; and (b) potentially avoid mortgage assignments. This information is submitted electronically via the Internet.

Estimation of the total numbers of hours needed to prepare the information collection including number of respondents, frequency of response, and hours of response: The number of burden hours is 1,159. The number of respondents is 44, the number of responses is 6,959, the frequency of response is 158, and the burden hour per response is 10 minutes.

### **B. Solicitation of Public Comment**

This notice is soliciting comments from members of the public and affected parties concerning the collection of information described in Section A on the following:

- (1) Whether the proposed collection of information is necessary for the proper performance of the functions of the agency, including whether the information will have practical utility;
- (2) The accuracy of the agency's estimate of the burden of the proposed collection of information;
- (3) Ways to enhance the quality, utility, and clarity of the information to be collected; and
- (4) Ways to minimize the burden of the collection of information on those who are to respond; including through the use of appropriate automated collection techniques or other forms of information technology, e.g., permitting electronic submission of responses.

HUD encourages interested parties to submit comment in response to these questions.

**Authority:** Section 3507 of the Paperwork Reduction Act of 1995, 44 U.S.C. Chapter 35.

Dated: June 25, 2013.

#### Colette Pollard,

Department Reports Management Officer, Office of the Chief Information Officer. [FR Doc. 2013–15555 Filed 6–27–13; 8:45 am]

BILLING CODE 4210-67-P

### DEPARTMENT OF HOUSING AND URBAN DEVELOPMENT

[Docket No. FR-5683-N-51]

30-Day Notice of Proposed Information Collection: Request for Withdrawals From Replacements Reserves/ Residual Receipts Funds

**AGENCY:** Office of the Chief Information Officer, HUD.

**ACTION:** Notice.

2013.

SUMMARY: HUD has submitted the proposed information collection requirement described below to the Office of Management and Budget (OMB) for review, in accordance with the Paperwork Reduction Act. The purpose of this notice is to allow for an additional 30 days of public comment. DATES: Comments Due Date: July 29,

ADDRESSES: Interested persons are invited to submit comments regarding this proposal. Comments should refer to the proposal by name and/or OMB Control Number and should be sent to: HUD Desk Officer, Office of Management and Budget, New Executive Office Building, Washington, DC 20503; fax: 202–395–5806. Email:

### FOR FURTHER INFORMATION CONTACT:

OIRA Submission@omb.eop.gov.

Colette Pollard, Reports Management Officer, QDAM, Department of Housing and Urban Development, 451 7th Street SW., Washington, DC 20410; email Colette Pollard at *Colette.Pollard@hud.gov* or telephone 202–402–3400. Persons with hearing or speech impairments may access this number through TTY by calling the toll-

free Federal Relay Service at (800) 877-

8339. This is not a toll-free number. Copies of available documents submitted to OMB may be obtained from Ms. Pollard.

SUPPLEMENTARY INFORMATION: This notice informs the public that HUD has submitted to OMB a request for approval of the information collection described in Section A. The Federal Register notice that solicited public comment on the information collection for a period of 60 days was published on February 22, 2013.

### A. Overview of Information Collection

Title of Information Collection: Request for Withdrawals from Replacements Reserves/Residual Receipts Funds.

OMB Approval Number: 2502–0555. Type of Request: Revision of a currently approved collection.

Form Number: HUD–9250.

Description of the need for the information and proposed use: The purpose of this information collection is to ensure that advances from the Reserve for Replacement and/or Residual Receipts Funds are reviewed and authorized by HUD in accordance with regulatory and administrative

Estimation of the total numbers of hours needed to prepare the information collection including number of respondents, frequency of response, and hours of response: The number of burden hours is 20,595. The number of respondents is 9,153, the number of responses is 9,153, the frequency of response is on occasion, and the burden hour per response is 30 minutes.

### **B. Solicitation of Public Comment**

This notice is soliciting comments from members of the public and affected parties concerning the collection of information described in Section A on the following:

- (1) Whether the proposed collection of information is necessary for the proper performance of the functions of the agency, including whether the information will have practical utility;
- (2) The accuracy of the agency's estimate of the burden of the proposed collection of information;
- (3) Ways to enhance the quality, utility, and clarity of the information to be collected; and