

14. Environmental Protection Agency, Agency-wide (DAA-0412-2013-0005, 3 items, 2 temporary items). Records relating to the development, tracking, and amendment of legislative proposals through Congress, as well as other activities supporting the relationship between the agency and Congress. Proposed for permanent retention are historically significant legislative relations records, including legislative history files and reports to Congress and the President.

15. Nuclear Regulatory Commission, Office of Federal and State Materials and Environmental Management Programs (N1-431-08-4, 7 items, 5 temporary items). Records relating to decommissioning nuclear sites. Proposed for permanent retention are master files of an electronic information system relating to terminated licenses and decommissioning of nuclear sites, and related annual publications.

16. Office of Personnel Management, Employee Services (DAA-0478-2014-0002, 1 item, 1 temporary item). Master files of an electronic information system containing biographic information on individuals participating in the Federal coaching network.

17. Office of Personnel Management, Human Resources Solutions (DAA-0478-2012-0010, 1 item, 1 temporary item). Master files of an electronic information system containing customized job vacancy announcements.

Dated: May 7, 2014.

Paul M. Wester, Jr.,
Chief Records Officer for the U.S.
Government.

[FR Doc. 2014-10927 Filed 5-12-14; 8:45 am]

BILLING CODE 7515-01-P

NATIONAL SCIENCE FOUNDATION

Proposal Review Panel for Physics; Notice of Meeting

In accordance with the Federal Advisory Committee Act (Pub. L. 92-463, as amended), the National Science Foundation announces the following meeting:

Name: NSF Site Visit Review of the National Superconducting Cyclotron Laboratory, #1208

Date and Time: June 16, 2013—8:00 a.m. to 6:00 p.m., June 17, 2013—8:00 a.m. to 1:00 p.m.

Place: Michigan State University; East Lansing, MI.

Type of Meeting: Part-Open.

Contact Person: Dr. Gail Dodge, Program Director for Nuclear Physics; National Science Foundation, 4201

Wilson Blvd., Arlington, VA 22230. Telephone: (703) 292-8958.

Purpose of Meeting: Annual Site Visit as per the terms of the Laboratory's Five-year Cooperative Agreement.

Agenda

June 16, 2014

8:00 a.m.—10:15 a.m. Closed—Executive Session, Laboratory, Operations, Upgrades and Commissioning Overview

10:15 a.m.—11:15 a.m. Open—Accelerator Physics Research, and Research, Education and Mentoring Overview

11:15 a.m.—11:45 a.m. Closed—Executive Session

12:00 p.m.—12:45 p.m. Open—Meet with President and Provost

12:45 p.m.—1:00 p.m. Closed—Executive Session

1:00 p.m.—3:00 p.m. Open—ReA3, Astrophysics, GRETINA, MoNA

3:00 p.m.—3:40 p.m. Open—Meet with Students and Postdocs

3:40 p.m.—5:00 p.m. Open—Tour

5:00 p.m.—6:15 p.m. Closed—Executive Session

June 17, 2013

8:30 a.m.—1:00 p.m. Closed—Executive Session and Report Writing

Reason for Closing: The work being reviewed includes information of a proprietary or confidential nature, including technical information; financial data, such as salaries; and personal information concerning individuals associated with the proposals. These matters are exempt under 5 U.S.C. 552(b)(3), (4) and (6) of the Government in the Sunshine Act.

Dated: May 8, 2014.

Suzanne Plimpton,

Acting, Committee Management Officer.

[FR Doc. 2014-10941 Filed 5-12-14; 8:45 am]

BILLING CODE 7555-01-P

NUCLEAR REGULATORY COMMISSION

[NRC-2014-0108]

Biweekly Notice; Applications and Amendments to Facility Operating Licenses and Combined Licenses Involving No Significant Hazards Considerations

AGENCY: Nuclear Regulatory Commission.

ACTION: Biweekly notice.

SUMMARY: Pursuant to Section 189a. (2) of the Atomic Energy Act of 1954, as amended (the Act), the U.S. Nuclear

Regulatory Commission (NRC) is publishing this regular biweekly notice. The Act requires the Commission to publish notice of any amendments issued, or proposed to be issued and grants the Commission the authority to issue and make immediately effective any amendment to an operating license or combined license, as applicable, upon a determination by the Commission that such amendment involves no significant hazards consideration, notwithstanding the pendency before the Commission of a request for a hearing from any person.

This biweekly notice includes all notices of amendments issued, or proposed to be issued from April 17, 2014 to April 30, 2014. The last biweekly notice was published on April 29, 2014.

DATES: Comments must be filed by June 12, 2014. A request for a hearing must be filed by July 14, 2014.

ADDRESSES: You may submit comments by any of the following methods (unless this document describes a different method for submitting comments on a specific subject):

- Federal Rulemaking Web site:* Go to <http://www.regulations.gov> and search for Docket ID NRC-2014-0108. Address questions about NRC dockets to Carol Gallagher; telephone: 301-287-3422; email: Carol.Gallagher@nrc.gov.

- Mail comments to:* Cindy Bladley, Office of Administration, Mail Stop: 3WFN-06-44M, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001.

For additional direction on accessing information and submitting comments, see "Accessing Information and Submitting Comments" in the **SUPPLEMENTARY INFORMATION** section of this document.

FOR FURTHER INFORMATION CONTACT:

Mable A. Henderson, Office, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001; telephone: 301-415-3760, email: Mable.Henderson@nrc.gov.

SUPPLEMENTARY INFORMATION:

I. Accessing Information and Submitting Comments

A. Accessing Information

Please refer to Docket ID NRC-2014-0108 when contacting the NRC about the availability of information regarding this document. You may access publicly-available information related to this document by any of the following methods:

- Federal Rulemaking Web site:* Go to <http://www.regulations.gov> and search for Docket ID NRC-2014-0108.

• *NRC's Agencywide Documents Access and Management System (ADAMS)*: You may access publicly available documents online in the ADAMS Public Documents collection at <http://www.nrc.gov/reading-rm/adams.html>. To begin the search, select "ADAMS Public Documents" and then select "Begin Web-based ADAMS Search." For problems with ADAMS, please contact the NRC's Public Document Room (PDR) reference staff at 1-800-397-4209, 301-415-4737, or by email to pdr.resource@nrc.gov. Documents may be viewed in ADAMS by performing a search on the document date and docket number.

• *NRC's PDR*: You may examine and purchase copies of public documents at the NRC's PDR, Room O1-F21, One White Flint North, 11555 Rockville Pike, Rockville, Maryland 20852.

B. Submitting Comments

Please include Docket ID NRC-2014-0108 in the subject line of your comment submission, in order to ensure that the NRC is able to make your comment submission available to the public in this docket.

The NRC cautions you not to include identifying or contact information that you do not want to be publicly disclosed in your comment submission. The NRC will post all comment submissions at <http://www.regulations.gov> as well as enter the comment submissions into ADAMS. The NRC does not routinely edit comment submissions to remove identifying or contact information.

If you are requesting or aggregating comments from other persons for submission to the NRC, then you should inform those persons not to include identifying or contact information that they do not want to be publicly disclosed in their comment submission. Your request should state that the NRC does not routinely edit comment submissions to remove such information before making the comment submissions available to the public or entering the comment submissions into ADAMS.

II. Notice of Consideration of Issuance of Amendments to Facility Operating Licenses and Combined Licenses and Proposed No Significant Hazards Consideration Determination

The Commission has made a proposed determination that the following amendment requests involve no significant hazards consideration. Under the Commission's regulations in § 50.92 of Title 10 of the *Code of Federal Regulations* (10 CFR), this means that operation of the facility in accordance

with the proposed amendment would not (1) involve a significant increase in the probability or consequences of an accident previously evaluated, or (2) create the possibility of a new or different kind of accident from any accident previously evaluated; or (3) involve a significant reduction in a margin of safety. The basis for this proposed determination for each amendment request is shown below.

The Commission is seeking public comments on this proposed determination. Any comments received within 30 days after the date of publication of this notice will be considered in making any final determination.

Normally, the Commission will not issue the amendment until the expiration of 60 days after the date of publication of this notice. The Commission may issue the license amendment before expiration of the 60-day period provided that its final determination is that the amendment involves no significant hazards consideration. In addition, the Commission may issue the amendment prior to the expiration of the 30-day comment period should circumstances change during the 30-day comment period such that failure to act in a timely way would result, for example in derating or shutdown of the facility. Should the Commission take action prior to the expiration of either the comment period or the notice period, it will publish in the **Federal Register** a notice of issuance. Should the Commission make a final No Significant Hazards Consideration Determination, any hearing will take place after issuance. The Commission expects that the need to take this action will occur very infrequently.

A. Opportunity To Request a Hearing and Petition for Leave To Intervene

Within 60 days after the date of publication of this notice, any person(s) whose interest may be affected by this action may file a request for a hearing and a petition to intervene with respect to issuance of the amendment to the subject facility operating license or combined license. Requests for a hearing and a petition for leave to intervene shall be filed in accordance with the Commission's "Agency Rules of Practice and Procedure" in 10 CFR part 2. Interested person(s) should consult a current copy of 10 CFR 2.309, which is available at the NRC's PDR, located at One White Flint North, Room O1-F21, 11555 Rockville Pike (first floor), Rockville, Maryland 20852. The NRC's regulations are accessible electronically from the NRC Library on

the NRC's Web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>. If a request for a hearing or petition for leave to intervene is filed by the above date, the Commission or a presiding officer designated by the Commission or by the Chief Administrative Judge of the Atomic Safety and Licensing Board Panel, will rule on the request and/or petition; and the Secretary or the Chief Administrative Judge of the Atomic Safety and Licensing Board will issue a notice of a hearing or an appropriate order.

As required by 10 CFR 2.309, a petition for leave to intervene shall set forth with particularity the interest of the petitioner in the proceeding, and how that interest may be affected by the results of the proceeding. The petition should specifically explain the reasons why intervention should be permitted with particular reference to the following general requirements: (1) The name, address, and telephone number of the requestor or petitioner; (2) the nature of the requestor's/petitioner's right under the Act to be made a party to the proceeding; (3) the nature and extent of the requestor's/petitioner's property, financial, or other interest in the proceeding; and (4) the possible effect of any decision or order which may be entered in the proceeding on the requestor's/petitioner's interest. The petition must also identify the specific contentions which the requestor/petitioner seeks to have litigated at the proceeding.

Each contention must consist of a specific statement of the issue of law or fact to be raised or controverted. In addition, the requestor/petitioner shall provide a brief explanation of the bases for the contention and a concise statement of the alleged facts or expert opinion which support the contention and on which the requestor/petitioner intends to rely in proving the contention at the hearing. The requestor/petitioner must also provide references to those specific sources and documents of which the petitioner is aware and on which the requestor/petitioner intends to rely to establish those facts or expert opinion. The petition must include sufficient information to show that a genuine dispute exists with the applicant on a material issue of law or fact. Contentions shall be limited to matters within the scope of the amendment under consideration. The contention must be one which, if proven, would entitle the requestor/petitioner to relief. A requestor/petitioner who fails to satisfy these requirements with respect to at least one

contention will not be permitted to participate as a party.

Those permitted to intervene become parties to the proceeding, subject to any limitations in the order granting leave to intervene, and have the opportunity to participate fully in the conduct of the hearing.

If a hearing is requested, the Commission will make a final determination on the issue of no significant hazards consideration. The final determination will serve to decide when the hearing is held. If the final determination is that the amendment request involves no significant hazards consideration, the Commission may issue the amendment and make it immediately effective, notwithstanding the request for a hearing. Any hearing held would take place after issuance of the amendment. If the final determination is that the amendment request involves a significant hazards consideration, then any hearing held would take place before the issuance of any amendment.

B. Electronic Submissions (E-Filing)

All documents filed in NRC adjudicatory proceedings, including a request for hearing, a petition for leave to intervene, any motion or other document filed in the proceeding prior to the submission of a request for hearing or petition to intervene, and documents filed by interested governmental entities participating under 10 CFR 2.315(c), must be filed in accordance with the NRC's E-Filing rule (72 FR 49139; August 28, 2007). The E-Filing process requires participants to submit and serve all adjudicatory documents over the Internet, or in some cases to mail copies on electronic storage media. Participants may not submit paper copies of their filings unless they seek an exemption in accordance with the procedures described below.

To comply with the procedural requirements of E-Filing, at least ten 10 days prior to the filing deadline, the participant should contact the Office of the Secretary by email at hearing.docket@nrc.gov, or by telephone at 301-415-1677, to request (1) a digital identification (ID) certificate, which allows the participant (or its counsel or representative) to digitally sign documents and access the E-Submittal server for any proceeding in which it is participating; and (2) advise the Secretary that the participant will be submitting a request or petition for hearing (even in instances in which the participant, or its counsel or representative, already holds an NRC-issued digital ID certificate). Based upon

this information, the Secretary will establish an electronic docket for the hearing in this proceeding if the Secretary has not already established an electronic docket.

Information about applying for a digital ID certificate is available on the NRC's public Web site at <http://www.nrc.gov/site-help/e-submittals/getting-started.html>. System requirements for accessing the E-Submittal server are detailed in the NRC's "Guidance for Electronic Submission," which is available on the agency's public Web site at <http://www.nrc.gov/site-help/e-submittals.html>. Participants may attempt to use other software not listed on the Web site, but should note that the NRC's E-Filing system does not support unlisted software, and the NRC Meta System Help Desk will not be able to offer assistance in using unlisted software.

If a participant is electronically submitting a document to the NRC in accordance with the E-Filing rule, the participant must file the document using the NRC's online, Web-based submission form. In order to serve documents through the Electronic Information Exchange System, users will be required to install a Web browser plug-in from the NRC's Web site. Further information on the Web-based submission form, including the installation of the Web browser plug-in, is available on the NRC's public Web site at <http://www.nrc.gov/site-help/e-submittals.html>.

Once a participant has obtained a digital ID certificate and a docket has been created, the participant can then submit a request for hearing or petition for leave to intervene. Submissions should be in Portable Document Format (PDF) in accordance with NRC guidance available on the NRC's public Web site at <http://www.nrc.gov/site-help/e-submittals.html>. A filing is considered complete at the time the documents are submitted through the NRC's E-Filing system. To be timely, an electronic filing must be submitted to the E-Filing system no later than 11:59 p.m. Eastern Time on the due date. Upon receipt of a transmission, the E-Filing system time-stamps the document and sends the submitter an email notice confirming receipt of the document. The E-Filing system also distributes an email notice that provides access to the document to the NRC's Office of the General Counsel and any others who have advised the Office of the Secretary that they wish to participate in the proceeding, so that the filer need not serve the documents on those participants separately. Therefore,

applicants and other participants (or their counsel or representative) must apply for and receive a digital ID certificate before a hearing request/petition to intervene is filed so that they can obtain access to the document via the E-Filing system.

A person filing electronically using the NRC's adjudicatory E-Filing system may seek assistance by contacting the NRC Meta System Help Desk through the "Contact Us" link located on the NRC's public Web site at <http://www.nrc.gov/site-help/e-submittals.html>, by email to MSHD.Resource@nrc.gov, or by a toll-free call at 1-866-672-7640. The NRC Meta System Help Desk is available between 8 a.m. and 8 p.m., Eastern Time, Monday through Friday, excluding government holidays.

Participants who believe that they have a good cause for not submitting documents electronically must file an exemption request, in accordance with 10 CFR 2.302(g), with their initial paper filing requesting authorization to continue to submit documents in paper format. Such filings must be submitted by: (1) First class mail addressed to the Office of the Secretary of the Commission, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, Attention: Rulemaking and Adjudications Staff; or (2) courier, express mail, or expedited delivery service to the Office of the Secretary, Sixteenth Floor, One White Flint North, 11555 Rockville Pike, Rockville, Maryland 20852, Attention: Rulemaking and Adjudications Staff. Participants filing a document in this manner are responsible for serving the document on all other participants. Filing is considered complete by first-class mail as of the time of deposit in the mail, or by courier, express mail, or expedited delivery service upon depositing the document with the provider of the service. A presiding officer, having granted an exemption request from using E-Filing, may require a participant or party to use E-Filing if the presiding officer subsequently determines that the reason for granting the exemption from use of E-Filing no longer exists.

Documents submitted in adjudicatory proceedings will appear in the NRC's electronic hearing docket which is available to the public at <http://ehd1.nrc.gov/ehd/>, unless excluded pursuant to an order of the Commission, or the presiding officer. Participants are requested not to include personal privacy information, such as social security numbers, home addresses, or home phone numbers in their filings, unless an NRC regulation or other law requires submission of such

information. However, a request to intervene will require including information on local residence in order to demonstrate a proximity assertion of interest in the proceeding. With respect to copyrighted works, except for limited excerpts that serve the purpose of the adjudicatory filings and would constitute a Fair Use application, participants are requested not to include copyrighted materials in their submission.

Petitions for leave to intervene must be filed no later than 60 days from the date of publication of this notice. Requests for hearing, petitions for leave to intervene, and motions for leave to file new or amended contentions that are filed after the 60-day deadline will not be entertained absent a determination by the presiding officer that the filing demonstrates good cause by satisfying the three factors in 10 CFR 2.309(c)(1)(i)–(iii).

For further details with respect to these license amendment applications, see the application for amendment which is available for public inspection in ADAMS and at the NRC's PDR. For additional direction on accessing information related to this document, see the "Accessing Information and Submitting Comments" section of this document.

South Carolina Electric and Gas Company, South Carolina Public Service Authority, Docket No. 50–395, Virgil C. Summer Nuclear Station (VCSNS), Unit 1, Fairfield County, South Carolina

Date of amendment request: March 26, 2014. A publicly-available version is in ADAMS Package under Accession No. ML14091A487.

Description of amendment request: The proposed amendment includes a significant revision to the site's Radiation Emergency Plan.

Basis for proposed no significant hazards consideration determination: As required by 10 CFR 50.91(a), the licensee has provided its analysis of the issue of no significant hazards consideration, which is presented below:

1. Does the proposed amendment involve a significant increase in the probability or consequences of an accident previously evaluated?

Response: No.

The proposed changes to the VCSNS emergency plan do not impact the physical function of plant structures, systems, or components (SSC) or the manner in which SSCs perform their design function. The proposed changes neither adversely affect accident initiators or precursors, nor alter design assumptions. The proposed changes do not alter or prevent the ability of SSCs to

perform their intended function to mitigate the consequences of an initiating event within assumed acceptance limits. No operating procedures or administrative controls that function to prevent or mitigate accidents are affected by the proposed changes.

Therefore, the proposed changes do not involve a significant increase in the probability or consequences of an accident previously evaluated.

2. Does the proposed amendment create the possibility of a new or different kind of accident from any accident previously evaluated?

Response: No.

The proposed changes do not involve a physical alteration of the plant (i.e., no new or different type of equipment will be installed or removed) or a change in the method of plant operation. The proposed changes will not introduce failure modes that could result in a new accident, and the change does not alter assumptions made in the safety analysis. The proposed changes to the location of the TSC, activation times of facilities, and aligning ERO structure are not initiators of any accidents.

Therefore, the proposed change does not create the possibility of a new or different kind of accident from any accident previously evaluated.

3. Does the proposed amendment involve a significant reduction in a margin of safety?

Response: No.

Margin of safety is associated with the ability of the fission product barriers (i.e., fuel cladding, reactor coolant system pressure boundary, and containment structure) to limit the level of radiation dose to the public. The proposed changes do not impact operation of the plant or its response to transients or accidents. The changes do not affect the Technical Specifications or the operating license. The proposed changes do not involve a change in the method of plant operation, and no accident analyses will be affected by the proposed changes. Additionally, the proposed changes will not relax any criteria used to establish safety limits and will not relax any safety system settings. The safety analysis acceptance criteria are not affected by these changes. The proposed changes will not result in plant operation in a configuration outside the design basis. The proposed changes do not adversely affect systems that respond to safely shut down the plant and to maintain the plant in a safe shutdown condition. The emergency plan will continue to activate an emergency response commensurate with the extent of degradation of plant safety.

The NRC staff has reviewed the licensee's analysis and, based on this review, it appears that the three standards of 10 CFR 50.92(c) are satisfied. Therefore, the NRC staff proposes to determine that the amendment request involves no significant hazards consideration.

Attorney for licensee: J. Hagood Hamilton, Jr., South Carolina Electric & Gas Company, Post Office Box 764, Columbia, SC 29218.

NRC Branch Chief: Robert J. Pascarelli.

Southern Nuclear Operating Company
Docket Nos.: 52–025 and 52–026, Vogtle Electric Generating Plant (VEGP) Units 3 and 4, Burke County, Georgia

Date of amendment request: April 18, 2014. A publicly-available version is available in ADAMS under Accession No. ML14108A096.

Description of amendment request: The proposed change would amend Combined License Nos. NPF–91 and NPF–92 for the VEGP, Units 3 and 4 by departing from the plant-specific Design Control Document (DCD) Tier 1 (and corresponding Combined License Appendix C information) and Tier 2 material by making changes to the annex and radwaste building structures and layout by:

(1) Updating the annex building column line designations on affected Tier 1 Figures and Tier 2 Figure 3.7.2–19; and

(2) Revising the radwaste building configuration including the shielding design and radiation monitoring.

Because this proposed change requires a departure from Tier 1 information in the Westinghouse Advanced Passive 1000 DCD, the licensee also requested an exemption from the requirements of the Generic DCD Tier 1 in accordance with 52.63(b)(1).

Basis for proposed no significant hazards consideration determination: As required by 10 CFR 50.91(a), the licensee has provided its analysis of the issue of no significant hazards consideration, which is presented below:

1. Does the proposed amendment involve a significant increase in the probability or consequences of an accident previously evaluated?

Response: No.

The proposed annex building changes updating column line designations and the radwaste building change to add three bunkers for storage of moderate and high activity waste, incorporate the Waste Accumulation Room and the Packaged Waste Storage Room, revise shield wall thicknesses, and eliminate a radiation monitor no longer needed do not alter the assumed initiators to any analyzed event. These proposed changes do not affect the operation of any systems or equipment that could initiate an analyzed accident. The proposed changes to the annex building column line designations update the annex building column line designations in the UFSAR figures to make them consistent with the [Updated Final Safety Analysis Report] UFSAR figure for the auxiliary building. The radwaste building proposed changes do not affect any accident initiators, because there is no accident initiator located within that building. Based on the above, the

probability of an accident previously evaluated will not be increased by these proposed changes.

The proposed annex and radwaste building configuration changes do not affect any radiological dose consequence analysis for UFSAR Chapter 15. No accident source term parameter or fission product barrier is impacted by these changes. Structures, systems, and components (SSCs) required for mitigation of analyzed accidents are not affected by these changes, and the functions of these buildings are not adversely affected by these changes. Consequently, this activity will not increase the consequences of any analyzed accident, including the main steam line limiting break.

Therefore, the proposed activity does not involve a significant increase in the probability or consequences of an accident previously evaluated.

2. Does the proposed amendment create the possibility of a new or different kind of accident from any accident previously evaluated?

Response: No.

The proposed annex building changes updating column line designations and the radwaste building change to add three bunkers for storage of moderate and high activity waste, incorporate the Waste Accumulation Room and the Packaged Waste Storage Room, revise shield wall thicknesses, and eliminate a radiation monitor no longer needed, do not change the design function of the either of these buildings or any of the systems or equipment contained therein or in any other Nuclear Island structures. These proposed changes do not adversely affect any system design functions or methods of operation. These changes do not introduce any new equipment or components or change the operation of any existing systems or equipment in a manner that would result in a new failure mode, malfunction, or sequence of events that could affect safety-related or non-safety-related equipment or result in a radioactive material release. This activity does not allow for a new radioactive material release path or result in a new radioactive material barrier failure mode.

Therefore, this activity does not create the possibility of a new or different kind of accident from any accident previously evaluated.

3. Does the proposed amendment involve a significant reduction in a margin of safety?

Response: No.

The proposed changes do not affect any safety-related equipment, design code compliance, design function, design analysis, safety analysis input or result, or design/safety margin. The margin in the design of the annex and radwaste buildings is determined by the use of the current codes and standards and adherence to the assumptions used in the analyses of this structure and the events associated with this structure. The column line designations for the annex building in UFSAR Tier 2 figures are updated to make them consistent with the UFSAR figures for the auxiliary building. This change has no adverse impact on plant construction or operation. The design of the radwaste building, including the newly added bunkers for moderate and high activity

waste, merging of the Waste Accumulation Room and the Packaged Waste Storage Room, will continue to be in accordance with the same codes and standards as stated in the UFSAR. The activity has no effect on off-site dose analysis for analyzed accidents.

Therefore, the proposed change does not involve a significant reduction in a margin of safety.

The NRC staff has reviewed the licensee's analysis, and based on this review, it appears that the three standards of 10 CFR 50.92(c) are satisfied. Therefore, the NRC staff proposes to determine that the amendment request involves no significant hazards consideration.

Attorney for licensee: M. Stanford Blanton, Blach & Bingham LLP, 1710 Sixth Avenue North, Birmingham, AL 35203–2015.

NRC Branch Chief: Lawrence J. Burkhart.

Southern Nuclear Operating Company, Inc. Docket Nos. 52–025 and 52–026, Vogtle Electric Generating Plant (VEGP), Units 3 and 4, Burke County, Georgia

Date of amendment request: March 27, 2014. A publicly-available version is available in ADAMS under Accession No. ML14086A544.

Description of amendment request: The proposed change would amend Combined License Nos. NPF–91 and NPF–92 for the VEGP, Units 3 and 4 to revise the Emergency Plan to relocate the Operations Support Centers (OSCs) and revise the description of the plant monitoring system. The OSCs are proposed to be relocated from the Control Support Areas (CSAs) of each unit to a common OSC located in the Maintenance Support Building. Changes to the plant monitoring system used to initiate emergency actions and to conduct accident assessment are proposed due to changes in the plant design. The requested amendment will also revise plant-specific emergency planning inspections, tests, analyses, and acceptance criteria (ITAAC) in Appendix C of the VEGP, Units 3 and 4 combined licenses (COLs). Changes to the plant-specific emergency planning ITAAC are proposed due to changes in the proposed location for the OSC, changes in plant design, changes in expected NRC action regarding regulatory guidance documents, and changes in drill and exercise objective acceptance criteria.

Basis for proposed no significant hazards consideration determination: As required by 10 CFR 50.91(a), the licensee has provided its analysis of the issue of no significant hazards consideration, which is presented below:

1. Does the proposed amendment involve a significant increase in the probability or consequences of an accident previously evaluated?

Response: No.

The VEGP, Units 3 and 4 Emergency Plan provides assurance that the requirements of emergency preparedness regulations are met. The VEGP, Units 3 and 4 emergency planning inspections, tests, analyses, and acceptance criteria (ITAAC) provide assurance that the facility has been constructed and will be operated in conformity with the license, the provisions of the Act, and the Commission's rules and regulations. The proposed changes do not affect the design of a system, structure, or component (SSC) used to meet the design bases of the nuclear plant. Nor do the changes affect the construction or operation of the nuclear plant itself, so there is no change to the probability or consequences of an accident previously evaluated. Changing the VEGP, Units 3 and 4 Emergency Plan and the emergency planning ITAAC do not affect prevention and mitigation of abnormal events, e.g., accidents, anticipated operational occurrences, earthquakes, floods and turbine missiles, or their safety or design analyses as the purpose of the plan is to implement emergency preparedness regulations. No safety-related structure, system, component (SSC) or function is adversely affected. The changes do not involve nor interface with any SSC accident initiator or initiating sequence of events, and thus, the probabilities of the accidents evaluated in the Updated Final Safety Analysis Report (UFSAR) are not affected. Because the changes do not involve any safety-related SSC or function used to mitigate an accident, the consequences of the accidents evaluated in the UFSAR are not affected.

Therefore, the proposed amendment does not involve a significant increase in the probability or consequences of an accident previously evaluated.

2. Does the proposed amendment create the possibility of a new or different kind of accident from any accident previously evaluated?

Response: No.

The VEGP, Units 3 and 4 Emergency Plan provides assurance that the requirements of emergency preparedness regulations are met. The VEGP, Units 3 and 4 emergency planning ITAAC provide assurance that the facility has been constructed and will be operated in conformity with the license, the provisions of the Act, and the Commission's rules and regulations. The changes do not affect the design of an SSC used to meet the design bases of the nuclear plant. Nor do the changes affect the construction or operation of the nuclear plant. Consequently, there is no new or different kind of accident from any accident previously evaluated. The changes do not affect safety-related equipment, nor do they affect equipment which, if it failed, could initiate an accident or a failure of a fission product barrier. In addition, the changes do not result in a new failure mode, malfunction or sequence of events that could affect safety or safety-related equipment. No analysis is adversely affected. No system or

design function or equipment qualification is adversely affected by the changes. This activity will not allow for a new fission product release path, nor will it result in a new fission product barrier failure mode, nor create a new sequence of events that would result in significant fuel cladding failures.

Therefore, the proposed amendment does not create the possibility of a new or different kind of accident from any accident previously evaluated.

3. Does the proposed amendment involve a significant reduction in a margin of safety? Response: No.

The VEGP, Units 3 and 4 Emergency Plan provides assurance that the requirements of emergency preparedness regulations are met. The VEGP, Units 3 and 4 emergency planning ITAAC provide assurance that the facility has been constructed and will be operated in conformity with the license, the provisions of the Act, and the Commission's rules and regulations. The changes do not affect the assessments or the plant itself. The changes do not adversely interface with safety-related equipment or fission product barriers. No safety analysis or design basis acceptance limit/criterion is challenged or exceeded by the proposed change.

Therefore, the proposed amendment does not involve a significant reduction in a margin of safety.

The NRC staff has reviewed the licensee's analysis and, based on this review, it appears that the three standards of 10 CFR 50.92(c) are satisfied. Therefore, the NRC staff proposes to determine that the amendment request involves no significant hazards consideration.

Attorney for licensee: M. Stanford Blanton, Balch & Bingham LLP, 1710 Sixth Avenue North, Birmingham, AL 35203-2015.

NRC Branch Chief: Lawrence J. Burkhart.

III. Notice of Issuance of Amendments to Facility Operating Licenses and Combined Licenses

During the period since publication of the last biweekly notice, the Commission has issued the following amendments. The Commission has determined for each of these amendments that the application complies with the standards and requirements of the Atomic Energy Act of 1954, as amended (the Act), and the Commission's rules and regulations. The Commission has made appropriate findings as required by the Act and the Commission's rules and regulations in 10 CFR Chapter I, which are set forth in the license amendment.

A notice of consideration of issuance of amendment to facility operating license or combined license, as applicable, proposed no significant hazards consideration determination, and opportunity for a hearing in connection with these actions, was

published in the **Federal Register** as indicated.

Unless otherwise indicated, the Commission has determined that these amendments satisfy the criteria for categorical exclusion in accordance with 10 CFR 51.22. Therefore, pursuant to 10 CFR 51.22(b), no environmental impact statement or environmental assessment need be prepared for these amendments. If the Commission has prepared an environmental assessment under the special circumstances provision in 10 CFR 51.22(b) and has made a determination based on that assessment, it is so indicated.

For further details with respect to the action see (1) the applications for amendment, (2) the amendment, and (3) the Commission's related letter, Safety Evaluation and/or Environmental Assessment as indicated. All of these items can be accessed as described in the "Accessing Information and Submitting Comments" section of this document.

Dominion Nuclear Connecticut, Inc., Docket No. 50-336, Millstone Power Station (MPS), Unit 2, New London County, Connecticut

Date of amendment request: May 3, 2013, as supplemented by letters dated June 27, 2013, July 19, 2013, July 30, 2013, August 1, 2013, and October 2, 2013.

Description of amendment request: The proposed amendment would revise the MPS, Unit 2 Technical Specification (TS) 3/4.7.11, "Ultimate Heat Sink," to increase the current ultimate heat sink water temperature limit from 75 °F to 80 °F and change the TS Action to state, "With the ultimate heat sink water temperature greater than 80 °F, be in HOT STANDBY within 6 hours and in COLD SHUTDOWN within the following 30 hours."

Date of issuance: April 18, 2014.

Effective date: As of the date of issuance, and shall be implemented within 60 days.

Amendment No.: 318. A publicly-available version is in ADAMS under Accession No. ML14037A408; documents related to this amendment are listed in the Safety Evaluation enclosed with the amendment.

Renewed Facility Operating License No. DPR-65: Amendment revised the License and Technical Specifications.

Date of initial notice in Federal Register: August 20, 2013 (78 FR 51225). The supplemental letters dated June 27, 2013, July 19, 2013, July 30, 2013, August 1, 2013, and October 2, 2013, provided additional information that clarified the application, did not expand the scope of the application as

originally noticed, and did not change the staff's original proposed no significant hazards consideration determination.

The Commission's related evaluation of the amendment is contained in a Safety Evaluation dated April 18, 2014.

No significant hazards consideration comments received: No.

DTE Electric Company, Docket No. 50-341, Fermi 2, Monroe County, Michigan

Date of application for amendment: April 17, 2013.

Brief description of amendment: The amendment revised the Fermi 2 Action and Surveillance Requirements in technical specification (TS) 3.7.3, "Control Room Emergency Filtration (CREF) System," and added a new administrative controls program, TS 5.5.14, "Control Room Envelope Habitability Program."

Date of issuance: April 18, 2014.

Effective date: As of the date of issuance and shall be implemented within 60 days of issuance.

Amendment No.: 198. A publicly-available version is in ADAMS under Accession No. ML14098A062; documents related to this amendment are listed in the Safety Evaluation enclosed with the amendment.

Facility Operating License No. NPF-43: Amendment revised the Facility Operating License and Technical Specifications.

Date of initial notice in Federal Register: August 20, 2013 (78 FR 51222).

The Commission's related evaluation of the amendment is contained in a Safety Evaluation dated April 18, 2014.

No significant hazards consideration comments received: No.

Nebraska Public Power District, Docket No. 50-298, Cooper Nuclear Station, Nemaha County, Nebraska

Date of application for amendment:

April 24, 2012, as supplemented by letters dated July 12, and August 23, 2012; January 14, February 12, March 13, June 13, and December 12, 2013; and January 17, February 18, and April 11, 2014.

Brief description of amendment: The amendment authorizes the transition of the Cooper Nuclear Station fire protection program to a risk-informed, performance-based program based on National Fire Protection Association (NFPA) 805, in accordance with 10 CFR 50.48(c). NFPA 805 allows the use of performance-based methods such as fire modeling and risk-informed methods such as fire probabilistic risk assessment to demonstrate compliance with the nuclear safety performance criteria.

Date of issuance: April 29, 2014.

Effective date: As of its date of issuance and shall be implemented by 12 months from the date of issuance.

Amendment No.: 248. A publicly-available version is in ADAMS under Accession No. ML14055A023; documents related to this amendment are listed in the Safety Evaluation enclosed with the amendment.

Renewed Facility Operating License No. DPR-46: The amendment revised the Operating License and Technical Specifications.

Date of initial notice in Federal Register: November 26, 2012 (78 FR 70593). The supplements dated December 12, 2013; and January 17, February 18, and April 11, 2014, provided additional information that clarified the application, did not expand the scope of the application as originally noticed, and did not change the staff's original proposed no significant hazards consideration determination as published in the **Federal Register**.

The Commission's related evaluation of the amendment is contained in a Safety Evaluation dated April 29, 2014.

No significant hazards consideration comments received: No.

Virginia Electric and Power Company, et al., Docket Nos. 50-280 and 50-281, Surry Power Station, Units 1 and 2, Surry County, Virginia

Date of application for amendments: May 13, 2013, as supplemented by letters dated September 9, 2013, and March 13, 2014.

Brief Description of amendments: The amendments revise Surry, Units 1 and 2, Technical Specifications 4.17, "Shock Suppressors (Snubbers)," to delete detailed surveillance requirements for snubbers and add TS 6.4.T, "Inservice Examination, Testing, and Service Life Monitoring Program for Snubbers," which requires the surveillance requirements for snubbers be in accordance with the ASME OM Code, Subsection ISTD, as provided in NRC regulations. The amendments also relocate the detailed surveillance requirements to the Surry, Units 1 and 2, Inservice Examination, Testing and Service Life Monitoring Program Plans for Snubbers.

Date of issuance: April 24, 2014.

Effective date: As of the date of issuance and shall be implemented within 60 days.

Amendment Nos.: 281, 281. A publicly-available version is in ADAMS under Accession No. ML14073A405; documents related to this amendment are listed in the Safety Evaluation enclosed with the amendment.

Renewed Facility Operating License Nos. DPR-32 and DPR-37: Amendments change the licenses and the technical specifications.

Date of initial notice in Federal Register: July 9, 2013 (78 FR 41122). The supplements dated September 9, 2013 and March 13, 2014, provided additional information that clarified the application, did not expand the scope of the application as originally noticed, and did not change the staff's original proposed no significant hazards consideration determination.

The Commission's related evaluation of the amendments is contained in a Safety Evaluation dated April 24, 2014.

No significant hazards consideration comments received: No.

Dated at Rockville, Maryland, this 5th day of May 2014.

For the Nuclear Regulatory Commission.

Michele G. Evans,

Director, Division of Operating Reactor Licensing, Office of Nuclear Reactor Regulation.

[FR Doc. 2014-10718 Filed 5-12-14; 8:45 am]

BILLING CODE 7590-01-P

SECURITIES AND EXCHANGE COMMISSION

Sunshine Act Meeting

Notice is hereby given, pursuant to the provisions of the Government in the Sunshine Act, Public Law 94-409, that the Securities and Exchange Commission will hold a Closed Meeting on Thursday, May 15, 2014 at 2:00 p.m.

Commissioners, Counsel to the Commissioners, the Secretary to the Commission, and recording secretaries will attend the Closed Meeting. Certain staff members who have an interest in the matters also may be present.

The General Counsel of the Commission, or her designee, has certified that, in her opinion, one or more of the exemptions set forth in 5 U.S.C. 552(b)(3), (5), (7), 9(B) and (10) and 17 CFR 200.402(a)(3), (5), (7), 9(ii) and (10), permit consideration of the scheduled matter at the Closed Meeting.

Commissioner Gallagher, as duty officer, voted to consider the items listed for the Closed Meeting in closed session, and determined that no earlier notice thereof was possible.

The subject matter of the Closed Meeting will be:

Institution and settlement of injunctive actions; institution and settlement of administrative proceedings; a civil litigation matter; an adjudicatory matter; and other matters relating to enforcement proceedings.

At times, changes in Commission priorities require alterations in the scheduling of meeting items.

For further information and to ascertain what, if any, matters have been added, deleted or postponed, please contact the Office of the Secretary at (202) 551-5400.

Dated: May 9, 2014.

Kevin M. O'Neill,
Deputy Secretary.

[FR Doc. 2014-11057 Filed 5-9-14; 4:15 pm]

BILLING CODE 8011-01-P

SECURITIES AND EXCHANGE COMMISSION

[Release No. 34-72119; File No. SR-PHLX-2014-23]

Self-Regulatory Organizations; NASDAQ OMX PHLX LLC; Notice of Filing of Proposed Rule Change Related to the Priority Afforded to In-Crowd Participants Respecting Crossing, Facilitation and Solicited Orders in Open Outcry Trading

May 7, 2014.

Pursuant to Section 19(b)(1) of the Securities Exchange Act of 1934 ("Act")¹, and Rule 19b-4 thereunder,² notice is hereby given that on April 23, 2014, NASDAQ OMX PHLX LLC ("Phlx" or "Exchange") filed with the Securities and Exchange Commission ("SEC" or "Commission") the proposed rule change as described in Items I and II, below, which Items have been prepared by the Exchange. The Commission is publishing this notice to solicit comments on the proposed rule change from interested persons.

I. Self-Regulatory Organization's Statement of the Terms of Substance of the Proposed Rule Change

The Exchange proposes to revise the priority afforded to in-crowd participants respecting crossing, facilitation and solicited orders in open outcry trading.

The text of the proposed rule change is available on the Exchange's Web site at <http://nasdaqomxphlx.cchwallstreet.com>, at the principal office of the Exchange, and at the Commission's Public Reference Room.

II. Self-Regulatory Organization's Statement of the Purpose of, and Statutory Basis for, the Proposed Rule Change

In its filing with the Commission, the Exchange included statements

¹ 15 U.S.C. 78s(b)(1).

² 17 CFR 240.19b-4.