

Dated: March 13, 2015.

Ira S. Reese,

Executive Director, Laboratories and Scientific Services Directorate.

[FR Doc. 2015-06376 Filed 3-19-15; 8:45 am]

BILLING CODE 9111-14-P

DEPARTMENT OF HOMELAND SECURITY

U.S. Customs and Border Protection

Accreditation and Approval of AmSpec Services, LLC, as a Commercial Gauger and Laboratory

AGENCY: U.S. Customs and Border Protection, Department of Homeland Security.

ACTION: Notice of accreditation and approval of AmSpec Services, LLC, as a commercial gauger and laboratory.

SUMMARY: Notice is hereby given, pursuant to CBP regulations, that AmSpec Services, LLC, has been approved to gauge petroleum and certain petroleum products and

accredited to test petroleum and certain petroleum products for customs purposes for the next three years as of July 22, 2014.

DATES: *Effective Dates:* The accreditation and approval of AmSpec Services, LLC, as commercial gauger and laboratory became effective on July 22, 2014. The next triennial inspection date will be scheduled for July 2017.

FOR FURTHER INFORMATION CONTACT:

Approved Gauger and Accredited Laboratories Manager, Laboratories and Scientific Services Directorate, U.S. Customs and Border Protection, 1300 Pennsylvania Avenue NW., Suite 1500N, Washington, DC 20229, tel. 202-344-1060.

SUPPLEMENTARY INFORMATION: Notice is hereby given pursuant to 19 CFR 151.12 and 19 CFR 151.13, that AmSpec Services, LLC, 1350 Slater Rd., Unit 9, Ferndale, WA 98248, has been approved to gauge petroleum and certain petroleum products and accredited to test petroleum and certain petroleum products for customs purposes, in

accordance with the provisions of 19 CFR 151.12 and 19 CFR 151.13. AmSpec Services, LLC is approved for the following gauging procedures for petroleum and certain petroleum products from the American Petroleum Institute (API):

| API Chapters | Title |
|--------------|----------------------------|
| 3 | Tank gauging. |
| 7 | Temperature determination. |
| 8 | Sampling. |
| 11 | Physical Properties. |
| 12 | Calculations |
| 17 | Maritime measurement. |

AmSpec Services, LLC is accredited for the following laboratory analysis procedures and methods for petroleum and certain petroleum products set forth by the U.S. Customs and Border Protection Laboratory Methods (CBPL) and American Society for Testing and Materials (ASTM):

| CBPL No. | ASTM | Title |
|-------------|--------------|--|
| 27-01 | D-287 | API gravity of crude petroleum and petroleum products (hydrometer method). |
| 27-48 | D-4052 | Density and Relative density of liquids by digital density meter. |
| 27-05 | D-4928 | Water in crude oils by coulometric Karl Fishcher Titration. |
| 27-13 | D-4294 | Sulfur in petroleum and petroleum products by energy-dispersive X-ray fluorescence spectrometer. |

Anyone wishing to employ this entity to conduct laboratory analyses and gauger services should request and receive written assurances from the entity that it is accredited or approved by the U.S. Customs and Border Protection to conduct the specific test or gauger service requested. Alternatively, inquiries regarding the specific test or gauger service this entity is accredited or approved to perform may be directed to the U.S. Customs and Border Protection by calling (202) 344-1060. The inquiry may also be sent to CBPGaugersLabs@dhs.gov. Please reference the Web site listed below for a complete listing of CBP approved gaugers and accredited laboratories. <http://www.cbp.gov/about/labs-scientific/commercial-gaugers-and-laboratories>.

Dated: March 13, 2015.

Ira S. Reese,

Executive Director, Laboratories and Scientific Services Directorate.

[FR Doc. 2015-06378 Filed 3-19-15; 8:45 am]

BILLING CODE 9111-14-P

DEPARTMENT OF HOMELAND SECURITY

U.S. Customs and Border Protection

Approval of Saybolt, LP, as a Commercial Gauger

AGENCY: U.S. Customs and Border Protection, Department of Homeland Security.

ACTION: Notice of approval of Saybolt, LP, as a commercial gauger.

SUMMARY: Notice is hereby given, pursuant to CBP regulations, that Saybolt, LP, has been approved to gauge petroleum and certain petroleum products for customs purposes for the next three years as of December 4, 2014.

DATES: *Effective Dates:* The approval of Saybolt, LP, as commercial gauger became effective on December 4, 2014. The next triennial inspection date will be scheduled for December 2017.

FOR FURTHER INFORMATION CONTACT:

Approved Gauger and Accredited Laboratories Manager, Laboratories and Scientific Services Directorate, U.S. Customs and Border Protection, 1300 Pennsylvania Avenue NW., Suite

1500N, Washington, DC 20229, tel. 202-344-1060.

SUPPLEMENTARY INFORMATION: Notice is hereby given pursuant to 19 CFR 151.13, that Saybolt, LP, 4025 Oak Ln, Sulphur, LA 70665, has been approved to gauge petroleum and certain petroleum products for customs purposes, in accordance with the provisions of 19 CFR 151.13. Saybolt, LP is approved for the following gauging procedures for petroleum and certain petroleum products from the American Petroleum Institute (API):

| API Chapters | Title |
|--------------|----------------------------|
| 3 | Tank gauging. |
| 7 | Temperature determination. |
| 8 | Sampling. |
| 12 | Calculations. |
| 17 | Maritime measurement. |

Anyone wishing to employ this entity to conduct gauger services should request and receive written assurances from the entity that it is approved by the U.S. Customs and Border Protection to conduct the specific gauger service requested. Alternatively, inquiries regarding the specific gauger service this entity is approved to perform may be

directed to the U.S. Customs and Border Protection by calling (202) 344-1060. The inquiry may also be sent to CBPGaugersLabs@cbp.dhs.gov. Please reference the Web site listed below for a complete listing of CBP approved gaugers and accredited laboratories.

<http://www.cbp.gov/about/labs-scientific/commercial-gaugers-and-laboratories>

Dated: March 13, 2015.

Ira S. Reese,

Executive Director, Laboratories and Scientific Services Directorate.

[FR Doc. 2015-06375 Filed 3-19-15; 8:45 am]

BILLING CODE 9111-14-P

DEPARTMENT OF HOMELAND SECURITY

U.S. Customs and Border Protection

Accreditation and Approval of Intertek USA, Inc., as a Commercial Gauger and Laboratory

AGENCY: U.S. Customs and Border Protection, Department of Homeland Security.

ACTION: Notice of accreditation and approval of Intertek USA, Inc., as a commercial gauger and laboratory.

SUMMARY: Notice is hereby given, pursuant to CBP regulations, that Intertek USA, Inc., has been approved to gauge petroleum and certain petroleum products and accredited to test petroleum and certain petroleum products for customs purposes for the next three years as of October 30, 2014.

DATES: *Effective Dates:* The accreditation and approval of Intertek USA, Inc., as commercial gauger and laboratory became effective on October 30, 2014. The next triennial inspection date will be scheduled for October 2017.

FOR FURTHER INFORMATION CONTACT:

Approved Gauger and Accredited Laboratories Manager, Laboratories and Scientific Services Directorate, U.S. Customs and Border Protection, 1300 Pennsylvania Avenue NW., Suite 1500N, Washington, DC 20229, tel. 202-344-1060.

SUPPLEMENTARY INFORMATION: Notice is hereby given pursuant to 19 CFR 151.12 and 19 CFR 151.13, that Intertek USA,

Inc., 1708 Marshall St., Jacksonville, FL 32206, has been approved to gauge petroleum and certain petroleum products and accredited to test petroleum and certain petroleum products for customs purposes, in accordance with the provisions of 19 CFR 151.12 and 19 CFR 151.13. Intertek USA, Inc., is approved for the following gauging procedures for petroleum and certain petroleum products from the American Petroleum Institute (API):

| API Chapters | Title |
|--------------|----------------------------|
| 1 | Vocabulary. |
| 3 | Tank gauging. |
| 7 | Temperature determination. |
| 8 | Sampling. |
| 12 | Calculations. |
| 17 | Maritime measurement. |

Intertek USA, Inc., is accredited for the following laboratory analysis procedures and methods for petroleum and certain petroleum products set forth by the U.S. Customs and Border Protection Laboratory Methods (CBPL) and American Society for Testing and Materials (ASTM):

| CBPL No. | ASTM | Title |
|-------------|-------------------|---|
| 27-08 | ASTM D-86 | Standard test method for distillation of petroleum products at atmospheric pressure. |
| 27-48 | ASTM D-4052 | Standard test method for density and relative density of liquids by digital density meter. |
| 27-58 | ASTM D-5191 | Standard test method for vapor pressure of petroleum products (mini-method). |
| 27-11 | ASTM D-445 .. | Standard test method for kinematic viscosity of transparent and opaque liquids (and calculations of dynamic viscosity). |
| 27-06 | ASTM D-473 .. | Standard test method for sediment in crude oils and fuel oils by the extraction method. |
| 27-57 | ASTM D-7039 | Standard Test Method for Sulfur in Gasoline and Diesel Fuel by Monochromatic Wavelength Dispersive X-Ray Fluorescence Spectrometry. |

Anyone wishing to employ this entity to conduct laboratory analyses and gauger services should request and receive written assurances from the entity that it is accredited or approved by the U.S. Customs and Border Protection to conduct the specific test or gauger service requested. Alternatively, inquiries regarding the specific test or gauger service this entity is accredited or approved to perform may be directed to the U.S. Customs and Border Protection by calling (202) 344-1060. The inquiry may also be sent to CBPGaugersLabs@cbp.dhs.gov. Please reference the Web site listed below for a complete listing of CBP approved gaugers and accredited laboratories. <http://www.cbp.gov/about/labs-scientific/commercial-gaugers-and-laboratories>.

Dated: March 13, 2015.

Ira S. Reese,

Executive Director, Laboratories and Scientific Services Directorate.

[FR Doc. 2015-06380 Filed 3-19-15; 8:45 am]

BILLING CODE 9111-14-P

DEPARTMENT OF HOUSING AND URBAN DEVELOPMENT

[Docket No. FR-5828-N-12]

Federal Property Suitable as Facilities To Assist the Homeless

AGENCY: Office of the Assistant Secretary for Community Planning and Development, HUD.

ACTION: Notice.

SUMMARY: This Notice identifies unutilized, underutilized, excess, and surplus Federal property reviewed by HUD for suitability for use to assist the homeless.

FOR FURTHER INFORMATION CONTACT:

Juanita Perry, Department of Housing and Urban Development, 451 Seventh Street SW., Room 7266, Washington, DC 20410; telephone (202) 402-3970; TTY number for the hearing- and speech-impaired (202) 708-2565 (these telephone numbers are not toll-free), or call the toll-free Title V information line at 800-927-7588.

SUPPLEMENTARY INFORMATION: In accordance with 24 CFR part 581 and section 501 of the Stewart B. McKinney Homeless Assistance Act (42 U.S.C. 11411), as amended, HUD is publishing this Notice to identify Federal buildings and other real property that HUD has reviewed for suitability for use to assist the homeless. The properties were reviewed using information provided to HUD by Federal landholding agencies regarding unutilized and underutilized buildings and real property controlled by such agencies or by GSA regarding its inventory of excess or surplus Federal property. This Notice is also