

1977 sections 101 and 103(h) authorize this information collection. *See* 30 U.S.C. 811, 813(h).

This information collection is subject to the PRA. A Federal agency generally cannot conduct or sponsor a collection of information, and the public is generally not required to respond to an information collection, unless it is approved by the OMB under the PRA and displays a currently valid OMB Control Number. In addition, notwithstanding any other provisions of law, no person shall generally be subject to penalty for failing to comply with a collection of information that does not display a valid Control Number. *See* 5 CFR 1320.5(a) and 1320.6. The DOL obtains OMB approval for this information collection under Control Number 1219–0066.

OMB authorization for an ICR cannot be for more than three (3) years without renewal, and the current approval for this collection is scheduled to expire on April 30, 2018. The DOL seeks to extend PRA authorization for this information collection for three (3) more years, without any change to existing requirements. The DOL notes that existing information collection requirements submitted to the OMB receive a month-to-month extension while they undergo review. For additional substantive information about this ICR, see the related notice published in the **Federal Register** on November 17, 2017 (82 FR 54419).

Interested parties are encouraged to send comments to the OMB, Office of Information and Regulatory Affairs at the address shown in the **ADDRESSES** section within thirty (30) days of publication of this notice in the **Federal Register**. In order to help ensure appropriate consideration, comments should mention OMB Control Number 1219–0066. The OMB is particularly interested in comments that:

- Evaluate whether the proposed collection of information is necessary for the proper performance of the functions of the agency, including whether the information will have practical utility;
- Evaluate the accuracy of the agency's estimate of the burden of the proposed collection of information, including the validity of the methodology and assumptions used;
- Enhance the quality, utility, and clarity of the information to be collected; and
- Minimize the burden of the collection of information on those who are to respond, including through the use of appropriate automated, electronic, mechanical, or other technological collection techniques or

other forms of information technology, e.g., permitting electronic submission of responses.

Agency: DOL–MSHA.

Title of Collection: Permissible Equipment Testing.

OMB Control Number: 1219–0066.

Affected Public: Private Sector—businesses or other for-profits.

Total Estimated Number of Respondents: 139.

Total Estimated Number of Responses: 296.

Total Estimated Annual Time Burden: 3,198 hours.

Total Estimated Annual Other Costs Burden: \$1,732,147.

Authority: 44 U.S.C. 3507(a)(1)(D).

Dated: April 13, 2018.

Michel Smyth,

Departmental Clearance Officer.

[FR Doc. 2018–08275 Filed 4–19–18; 8:45 am]

BILLING CODE 4510–43–P

DEPARTMENT OF LABOR

Occupational Safety and Health Administration

[Docket No. OSHA–2009–0025]

Underwriters Laboratories, Inc.: Applications for Expansion of Recognition and Proposed Modification To Update the Nationally Recognized Testing Laboratory (NRTL) Program's List of Appropriate Test Standards

AGENCY: Occupational Safety and Health Administration (OSHA), Labor.

ACTION: Notice.

SUMMARY: In this notice, OSHA announces the applications of Underwriters Laboratories, Inc., for expansion of its scope of recognition as a Nationally Recognized Testing Laboratory and presents the Agency's preliminary finding to grant the applications. Additionally, OSHA proposes to add twenty-two test standards to the NRTL Program's List of Appropriate Test Standards.

DATES: Submit comments, information, and documents in response to this notice, or requests for an extension of time to make a submission, on or before May 7, 2018.

ADDRESSES: Submit comments by any of the following methods:

Electronically: You may submit comments and attachments electronically at: <http://www.regulations.gov>, which is the Federal eRulemaking Portal. Follow the instructions online for submitting comments.

Facsimile: If your comments, including attachments, are not longer than 10 pages, you may fax them to the OSHA Docket Office at (202) 693–1648.

Mail, hand delivery, express mail, messenger, or courier service: When using this method, you must submit a copy of your comments and attachments to the OSHA Docket Office, Docket No. OSHA–2009–0025, Occupational Safety and Health Administration, U.S. Department of Labor, Room N–3653, 200 Constitution Avenue NW, Washington, DC 20210. Deliveries (hand, express mail, messenger, and courier service) are accepted during the Docket Office's normal business hours, 10:00 a.m. to 3:00 p.m., ET.

Instructions: All submissions must include the Agency name and OSHA docket number (OSHA–2009–0025) for the Information Collection Request (ICR). All comments, including any personal information you provide, are placed in the public docket without change, and may be made available online at <http://www.regulations.gov>. For further information on submitting comments, see the “Public Participation” heading in the section of this notice titled **SUPPLEMENTARY INFORMATION**.

Docket: To read or download comments or other material in the docket, go to <http://www.regulations.gov> or the OSHA Docket Office at the above address. All documents in the docket (including this **Federal Register** notice) are listed in the <http://www.regulations.gov> index; however, some information (e.g., copyrighted material) is not publicly available to read or download through the website. All submissions, including copyrighted material, are available for inspection and copying at the OSHA Docket Office. You may also contact Kevin Robinson at the address below to obtain a copy of the ICR.

Extension of comment period: Submit requests for an extension of the comment period on or before May 7, 2018 to the Office of Technical Programs and Coordination Activities, Directorate of Technical Support and Emergency Management, Occupational Safety and Health Administration, U.S. Department of Labor, 200 Constitution Avenue NW, Room N–3655, Washington, DC 20210, or by fax to (202) 693–1644.

FOR FURTHER INFORMATION CONTACT: Information regarding this notice is available from the following sources:

Press inquiries: Contact Mr. Frank Meilinger, Director, OSHA Office of Communications, U.S. Department of Labor, telephone: (202) 693–1999; email: meilinger.francis2@dol.gov.

General and technical information: Contact Mr. Kevin Robinson, Director, Office of Technical Programs and Coordination Activities, Directorate of Technical Support and Emergency Management, Occupational Safety and Health Administration, U.S. Department of Labor, phone: (202) 693–2110 or email: robinson.kevin@dol.gov.

SUPPLEMENTARY INFORMATION:

I. Notice of the Applications for Expansion

The Occupational Safety and Health Administration is providing notice that Underwriters Laboratories, Inc., (UL) is applying for expansion of its current recognition as a NRTL. UL requests the addition of twenty-seven additional test standards to its NRTL scope of recognition.

OSHA recognition of a NRTL signifies that the organization meets the requirements specified in 29 CFR 1910.7. Recognition is an acknowledgment that the organization can perform independent safety testing and certification of the specific products covered within its scope of recognition and is not a delegation or grant of government authority. Recognition enables employers to use products approved by the NRTL to meet OSHA standards that require product testing and certification.

The Agency processes applications by a NRTL for initial recognition and for an expansion or renewal of this recognition, following requirements in Appendix A to 29 CFR 1910.7. This appendix requires that the Agency publish two notices in the **Federal**

Register in processing an application. In the first notice, OSHA announces the application and provides its preliminary finding. In the second notice, the Agency provides its final decision on the application. These notices set forth the NRTL's scope of recognition or modifications of that scope. OSHA maintains an informational web page for each NRTL, including UL, which details the NRTL's scope of recognition. These pages are available from the OSHA website at <http://www.osha.gov/dts/otpc/nrtl/index.html>.

Each NRTL's scope of recognition includes: (1) The type of products the NRTL may test, with each type specified by its applicable test standard; and (2) the recognized site(s) that has (have) the technical capability to perform the product testing and product-certification activities for test standards within the NRTL's scope.

UL currently has fourteen facilities (sites) recognized by OSHA for product testing and certification, with its headquarters located at: Underwriters Laboratories, Inc. 333 Pfingsten Road, Northbrook, Illinois 60062. A complete list of UL sites recognized by OSHA is available at <https://www.osha.gov/dts/otpc/nrtl/ul.html>.

II. General Background on the Applications

UL submitted an application, dated May 31, 2017, (OSHA–2009–0025–0020), to expand its recognition to include the addition of 26 additional test standards to UL's scope of recognition. This application was updated on November 1, 2017 (OSHA–

2009–0025–0021) to include an additional standard for a total of 27 standards. OSHA staff performed detailed analyses of the application packets and other pertinent information. OSHA did not perform any on-site reviews in relation to these applications.

OSHA preliminarily determined that one of the standards requested in UL's application, UL 2703, "Standard for Mounting Systems, Mounting Devices, Clamping/Retention Devices, and Ground Lugs for Use with Flat-Plate Photovoltaic Modules and Panels," does not meet the requirements of 29 CFR 1910.7's for an appropriate test standard in OSHA's NRTL Program. This standard is not included on the NRTL Program's List of Appropriate Test Standards. The types of products covered by UL 2703 do not fit into any of the categories covered by OSHA's NRTL Program. Specifically, the standard covers mechanical mounting and support equipment for solar panels, *i.e.*, mechanical products, while OSHA's NRTL Program addresses mainly electrical end products, as well as a few other product categories (*e.g.*, fire detection and mitigation equipment, and Liquid Petroleum (LP) Gas equipment, and other gas-powered equipment). The full list of the types of equipment covered by OSHA's NRTL Program can be viewed at <https://www.osha.gov/dts/otpc/nrtl/prodcatg.html>. Table 1, lists the appropriate test standards found in UL's application for expansion for testing and certification of products under the NRTL Program.

TABLE 1—PROPOSED LIST OF APPROPRIATE TEST STANDARDS FOR INCLUSION IN UL'S NRTL SCOPE OF RECOGNITION

Test standard	Test standard title
*TIA 4950	Requirements for Battery-Powered, Portable Land Mobile Radio Applications in Class I, II, and III, Division 1, Hazardous (Classified) Locations.
*UL 25A	Standard for Meters for Gasoline and Gasoline/Ethanol Blends with Nominal Ethanol Concentrations up to 85 Percent (E0–E85).
*UL 25B	Meters for Diesel Fuel, Biodiesel Fuel, Diesel/Biodiesel Blends with Nominal Biodiesel Concentrations up to 20 Percent (B20), Kerosene, and Fuel Oil.
*UL 79A	Standard for Power-Operated Pumps for Gasoline and Gasoline/Ethanol Blends with Nominal Ethanol Concentrations up to 85 Percent (E0–E85).
*UL 79B	Standard for Power-Operated Pumps for Diesel Fuel, Biodiesel Fuel, Diesel/Biodiesel Blends with Nominal Biodiesel Concentrations up to 20 Percent (B20), Kerosene, and Fuel Oil.
*UL 87A	Standard for Power-Operated Dispensing Devices for Gasoline and Gasoline/Ethanol Blends with Nominal Ethanol Concentrations up to 85 Percent (E0–E85).
*UL 87B	Power-Operated Dispensing Devices for Diesel Fuel, Biodiesel Fuel, Diesel/Biodiesel Blends with Nominal Biodiesel Concentrations up to 20 Percent (B20), Kerosene, and Fuel Oil.
*UL 486F	Bare and Covered Ferrules.
*UL 567A	Standard for Emergency Breakaway Fittings, Swivel Connectors and Pipe-Connection Fittings for Gasoline and Gasoline/Ethanol Blends with Nominal Ethanol Concentrations up to 85 Percent (E0–E85).
*UL 567B	Standard for Emergency Breakaway Fittings, Swivel Connectors and Pipe-Connection Fittings for Diesel Fuel, Biodiesel Fuel, Diesel/Biodiesel Blends with Nominal Biodiesel Concentrations up to 20 Percent (B20), Kerosene, and Fuel Oil.
*UL 842A	Standard for Valves for Gasoline and Gasoline/Ethanol Blends with Nominal Ethanol Concentrations up to 85 Percent (E0–E85).
*UL 842B	Standard for Valves for Diesel Fuel, Biodiesel Fuel, Diesel/Biodiesel Blends with Nominal Biodiesel Concentrations up to 20 Percent (B20), Kerosene, and Fuel Oil.
UL 962	Standard for Household and Commercial Furnishings.

TABLE 1—PROPOSED LIST OF APPROPRIATE TEST STANDARDS FOR INCLUSION IN UL'S NRTL SCOPE OF RECOGNITION—Continued

Test standard	Test standard title
*UL 1973	Standard for Batters for Use in Light Electric Rail (LER) Applications and Stationary Applications.
*UL 2054	Standard for Household and Commercial Batteries.
*UL 2271	Standard for Batteries for Use in Light Electric Vehicle (LEV) Applications.
*UL 2586A	Standard for Hose Nozzle Valves for Gasoline and Gasoline/Ethanol Blends with Nominal Ethanol Concentrations up to 85 Percent (E0–E85).
*UL 2586B	Standard for Hose Nozzle Valves for Diesel Fuel, Biodiesel Fuel, Diesel/Biodiesel Blends with Nominal Biodiesel Concentrations up to 20 Percent (B20), Kerosene, and Fuel Oil.
*UL 2775	Standard for Fixed Condensed Aerosol Extinguishing System Units.
UL 2594	Standard for Electric Vehicle Supply Equipment.
*UL 4703	Standard for Photovoltaic Wire.
*UL 8753	Standard for Field-Replaceable Light Emitting Diode (LED) Light Engines.
UL 60335–2–24 ...	Household and Similar Electric Appliances—Safety—Part 2–24: Particular Requirements for Refrigerating Appliances, Ice-Cream Appliances and Ice-Makers.
*UL 60730–2–5 ...	Automatic Electrical Controls for Household and Similar Use, Part 2–5: Particular Requirements for Automatic Electrical Burner Control Systems.
*UL 60947–5–1 ...	Low-Voltage Switchgear and Controlgear—Part 5–1: Control Circuit Devices and Switching Elements—Electromechanical Control Circuit Devices.
UL 62109–1	Standard for Safety of Power Converters for Use in Photovoltaic Power Systems—Part 1: General Requirements.

*Represents the standard that OSHA proposes to add to the NRTL Program's List of Appropriate Test Standards.

III. Proposal To Add New Test Standard to the NRTL Program's List of Appropriate Test Standards

Periodically, OSHA will propose to add new test standards to the NRTL List of Appropriate Test Standards following an evaluation of the test standard document. To qualify as an appropriate test standard, the Agency evaluates the

document to (1) verify it represents a product category for which OSHA requires certification by a NRTL, (2) verify the document represents an end product and not a component, and (3) verify the document defines safety test specifications (not installation or operational performance specifications).

In this notice, OSHA proposes to add twenty-two new test standards to the

NRTL Program's List of Appropriate Test Standards. Table 2, lists the test standards that are new to the NRTL Program. OSHA preliminarily determined that these test standards are appropriate test standards and proposes to include them in the NRTL Program's List of Appropriate Test Standards. OSHA seeks public comment on this preliminary determination.

TABLE 2—TEST STANDARDS OSHA IS PROPOSING TO ADD TO THE NRTL PROGRAM'S LIST OF APPROPRIATE TEST STANDARDS

Test standard	Test standard title
TIA 4950	Requirements for Battery-Powered, Portable Land Mobile Radio Applications in Class I, II, and III, Division 1, Hazardous (Classified) Locations.
UL 25A	Standard for Meters for Gasoline and Gasoline/Ethanol Blends with Nominal Ethanol Concentrations up to 85 Percent (E0–E85).
UL 25B	Meters for Diesel Fuel, Biodiesel Fuel, Diesel/Biodiesel Blends with Nominal Biodiesel Concentrations up to 20 Percent (B20), Kerosene, and Fuel Oil.
UL 79A	Standard for Power-Operated Pumps for Gasoline and Gasoline/Ethanol Blends with Nominal Ethanol Concentrations up to 85 Percent (E0–E85).
UL 79B	Standard for Power-Operated Pumps for Diesel Fuel, Biodiesel Fuel, Diesel/Biodiesel Blends with Nominal Biodiesel Concentrations up to 20 Percent (B20), Kerosene, and Fuel Oil.
UL 87A	Standard for Power-Operated Dispensing Devices for Gasoline and Gasoline/Ethanol Blends with Nominal Ethanol Concentrations up to 85 Percent (E0–E85).
UL 87B	Power-Operated Dispensing Devices for Diesel Fuel, Biodiesel Fuel, Diesel/Biodiesel Blends with Nominal Biodiesel Concentrations up to 20 Percent (B20), Kerosene, and Fuel Oil.
UL 486F	Bare and Covered Ferrules.
UL 567A	Standard for Emergency Breakaway Fittings, Swivel Connectors and Pipe-Connection Fittings for Gasoline and Gasoline/Ethanol Blends with Nominal Ethanol Concentrations up to 85 Percent (E0–E85).
UL 567B	Standard for Emergency Breakaway Fittings, Swivel Connectors and Pipe-Connection Fittings for Diesel Fuel, Biodiesel Fuel, Diesel/Biodiesel Blends with Nominal Biodiesel Concentrations up to 20 Percent (B20), Kerosene, and Fuel Oil.
UL 842A	Standard for Valves for Gasoline and Gasoline/Ethanol Blends with Nominal Ethanol Concentrations up to 85 Percent (E0–E85).
UL 842B	Standard for Valves for Diesel Fuel, Biodiesel Fuel, Diesel/Biodiesel Blends with Nominal Biodiesel Concentrations up to 20 Percent (B20), Kerosene, and Fuel Oil.
UL 1973	Standard for Batters for Use in Light Electric Rail (LER) Applications and Stationary Applications.
UL 2054	Standard for Household and Commercial Batteries.
UL 2271	Standard for Batteries for Use in Light Electric Vehicle (LEV) Applications.
UL 2586A	Standard for Hose Nozzle Valves for Gasoline and Gasoline/Ethanol Blends with Nominal Ethanol Concentrations up to 85 Percent (E0–E85).
UL 2586B	Standard for Hose Nozzle Valves for Diesel Fuel, Biodiesel Fuel, Diesel/Biodiesel Blends with Nominal Biodiesel Concentrations up to 20 Percent (B20), Kerosene, and Fuel Oil.
UL 2775	Standard for Fixed Condensed Aerosol Extinguishing System Units.

TABLE 2—TEST STANDARDS OSHA IS PROPOSING TO ADD TO THE NRTL PROGRAM'S LIST OF APPROPRIATE TEST STANDARDS—Continued

Test standard	Test standard title
UL 4703	Standard for Photovoltaic Wire.
UL 8753	Standard for Field-Replaceable Light Emitting Diode (LED) Light Engines.
UL 60730–2–5	Automatic Electrical Controls for Household and Similar Use, Part 2–5: Particular Requirements for Automatic Electrical Burner Control Systems.
UL 60947–5–1	Low-Voltage Switchgear and Controlgear—Part 5–1: Control Circuit Devices and Switching Elements—Electromechanical Control Circuit Devices.

Because the mechanical equipment covered by UL 2703 does not fall within the type of equipment covered by OSHA's NRTL Program, OSHA preliminarily determined that UL 2703 is not an appropriate test standard and does not propose to include it in the NRTL Program's List of Appropriate Test Standards. OSHA also seeks public comment on this preliminary determination.

IV. Preliminary Findings on the Applications

UL submitted acceptable applications for expansion of its scope of recognition. OSHA's review of the application files and related material indicate that UL can meet the requirements prescribed by 29 CFR 1910.7 for expanding its recognition to include the addition of the 26 appropriate test standards for NRTL testing and certification listed above. This preliminary finding does not constitute an interim or temporary approval of UL's applications.

OSHA welcomes public comment as to whether UL meets the requirements of 29 CFR 1910.7 for expansion of its recognition as a NRTL. Comments should consist of pertinent written documents and exhibits. Commenters needing more time to comment must submit a request in writing, stating the reasons for the request by the due date for comments. OSHA will limit any extension to 10 days unless the requester justifies a longer time period. OSHA may deny a request for an extension if it is not adequately justified. To obtain or review copies of the exhibits identified in this notice, as well as comments submitted to the docket, contact the Docket Office, Occupational Safety and Health Administration, U.S. Department of Labor, listed in **ADDRESSES**. These materials also are available online at <http://www.regulations.gov> under Docket No. OSHA–2009–0025.

OSHA staff will review all comments to the docket submitted in a timely manner and, after addressing the issues raised by these comments, make a recommendation to the Assistant Secretary for Occupational Safety and

Health on whether to grant UL's applications for expansion of its scope of recognition. The Assistant Secretary will make the final decision on granting the applications. In making this decision, the Assistant Secretary may undertake other proceedings prescribed in Appendix A to 29 CFR 1910.7.

OSHA will publish a public notice of this final decision in the **Federal Register**.

Authority and Signature

Loren Sweatt, Deputy Assistant Secretary of Labor for Occupational Safety and Health, authorized the preparation of this notice. Accordingly, the Agency is issuing this notice pursuant to 29 U.S.C. 657(g)(2), Secretary of Labor's Order No. 1–2012 (77 FR 3912, Jan. 25, 2012), and 29 CFR 1910.7.

Signed at Washington, DC, on April 16, 2018.

Loren Sweatt,

Deputy Assistant Secretary of Labor for Occupational Safety and Health.

[FR Doc. 2018–08256 Filed 4–19–18; 8:45 am]

BILLING CODE 4510–26–P

DEPARTMENT OF LABOR

Occupational Safety and Health Administration

[Docket No. OSHA–2013–0012]

Modification to the List of Appropriate NRTL Program Test Standards and the Scopes of Recognition of Several NRTLs

AGENCY: Occupational Safety and Health Administration (OSHA), Labor.

ACTION: Notice of final decisions.

SUMMARY: In this notice, OSHA announces its final decision to: (1) Delete a test standard from the NRTL Program's list of appropriate test standards; and (2) update the scopes of recognition of several NRTLs.

DATES: OSHA's final decisions are effective on April 20, 2018.

FOR FURTHER INFORMATION CONTACT:

Information regarding this notice is available from the following sources:

Press inquiries: Contact Mr. Frank Meilinger, Director, OSHA Office of Communications, U.S. Department of Labor; telephone: (202) 693–1999; email: meilinger.francis2@dol.gov.

General and technical information: Contact Mr. Kevin Robinson, Director, Office of Technical Programs and Coordination Activities, Directorate of Technical Support and Emergency Management, Occupational Safety and Health Administration; telephone: (202) 693–2110; email: robinson.kevin@dol.gov. OSHA's web page includes information about the NRTL Program (see <http://www.osha.gov/dts/otpcal/nrtl/index.html>).

SUPPLEMENTARY INFORMATION:

I. Background

The NRTL Program recognizes organizations that provide product safety testing and certification services to manufacturers. These organizations perform testing and certification, for purposes of the Program, to U.S. consensus-based product safety test standards. The products covered by the Program consist of those items for which OSHA safety standards require “certification” by a NRTL. The requirements affect electrical products and 38 other types of products. OSHA does not develop or issue these test standards, but generally relies on standards development organizations (SDOs) which develop and maintain the standards using a method that provides input and consideration of views of industry groups, experts, users, consumers, governmental authorities, and others having broad experience in the safety field involved.

Removal of Test Standards From the NRTL List of Appropriate Test Standards

OSHA may propose to remove a test standard from the NRTL list of appropriate test standards based on an internal review in which Program staff review the NRTL list of appropriate test standards to determine if the test