

§ 90.31

17, 1974, may be continued only if they do not cause harmful interference to regular operations on the same frequencies. Such paging operations may be renewed indefinitely on a secondary basis to regular operations, except within 125 km (75 mi) of the following urbanized areas:

Urbanized area	North latitude	West longitude
New York, NY-Northeastern NJ	40-45-06.4	73-59-37.5
Los Angeles-Long Beach, CA	34-03-15.0	118-14-31.3
Chicago, IL	41-52-28.1	87-38-22.2
Philadelphia, PA-NJ	39-56-58.4	75-09-19.6
Detroit, MI	42-19-48.1	83-02-56.7
San Francisco-Oakland, CA	37-46-38.7	122-24-43.9
Boston, MA	42-21-24.4	71-03-23.2
Washington, DC-MD-VA	38-53-51.4	77-00-31.9
Cleveland, OH	41-29-51.2	81-41-49.5
St Louis, MO-IL	38-37-45.2	90-12-22.4
Pittsburgh, PA	40-26-19.2	79-59-59.2
Minneapolis-St Paul, MN	44-58-56.9	93-15-43.8
Houston, TX	29-45-26.8	95-21-37.8
Baltimore, MD	39-17-26.4	76-36-43.9
Dallas, TX	32-47-09.5	96-47-38.0
Milwaukee, WI	43-02-19.0	87-54-15.3
Seattle-Everett, WA	47-36-31.4	122-20-16.5
Miami, FL	25-46-38.4	80-11-31.2
San Diego, CA	32-42-53.2	117-09-24.1
Atlanta, GA	33-45-10.4	84-23-36.7
Cincinnati, OH-KY	39-06-7.2	84-30-34.8
Kansas City, MO-KS	39-04-56.0	94-35-20.8
Buffalo, NY	42-52-52.2	78-52-20.1
Denver, CO	39-44-58.0	104-59-23.9

[63 FR 68959, Dec. 14, 1998, as amended at 64 FR 36262, July 6, 1999; 65 FR 60874, Oct. 13, 2000]

Subpart C—Industrial/Business Radio Pool

SOURCE: 62 FR 18874, Apr. 17, 1997, unless otherwise noted.

§ 90.31 Scope.

The Industrial/Business Radio Pool covers the licensing of the radio communications of entities engaged in commercial activities, engaged in clergy activities, operating educational, philanthropic, or ecclesiastical institutions, or operating hospitals, clinics, or medical associations. Rules as to eligibility for licensing, frequencies available, permissible communications and classes and number of stations, and any special requirements are set forth in the following sections.

§ 90.33 General eligibility.

(a) In addition to the eligibility shown in the Industrial/Business Pool, eligibility is also provided for any corporation proposing to furnish nonprofit radiocommunication service to its parent corporation, to another subsidiary of the same parent, or to its own subsidiary. This corporate eligibility is not subject to the cooperative use provision of § 90.179.

(b) Eligibility is also provided for a nonprofit corporation or association that is organized for the purpose of furnishing a radiocommunications service to persons who meet the eligibility requirements of the Industrial/Business Pool. Such use is subject to the cooperative use provisions of § 90.179.

§ 90.35 Industrial/Business Pool.

(a) *Eligibility.* Persons primarily engaged in any of the following activities are eligible to hold authorizations in the Industrial/Business Pool to provide commercial mobile radio service as defined in part 20 of this chapter or to operate stations for transmission of communications necessary to such activities of the licensee:

- (1) The operation of a commercial activity;
- (2) The operation of educational, philanthropic, or ecclesiastical institutions;
- (3) Clergy activities; or
- (4) The operation of hospitals, clinics, or medical associations.

(5) Public Safety Pool eligibles are eligible for Industrial/Business Pool spectrum only to the extent that they are engaged in activities listed in paragraphs (a)(1) through (4) of this section. Industrial/Business Pool spectrum may not be utilized for the purposes set forth in § 90.20(a).

(b) *Industrial/Business Pool frequencies.* (1) The following table indicates frequencies available for assignment to Industrial/Business Pool stations, together with the class of station(s) to which they are normally assigned, the specific assignment limitations which are explained in paragraph (b) of this section, and the certified frequency coordinator for each frequency:

- (2) Unless otherwise specified, coordination of frequencies in the Industrial/

Federal Communications Commission

§ 90.35

Business pool must be done in accordance with the following:

(i) Unless specified elsewhere in this part, frequencies without any coordinator specified in the Coordinator column of paragraph (b)(3) of this section may be coordinated by any frequency coordinator certified in the Industrial/Business Pool.

(ii) A letter symbol in the Coordinator column of the frequency table in paragraph (b)(3) of this section designates the mandatory certified frequency coordinator for the associated frequency in the table. However, any coordinator certified in the Industrial/Business Pool may coordinate applications on such frequencies provided the prior written consent of the designated coordinator is obtained. Frequencies for which two coordinators are listed may be coordinated by either of the listed coordinators.

(iii) For frequencies above 150 MHz, applications for new or modified facilities on frequencies shared prior to radio service consolidation by the former Manufacturers Radio Service, the Forest Products Radio Service, the Power Radio Service, the Petroleum Radio Service, the Motor Carrier Radio Service, the Railroad Radio Service, the Telephone Maintenance Radio Service and the Automobile Emergency Radio Service may be coordinated by any certified Industrial/Business Pool coordinator. However, in the event that the interference contour of a proposed station would overlap the service contour of an existing station licensed on one of these previously shared frequencies, the written concurrence of the coordinator associated with the industry for which the existing station license was issued, or the written concurrence of the licensee of the existing station, shall be obtained. For the purposes of this §90.35, the service contour for UHF stations is the 39 dBu contour; and the interference contour for UHF stations is the 21 dBu contour; the service contour for VHF stations is the 37 dBu contour; and the interference contour for VHF stations is the 19 dBu contour.

(iv) The letter symbols listed in the Coordinator column of the frequency table in paragraph (b)(3) of this section

refer to specific frequency coordinators as follows:

- IP—Petroleum Coordinator
- IW—Power Coordinator
- LR—Railroad Coordinator
- LA—Automobile Emergency Coordinator

(3) *Frequencies.*

INDUSTRIAL/BUSINESS POOL FREQUENCY TABLE

Frequency or band	Class of station(s)	Limitations	Coordinator
Kilohertz			
2000 to 25,000	Fixed, base or mobile.	1, 90	
2292	Base or mobile	4, 5, 7.	
2398do	5, 7.	
4637.5do	5, 7.	
Megahertz			
25.02do	3, 4	IP
25.04do	8	IP
25.06do	3, 4	IP
25.08do	8, 9	IP
25.10do	3, 4, 9	IP
25.12do	9	IP
25.14do	3, 4, 9	IP
25.16do	9	IP
25.18do	3, 4, 9	IP
25.20do	9	IP
25.22do	4, 7	IP
25.24do	IP
25.26do	4, 7	IP
25.28do	IP
25.30do	4, 7	IP
25.32do	IP
27.43do	
27.45do	
27.47do	
27.49do	10.	
27.51	Mobile	11.	
27.53do	11.	
27.555	Base or mobile	89	
27.615do	89	
27.635do	89	
27.655do	89	
27.765do	89	
27.86	Base or mobile	89	
29.71do	
29.73do	
29.75do	
29.77do	
29.79do	
30.58do	
30.60do	
30.62do	
30.64do	
30.66do	4, 7.	
30.68do	
30.70do	4, 7	IP
30.72do	
30.74do	4, 7.	
30.76do	
30.78do	4, 7	IP
30.80do	
30.82do	4, 7.	
30.84	Mobile	11, 12.	
30.86	Base or mobile	13	
30.88do	
30.90do	13.	
30.92do	

§ 90.35

47 CFR Ch. I (10–1–14 Edition)

INDUSTRIAL/BUSINESS POOL FREQUENCY
TABLE—Continued

INDUSTRIAL/BUSINESS POOL FREQUENCY
TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
30.94do	13.	
30.96do		
30.98do	13.	
31.00do		
31.02do	13.	
31.04do		
31.06do	13.	
31.08do		
31.10do	13.	
31.12do		
31.14do	13.	
31.16do		
31.20do		
31.24do		
31.28do		
31.32do		
31.36do		
31.40do		
31.44do		
31.48do		
31.52do		
31.56do		
31.60do		
31.64do		
31.68do		
31.72do		
31.76do		
31.80do		
31.84do		
31.88do		
31.92do		
31.96do		
33.12	Mobile	11	
33.14	Mobile	11, 12.	
33.16	Base or mobile		
33.18do		IP
33.20do		IP
33.22do		IP
33.24do		IP
33.26do		IP
33.28do		IP
33.30do		IP
33.32do		IP
33.34do		IP
33.36do		IP
33.38do		IP
33.40	Mobile	12, 14.	
35.02do	11, 12, 13.	
35.04	Base or Mobile	10.	
35.06do		
35.08do		
35.10do		
35.12do		
35.14do		
35.16do		
35.18do		
35.28do		
35.32do		
35.36do		
35.40do		
35.44do		
35.48do		
35.52do		
35.70do		
35.72do		
35.74do		
35.76do		
35.78do		
35.80do		
35.82do		

Frequency or band	Class of station(s)	Limitations	Coordinator
35.84do		
35.86do		
35.88do		
35.90do		
35.92do		
35.94do		
35.96do		
35.98do		
36.25do	15	IP
37.44do		
37.46do		IW
37.48do		IW
37.50do		IW
37.52do		IW
37.54do		IW
37.56do		IW
37.58do		IW
37.60	Base, mobile, or operational fixed.	16	IW
37.62	Base or mobile		IW
37.64do		IW
37.66do		IW
37.68do		IW
37.70do		IW
37.72do		IW
37.74do		IW
37.76do		IW
37.78do		IW
37.80do		IW
37.82do		IW
37.84	Base, mobile, or operational fixed.	16	IW
37.86	Base or mobile		IW
37.88do		
41.71do	15	IP
42.96do		
42.98	Mobile	11, 12.	
43.00	Base or mobile		
43.02do		
43.04do	17.	
43.06do		
43.08do		
43.10do		
43.12do		
43.14do		
43.16	Mobile.		
43.18	Base or mobile.		
43.28do		
43.32do		
43.36do		
43.40do		
43.44do		
43.48do		
43.52do		
43.70do		
43.72do	18.	
43.74do	18.	
43.76do		
43.78do		
43.80do		
43.82do	18.	
43.84do	18.	
43.86do	19.	
43.88do	19.	
43.90do	19.	
43.92do	18, 19.	
43.94do	19.	
43.96do	18.	

Federal Communications Commission

§ 90.35

INDUSTRIAL/BUSINESS POOL FREQUENCY
TABLE—Continued

INDUSTRIAL/BUSINESS POOL FREQUENCY
TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
43.98do.		
44.00do.		
44.02do.		
44.04do.		
44.06do.		
44.08do.		
44.10do	20.	
44.12do	18.	
44.14do.		
44.16do	18.	
44.18do	18.	
44.20do	18, 21.	
44.22do.		
44.24do.		
44.26do.		
44.28do.		
44.30do.		
44.32do	18.	
44.34do.		
44.36do	18, 19.	
44.38do	19.	
44.40do	18, 19.	
44.42do	19.	
44.44do	19.	
44.46do	18.	
44.48do	18.	
44.50do.		
44.52do.		
44.54do.		
44.56do.		
44.58do.		
44.60do.		
47.44do.		
47.48do.		
47.52do.		
47.56do.		
47.60do.		
47.64do.		
47.68do.		
47.70do		IW
47.72do		IW
47.74do		IW
47.76do		IW
47.78do		IW
47.80do		IW
47.82do		IW
47.84do		IW
47.86do		IW
47.88do		IW
47.90do		IW
47.92do		IW
47.94do		IW
47.96do		IW
47.98do		IW
48.00do		IW
48.02do		IW
48.04do		IW
48.06do		IW
48.08do		IW
48.10do		IW
48.12do		IW
48.14do		IW
48.16do		IW
48.18do		IW
48.20do		IW
48.22do		IW
48.24do		IW
48.26do		IW
48.28do		IW
48.30do		IW

Frequency or band	Class of station(s)	Limitations	Coordinator
48.32do		IW
48.34do		IW
48.36do		IW
48.38do		IW
48.40do		IW
48.42do		IW
48.44do		IW
48.46do		IW
48.48do		IW
48.50do		IW
48.52do		IW
48.54do		IW
48.56do.		
48.58do.		
48.60do.		
48.62do.		
48.64do.		
48.66do.		
48.68do.		
48.70do.		
48.72do.		
48.74do.		
48.76do	18.	
48.78do.		
48.80do.		
48.82do.		
48.84do	18.	
48.86do	18.	
48.88do.		
48.90do.		
48.92do	18.	
48.94do.		
48.96do.		
48.98do.		
49.00do.		
49.02do	18.	
49.04do.		
49.06do.		
49.08do	18.	
49.10do	18.	
49.12do.		
49.14do.		
49.16do	18.	
49.18do.		
49.20do	18.	
49.22do.		
49.24do	18.	
49.26do	18.	
49.28do	18.	
49.30do.		
49.32do.		
49.34do.		
49.36do	18.	
49.38do.		
49.40do	18.	
49.42do.		
49.44do.		
49.46do	18.	
49.48do.		
49.50do	18.	
49.52do.		
49.54do.		
49.56do.		
49.58do.		
72 to 76	Operational fixed.	22.	
72.02	Mobile	23, 24.	
72.04do	23, 24.	
72.06do	23, 24.	
72.08do	23, 24, 25.	

§ 90.35

47 CFR Ch. I (10–1–14 Edition)

INDUSTRIAL/BUSINESS POOL FREQUENCY
TABLE—Continued

INDUSTRIAL/BUSINESS POOL FREQUENCY
TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
72.10do	23, 24.	
72.12do	23, 24.	
72.14do	23, 24.	
72.16do	23, 24, 25.	
72.18do	23, 24.	
72.20do	23, 24.	
72.22do	23, 24.	
72.24do	23, 24, 25.	
72.26do	23, 24.	
72.28do	23, 24.	
72.30do	23, 24.	
72.32do	23, 24, 25.	
72.34do	23, 24.	
72.36do	23, 24.	
72.38do	23, 24.	
72.40do	23, 24, 25.	
72.44do	13, 24, 77.	
72.48do	13, 24, 77.	
72.52do	13, 24, 77.	
72.56do	13, 24, 77.	
72.60do	13, 24, 77.	
74.61do	26, 77.	
74.63do	26, 77.	
74.65do	26, 77.	
74.67do	26, 77.	
74.69do	26, 77.	
74.71do	26, 77.	
74.73do	26, 77.	
74.75do	26, 77.	
74.77do	26, 77.	
74.79do	26, 77.	
75.21do	26, 77.	
75.23do	26, 77.	
75.25do	26, 77.	
75.27do	26, 77.	
75.29do	26, 77.	
75.31do	26, 77.	
75.33do	26, 77.	
75.35do	26, 77.	
75.37do	26, 77.	
75.39do	26, 77.	
75.44do	13, 24, 77.	
75.48do	13, 24, 77.	
75.52do	13, 24, 77.	
75.56do	13, 24, 77.	
75.60do	13, 24, 77.	
150 to 170	Base or mobile	27.	
150.815do		LA
150.830do	28, 29	LA
150.845do		LA
150.8525do	30	LA
150.860do		LA
150.8675do	30	LA
150.875do		LA
150.8825do	30	LA
150.890do		LA
150.8975do	30	LA
150.905do		LA
150.920do	28, 29	LA
150.935do		LA
150.9425do	30	LA
150.950do		LA
150.9575do	30	LA
150.965do		LA
150.9725do	30	LA
150.980do	8	IP
150.9875do	8, 30	IP
150.995do	31.	
151.0025do	30, 31	
151.010do	31.	

Frequency or band	Class of station(s)	Limitations	Coordinator
151.0175do	30, 31	
151.025do	31.	
151.0325do	30, 31	
151.040do	31.	
151.0475do	3031	
151.055do	31.	
151.070	Base	28, 29, 31.	
151.085	Base or mobile	31.	
151.0925do	30, 31	
151.100do	31.	
151.1075do	30, 31	
151.115do	31.	
151.1225do	30, 31	
151.130do	31.	
151.1375do	30, 31	
151.145do	31.	
151.1525do	30, 31	
151.160do	31.	
151.1675do	30, 31	
151.175do	31.	
151.190	Base	28, 29, 31.	
151.205	Base or mobile	31.	
151.2125do	30, 31	
151.220do	31.	
151.2275do	30, 31	
151.235do	31.	
151.2425do	30, 31	
151.250do	31.	
151.2575do	30, 31	
151.265do	31.	
151.2725do	30, 31	
151.280do	31.	
151.2875do	30, 31	
151.295do	31.	
151.310	Base	28, 29, 31.	
151.325	Base or mobile	31.	
151.3325do	30, 31	
151.340do	31.	
151.3475do	30, 31	
151.355do	31.	
151.3625do	30, 31	
151.370do	31.	
151.3775do	30, 31	
151.385do	31.	
151.3925do	30, 31	
151.400do	31.	
151.4075do	30, 31	
151.415do	31.	
151.4225do	30, 31	
151.430do	31.	
151.4375do	30, 31	
151.445do	31.	
151.4525do	30, 31	
151.460do	31.	
151.4675do	30, 31	
151.475do	31.	
151.4825do	30, 31	
151.490do	13, 32.	
151.4975do	30, 32	
151.505do	17.	
151.5125do	30, 17	
151.520do		
151.5275do	30	
151.535do		
151.5425do	30	
151.550do		
151.5575do	30	
151.565do		
151.5725do	30	
151.580do		

Federal Communications Commission

§ 90.35

INDUSTRIAL/BUSINESS POOL FREQUENCY
TABLE—Continued

INDUSTRIAL/BUSINESS POOL FREQUENCY
TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
151.5875do	30	
151.595do		
151.6025do	30	
151.625do	10.	
151.640do	10, 33.	
151.6475do	30	
151.655do		
151.6625do	30	
151.670do	30	
151.6775do	30	
151.685do		
151.700do	10, 30, 34.	
151.715do		
151.7225do	30	
151.730do	30	
151.7375do	30	
151.745do		
151.760do	10, 30, 34.	
151.775do		
151.7825do	30	
151.790do	30	
151.7975do	30	
151.805do		
151.835	Base or mobile.		
151.8425do	30	
151.850do	30	
151.8575do	30	
151.865do		
151.895do		
151.9025do	30	
151.910do	30	
151.9175do	30	
151.925do		
151.955do		
151.9625do	30	
151.970do	30	
151.9775do	30	
151.985do		
152.2625do	33.	
152.270do	6.	
152.2775do	6, 30	
152.285do	6.	
152.2925do	6, 30	
152.300do	6.	
152.3075do	6, 30	
152.315do	6.	
152.3225do	6, 30	
152.330do	6.	
152.3375do	6, 30	
152.345do	6.	
152.3525do	6, 30	
152.360do	6.	
152.3675do	6, 30	
152.375do	6.	
152.3825do	6, 30	
152.390do	6.	
152.3975do	6, 30	
152.405do	6.	
152.4125do	6, 30	
152.420do	6.	
152.4275do	6, 30	
152.435do	6.	
152.4425do	6, 30	
152.450do	6.	
152.4575do	6, 30	
152.465do	79.	
152.480do	29, 36, 37, 38.	
152.8625do	33.	
152.870do		

Frequency or band	Class of station(s)	Limitations	Coordinator
152.8775do	30	
152.885do		
152.8925do	30	
152.900do		
152.9075do	30	
152.915do		
152.9225do	30	
152.930do		
152.9375do	30	
152.945do		
152.9525do	30	
152.960do		
152.9675do	30	
152.975do		
152.9825do	30	
152.990do		
152.9975do	30	
153.005do		
153.0125do	30	
153.020do		
153.0275do	30	
153.035do		IP
153.0425do	30.	
153.050do	4, 7	IP
153.0575do	4, 7, 30.	
153.065do		IP
153.0725do	30.	
153.080do	4, 7	IP
153.0875do	4, 7, 30.	
153.095do		IP
153.1025do	30, 80.	
153.110do	4, 7	IP
153.1175do	4, 7, 30.	
153.125do		IP
153.1325do	30.	
153.140do	4, 7	IP
153.1475do	4, 7, 30.	
153.155do		IP
153.1625do	30.	
153.170do	4, 7	IP
153.1775do	4, 7, 30.	
153.185do		IP
153.1925do	30.	
153.200do	4, 7	IP
153.2075do	4, 7, 30.	
153.215do		IP
153.2225do	30.	
153.230do	4, 7	IP
153.2375do	4, 7, 30.	
153.245do		IP
153.2525do	30.	
153.260do	4, 7	IP
153.2675do	4, 7, 30.	
153.275do		IP
153.2825do	30.	
153.290do	4, 7	IP
153.2975do	4, 7, 30.	
153.305do		IP
153.3125do	30.	
153.320do	4, 7	IP
153.3275do	4, 7, 30.	
153.335do		IP
153.3425do	30.	
153.350do	4, 7	IP
153.3575do	4, 7, 30.	
153.365do		IP
153.3725do	30.	
153.380do		IP
153.3875do	30.	
153.395do		IP

§ 90.35

47 CFR Ch. I (10–1–14 Edition)

INDUSTRIAL/BUSINESS POOL FREQUENCY
TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
153.4025do	30.	
153.410do		IW
153.4175do	30	IW
153.425do	80	IP, IW
153.4325do	30, 80	IP, IW
153.440do	80	IP, IW
153.4475do	30, 80	IP, IW
153.455do	80	IP, IW
153.4625do	30, 80	IP, IW
153.470do		IW
153.4775do	30	IW
153.485do	80	IP, IW
153.4925do	30, 80	IP, IW
153.500do	80	IP, IW
153.5075do	30, 80	IP, IW
153.515do	80	IP, IW
153.5225do	30, 80	IP, IW
153.530do		IW
153.5375do	30	IW
153.545do	80	IP, IW
153.5525do	30, 80	IP, IW
153.560do	30, 80	IP, IW
153.5675do	30, 80	IP, IW
153.575do	80	IP, IW
153.5825do	30, 80	IP, IW
153.590do		IW
153.5975do	30	IW
153.605do	80	IP, IW
153.6125do	30, 80	IP, IW
153.620do	80	IP, IW
153.6275do	30, 80	IP, IW
153.635do	80	IP, IW
153.6425do	30, 80	IP, IW
153.650do		IW
153.6575do	30	IW
153.665do	80	IP, IW
153.6725do	30, 80	IP, IW
153.680do	80	IP, IW
153.6875do	30, 80	IP, IW
153.695do		IW
153.7025do	30	IW
153.710do		IW
153.7175do	30	IW
153.725do		IW
153.7325do	30	IW
154.45625	Fixed or mobile	39, 40, 41, 42.	
154.46375do	39, 40, 43.	
154.47125do	39, 40, 41, 44.	
154.47875do	39, 40, 41, 42.	
154.4825	Base or mobile	30	
154.490do		
154.4975do	30	
154.505do	30	
154.515do		
154.5275	Mobile	10, 30, 34	
154.540Base or mobile.		
154.5475do	30	
154.555do	33.	
154.585	Mobile	8, 46	IP
154.610	Base or mobile	33.	
154.625do	36, 37, 48.	
154.640	Base	36, 37, 48.	
157.470	Base or mobile	12	LA
157.4775do	12, 30	LA
157.485do	12	LA
157.4925do	12, 30	LA

INDUSTRIAL/BUSINESS POOL FREQUENCY
TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
157.500do	12	LA
157.5075do	12, 30	LA
157.515do	12	LA
157.5225do	12, 30	LA
157.530	Mobile	6.	
157.5375do	6, 30	
157.545do	6.	
157.5525do	6, 30	
157.560	Base or mobile	6.	
157.5675do	6, 30	
157.575	Mobile	6.	
157.5825do	6, 30	
157.590do	6.	
157.5975do	6, 30	
157.605do	6.	
157.6125do	6, 30	
157.620	Base or mobile	6.	
157.6275do	6, 30	
157.635	Mobile	6.	
157.6425do	6, 30	
157.650do	6.	
157.6575do	6, 30	
157.665do	6.	
157.6725do	6, 30	
157.680do	6.	
157.6875do	6, 30	
157.695do	6.	
157.7025do	6, 30	
157.710do	6.	
157.7175do	6, 30	
157.725	Base or mobile	79.	
157.740do	29, 36, 37, 38.	
158.1225do	33	IW
158.130do		IW
158.1375do	6, 30	IW
158.145do		IP, IW
158.1525do	6, 30	IP, IW
158.160do		IP, IW
158.1675do	6, 30	IP, IW
158.175do	81	IP, IW
158.1825do	30, 81	IP, IW
158.190do		IW
158.1975do	30	IW
158.205do	81	IP, IW
158.2125do	30, 81	IP, IW
158.220do	81	IP, IW
158.2275do	30, 81	IP, IW
158.235do	81	IP, IW
158.2425do	30, 81	IP, IW
158.250do		IW
158.2575do	30	IW
158.265do	81	IP, IW
158.2725do	30, 81	IP, IW
158.280do		IP
158.2875do	30	IP
158.295do		IP
158.3025do	30	IP
158.310do	4, 7	IP
158.3175do	4, 7, 30	IP
158.325do		IP
158.3325do	30	IP
158.340	Mobile.		
158.3475do	30	
158.355	Base or mobile		IP
158.3625do	30	IP
158.370do	4, 7	IP
158.3775do	4, 7, 30	IP
158.385do		
158.3925do	30	

Federal Communications Commission

§ 90.35

INDUSTRIAL/BUSINESS POOL FREQUENCY
TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
158.400do	17.	
158.4075do	17, 30	
158.415do		IP
158.4225do	30	IP
158.430do	4, 7	IP
158.4375do	4, 7, 30	IP
158.445	Mobile	8, 49	IP
158.460	Base or mobile	29, 36, 37, 38, 48.	
159.480do	8, 82	IP
159.4875do	8, 30	IP
159.495do		
159.5025do	30	
159.510do		
159.5175do	30	
159.525do		
159.5325do	30	
159.540do		
159.5475do	30	
159.555do		
159.5625do	30	
159.570do		
159.5775do	30	
159.585do		
159.5925do	30	
159.600do		
159.6075do	30	
159.615do		
159.6225do	30	
159.630do		
159.6375do	30	
159.645do		
159.6525do	30	
159.660do		
159.6675do	30	
159.675do		
159.6825do	30	
159.690do		
159.6975do	30	
159.705do		
159.7125do	30	
159.720do		
159.7275do	30	
159.735do		
159.7425do	30	
159.750do		
159.7575do	30	
159.765do		
159.7725do	30	
159.780do		
159.7875do	30	
159.795do		
159.8025do	30	
159.810do		
159.8175do	30	
159.825do		
159.8325do	30	
159.840do		
159.8475do	30	
159.855do		
159.8625do	30	
159.870do		
159.8775do	30	
159.885do		
159.8925do	30	
159.900do		
159.9075do	30	
159.915do		
159.9225do	30	
159.930do		

INDUSTRIAL/BUSINESS POOL FREQUENCY
TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
159.9375do	30	
159.945do		
159.9525do	30	
159.960do		
159.9675do	30	
159.975do		
159.9825do	30	
159.990do		
159.9975do	30	
160.005do		
160.0125do	30	
160.020do		
160.0275do	30	
160.035do		
160.0425do	30	
160.050do		
160.0575do	30	
160.065do		
160.0725do	30	
160.080do		
160.0875do	30	
160.095do		
160.1025do	30	
160.110do		
160.1175do	30	
160.125do		
160.1325do	30	
160.140do		
160.1475do	30	
160.155do		
160.1625do	30	
160.170do		
160.1775do	30	
160.185do		
160.1925do	30	
160.200do		
160.2075do	30	
160.215do	50	LR
160.2225do	30, 50	LR
160.230do	50	LR
160.2375do	30, 50	LR
160.245do	50	LR
160.2525do	30, 50	LR
160.260do	50	LR
160.2675do	30, 50	LR
160.275do	50	LR
160.2825do	30, 50	LR
160.290do	50	LR
160.2975do	30, 50	LR
160.305do	50	LR
160.3125do	30, 50	LR
160.320do	50	LR
160.3275do	30, 50	LR
160.335do	50	LR
160.3425do	30, 50	LR
160.350do	50	LR
160.3575do	30, 50	LR
160.365do	50	LR
160.3725do	30, 50	LR
160.380do	50	LR
160.3875do	30, 50	LR
160.395do	50	LR
160.4025do	30, 50	LR
160.410do	50, 52	LR
160.4175do	30, 50, 52	LR
160.425do	50, 52	LR
160.4325do	30, 50, 52	LR
160.440do	50, 52	LR
160.4475do	30, 50, 52	LR
160.455do	50, 52	LR

§ 90.35

47 CFR Ch. I (10–1–14 Edition)

INDUSTRIAL/BUSINESS POOL FREQUENCY
TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
160.4625do	30, 50, 52	LR
160.470do	50, 52	LR
160.4775do	30, 50, 52	LR
160.485do	50, 52	LR
160.4925do	30, 50, 52	LR
160.500do	50, 52	LR
160.5075do	30, 50, 52	LR
160.515do	50, 52	LR
160.5225do	30, 50, 52	LR
160.530do	50, 52	LR
160.5375do	30, 50, 52	LR
160.545do	50, 52	LR
160.5525do	30, 50, 52	LR
160.560do	50, 52	LR
160.5675do	30, 50, 52	LR
160.575do	50, 52	LR
160.5825do	30, 50, 52	LR
160.590do	50, 52	LR
160.5975do	30, 50, 52	LR
160.605do	50, 52	LR
160.6125do	30, 50, 52	LR
160.620do	50	LR
160.6275do	30, 50	LR
160.635do	50	LR
160.6425do	30, 50	LR
160.650do	50	LR
160.6575do	30, 50	LR
160.665do	50	LR
160.6725do	30, 50	LR
160.680do	50	LR
160.6875do	30, 50	LR
160.695do	50	LR
160.7025do	30, 50	LR
160.710do	50	LR
160.7175do	30, 50	LR
160.725do	50	LR
160.7325do	30, 50	LR
160.740do	50	LR
160.7475do	30, 50	LR
160.755do	50	LR
160.7625do	30, 50	LR
160.770do	50	LR
160.7775do	30, 50	LR
160.785do	50	LR
160.7925do	30, 50	LR
160.800do	50	LR
160.8075do	30, 50	LR
160.815do	50	LR
160.8225do	30, 50	LR
160.830do	50	LR
160.8375do	30, 50	LR
160.845do	50	LR
160.8525do	30, 50	LR
160.860do	50, 51	LR
160.8675do	30, 50, 51	LR
160.875do	50, 51	LR
160.8825do	30, 50, 51	LR
160.890do	50, 51	LR
160.8975do	30, 50, 51	LR
160.905do	50, 51	LR
160.9125do	30, 50, 51	LR
160.920do	50, 51	LR
160.9275do	30, 50, 51	LR
160.935do	50, 51	LR
160.9425do	30, 50, 51	LR
160.950do	50, 51	LR
160.9575do	30, 50, 51	LR
160.965do	50, 51	LR
160.9725do	30, 50, 51	LR
160.980do	50, 51	LR

INDUSTRIAL/BUSINESS POOL FREQUENCY
TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
160.9875do	30, 50, 51	LR
160.995do	50, 51	LR
161.0025do	30, 50, 51	LR
161.010do	50, 51	LR
161.0175do	30, 50, 51	LR
161.025do	50, 51	LR
161.0325do	30, 50, 51	LR
161.040do	50, 51	LR
161.0475do	30, 50, 51	LR
161.055do	50, 51	LR
161.0625do	30, 50, 51	LR
161.070do	50, 51	LR
161.0775do	30, 50, 51	LR
161.085do	50, 51	LR
161.0925do	30, 50, 51	LR
161.100do	50, 51	LR
161.1075do	30, 50, 51	LR
161.115do	50, 51	LR
161.1225do	30, 50, 51	LR
161.130do	50, 51	LR
161.1375do	30, 50, 51	LR
161.145do	50, 51	LR
161.1525do	30, 50, 51	LR
161.160do	50, 51	LR
161.1675do	30, 50, 51	LR
161.175do	50, 51	LR
161.1825do	30, 50, 51	LR
161.190do	50, 51	LR
161.1975do	30, 50, 51	LR
161.205do	50, 51	LR
161.2125do	30, 50, 51	LR
161.220do	50, 51	LR
161.2275do	30, 50, 51	LR
161.235do	50, 51	LR
161.2425do	30, 50, 51	LR
161.250do	50, 51	LR
161.2575do	30, 50, 51	LR
161.265do	50, 51	LR
161.2725do	30, 50, 51	LR
161.280do	50, 51	LR
161.2875do	30, 50, 51	LR
161.295do	50, 51	LR
161.3025do	30, 50, 51	LR
161.310do	50, 51	LR
161.3175do	30, 50, 51	LR
161.325do	50, 51	LR
161.3325do	30, 50, 51	LR
161.340do	50, 51	LR
161.3475do	30, 50, 51	LR
161.355do	50, 51	LR
161.3625do	30, 50, 51	LR
161.370do	50, 51	LR
161.3775do	30, 50, 51	LR
161.385do	50, 52	LR
161.3925do	30, 50, 52	LR
161.400do	50, 52	LR
161.4075do	30, 50, 52	LR
161.415do	50, 52	LR
161.4225do	30, 50, 52	LR
161.430do	50, 52	LR
161.4375do	30, 50, 52	LR
161.445do	50, 52	LR
161.4525do	30, 50, 52	LR
161.460do	50, 52	LR
161.4675do	30, 50, 52	LR
161.475do	50, 52	LR
161.4825do	30, 50, 52	LR
161.490do	50, 52	LR
161.4975do	30, 50, 52	LR
161.505do	50, 52	LR

Federal Communications Commission

§ 90.35

INDUSTRIAL/BUSINESS POOL FREQUENCY
TABLE—Continued

INDUSTRIAL/BUSINESS POOL FREQUENCY
TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
161.5125do	30, 50, 52	LR
161.520do	50, 52	LR
161.5275do	30, 50, 52	LR
161.535do	50, 52	LR
161.5425do	30, 50, 52	LR
161.550do	50, 52	LR
161.5575do	30, 50, 52	LR
161.565do	50, 52	LR
161.610do	78	LR
169 to 172	Mobile, operational fixed.	53.	
173.20375	Fixed or mobile	39, 40, 41, 44.	
173.210do	40, 41, 44, 54.	
173.225	Base or mobile.		
173.2375	Fixed or mobile	39, 40, 41, 42.	
173.250	Base or mobile		IP, IW
173.2625	Fixed or mobile	39, 40, 41, 42.	
173.275	Base or mobile.		
173.2875	Fixed or mobile	39, 40, 41, 42.	
173.300	Base or mobile		IP, IW
173.3125	Fixed or mobile	39, 40, 41, 42.	
173.325	Base or mobile.		
173.3375	Fixed or mobile	39, 40, 41, 42.	
173.350	Base or mobile		
173.3625	Fixed or mobile	39, 40, 41, 42.	
173.375	Base or mobile.		
173.390	Fixed or mobile	40, 41, 44, 54.	
173.39625do	39, 40, 41, 44.	
216 to 217	Base or mobile	55	
217 to 220	Base, mobile, or operational fixed.	55	
220 to 222	Base or mobile		
406 to 416	Operational fixed.	53.	
450 to 470	Fixed, base, or mobile.	27, 57.	
451.01875	Base or mobile	33	IW
451.025do		IW
451.03125do	33	IW
451.0375do	30	IW
451.04375do	33	IW
451.050do		IW
451.05625do	33	IW
451.0625do	30	IW
451.06875do	33	IW
451.075do		IW
451.08125do	33	IW
451.0875do	30	IW
451.09375do	33	IW
451.100do		IW
451.10625do	33	IW
451.1125do	30	IW
451.11875do	33	IW
451.125do		IW
451.13125do	33	IW
451.1375do	30	IW
451.14375do	33	IW
451.150do		IW
451.15625do	33	IW

Frequency or band	Class of station(s)	Limitations	Coordinator
451.1625do	30	IW
451.16875do	33	IW
451.175	do		IP, IW
451.18125do	33, 84.	
451.1875do	30, 84.	
451.19375do	33, 84.	
451.200do		IW
451.20625do	33	IW
451.2125do	30	IW
451.21875do	33	IW
451.225	do		IP, IW
451.23125do	33, 84.	
451.2375do	30, 84.	
451.24375do	33, 84.	
451.250do		IW
451.25625do	33	IW
451.2625do	30	IW
451.26875do	33	IW
451.275do		IP, IW
451.28125do	33, 84.	
451.2875do	30, 84.	
451.29375do	33, 84.	
451.300do		
451.30625do	33, 84.	
451.3125do	30, 84.	
451.31875do	33, 84.	
451.325do		
451.33125do	33, 84.	
451.3375do	30, 84.	
451.34375do	33, 84.	
451.350do		
451.35625do	33, 84.	
451.3625do	30, 84.	
451.36875do	33, 84.	
451.375do		IP, IW
451.38125do	33, 84.	
451.3875do	30, 84.	
451.39375do	33, 84.	
451.400do		
451.40625do	33, 84.	
451.4125do	30, 84.	
451.41875do	33, 84.	
451.425do		IP, IW
451.43125do	33, 84.	
451.4375do	30, 84.	
451.44375do	33, 84.	
451.450do		
451.45625do	33, 84.	
451.4625do	30, 84.	
451.46875do	33, 84.	
451.475do		IP, IW
451.48125do	33, 84.	
451.4875do	30, 84.	
451.49375do	33, 84.	
451.500do		
451.50625do	33, 84.	
451.5125do	30, 84.	
451.51875do	33, 84.	
451.525do		IP, IW
451.53125do	33, 84.	
451.5375do	30, 84.	
451.54375do	33, 84.	
451.550do	4, 7	IP
451.55625do	4, 7, 33, 84.	
451.5625do	4, 7, 30, 84.	
451.56875do	4, 7, 33, 84.	
451.575do		IP, IW

§ 90.35

47 CFR Ch. I (10–1–14 Edition)

INDUSTRIAL/BUSINESS POOL FREQUENCY
TABLE—Continued

INDUSTRIAL/BUSINESS POOL FREQUENCY
TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
451.58125do	33, 84.	
451.5875do	30, 84.	
451.59375do	33, 84.	
451.600do	4, 7	IP
451.60625do	4, 7, 33, 84.	
451.6125do	4, 7, 30, 84.	
451.61875do	4, 7, 33, 84.	
451.625do		IP, IW
451.63125do	33, 84.	
451.6375do	30, 84.	
451.64375do	33, 84.	
451.650do	4, 7	IP
451.65625do	4, 7, 33, 84.	
451.6625do	4, 7, 30, 84.	
451.66875do	4, 7, 33, 84.	
451.675do		IP, IW
451.68125do	33, 84.	
451.6875do	30, 84.	
451.69375do	33, 84.	
451.700do	4, 7	IP
451.70625do	4, 7, 33, 84.	
451.7125do	4, 7, 30, 84.	
451.71875do	4, 7, 33, 84.	
451.725do		
451.73125do	33, 84.	
451.7375do	30, 84.	
451.74375do	33, 84.	
451.750do	4, 7	IP
451.75625do	4, 7, 33, 84.	
451.7625do	4, 7, 30, 84.	
451.76875do	4, 7, 33, 84.	
451.775do		
451.78125do	33.	
451.7875do	30.	
451.79375do	33.	
451.800do	Base, mobile, or operational fixed.	
451.80625do	17, 33, 58.	
451.8125do	17, 30, 58.	
451.81875do	17, 33, 58.	
451.825do	Base or mobile.	
451.83125do	33.	
451.8375do	30.	
451.84375do	33.	
451.850do		
451.85625do	33.	
451.8625do	30.	
451.86875do	33.	
451.875do		
451.88125do	33.	
451.8875do	30.	
451.89375do	33.	
451.900do		
451.90625do	33.	
451.9125do	30.	
451.91875do	33.	
451.925do		

Frequency or band	Class of station(s)	Limitations	Coordinator
451.93125do	33.	
451.9375do	30.	
451.94375do	33.	
451.950do		
451.95625do	33.	
451.9625do	30.	
451.96875do	33.	
451.975do		
451.98125do	33.	
451.9875do	30.	
451.99375do	33.	
452.000do		
452.00625do	33.	
452.0125do	30.	
452.01875do	33.	
452.025do		
452.03125do	33, 84.	
452.0375do	30, 84.	
452.04375do	33, 84.	
452.050do		
452.05625do	33, 84.	
452.0625do	30, 84.	
452.06875do	33, 84.	
452.075do		
452.08125do	33, 84.	
452.0875do	30, 84.	
452.09375do	33, 84.	
452.100do		
452.10625do	33, 84.	
452.1125do	30, 84.	
452.11875do	33, 84.	
452.125do		
452.13125do	33, 84.	
452.1375do	30, 84.	
452.14375do	33, 84.	
452.150do		
452.15625do	33, 84.	
452.1625do	30, 84.	
452.16875do	33, 84.	
452.175do		
452.18125do	33, 84.	
452.1875do	30, 84.	
452.19375do	33, 84.	
452.200do		
452.20625do	33.	
452.2125do	30.	
452.21875do	33.	
452.225do		
452.23125do	33.	
452.2375do	30.	
452.24375do	33.	
452.250do		
452.25625do	33.	
452.2625do	30.	
452.26875do	33.	
452.275do		
452.28125do	33, 84.	
452.2875do	30, 84.	
452.29375do	33, 84.	
452.300do		
452.30625do	33, 84.	
452.3125do	30, 84.	
452.31875do	33, 84.	
452.325do		LR
452.33125do	33.	
452.3375do	30.	
452.34375do	33.	
452.350do		
452.35625do	33.	
452.3625do	30.	

Federal Communications Commission

§ 90.35

INDUSTRIAL/BUSINESS POOL FREQUENCY
TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
452.36875do	33.	
452.375do	LR
452.38125do	33.	
452.3875do	30.	
452.39375do	33.	
452.400do	
452.40625do	33, 84.	
452.4125do	30, 84.	
452.41875do	33, 84.	
452.425	do	LR
452.43125do	33.	
452.4375do	30.	
452.44375do	33.	
452.450do	
452.45625do	33.	
452.4625do	30.	
452.46875do	33.	
452.475do	LR
452.48125do	33, 84.	
452.4875do	30, 84.	
452.49375do	33, 84.	
452.500do	
452.50625do	33, 84.	
452.5125do	30, 84.	
452.51875do	33, 84.	
452.525do	LA
452.53125do	33, 84	LA
452.5375do	30, 84	LA
452.54375do	33, 84	LA
452.550do	LA
452.55625do	33	LA
452.5625do	30	LA
452.56875do	33	LA
452.575do	LA
452.58125do	33	LA
452.5875do	30	LA
452.59375do	33	LA
452.600do	LA
452.60625do	33	LA
452.6125do	30	LA
452.61875do	33	LA
452.625do	
452.63125do	33, 84.	
452.6375do	30, 84.	
452.64375do	33, 84.	
452.650do	
452.65625do	33, 84.	
452.6625do	30, 84.	
452.66875do	33, 84.	
452.675do	
452.68125do	33, 84.	
452.6875do	30, 84.	
452.69375do	33, 84.	
452.700do	
452.70625do	33, 84.	
452.7125do	30, 84.	
452.71875do	33, 84.	
452.725do	
452.73125do	33.	
452.7375do	30.	
452.74375do	33.	
452.750do	
452.75625do	33, 84.	
452.7625do	30, 84.	
452.76875do	33, 84.	
452.775do	LR
452.78125do	33, 84.	
452.7875do	30, 84.	
452.79375do	33, 84.	
452.800do	

INDUSTRIAL/BUSINESS POOL FREQUENCY
TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
452.80625do	33, 84.	
452.8125do	30, 84.	
452.81875do	33, 84.	
452.825do	LR
452.83125do	33, 84.	
452.8375do	30, 84.	
452.84375do	33, 84.	
452.850do	
452.85625do	33, 84.	
452.8625do	30, 84.	
452.86875do	33, 84.	
452.875do	LR
452.88125do	33, 84.	
452.8875do	30, 84.	
452.89375do	33, 84.	
452.900do	LR
452.90625do	33	LR
452.9125do	30	LR
452.91875do	33	LR
452.925do	59	LR
452.93125do	33, 59	LR
452.9375do	30, 59	LR
452.94375do	33, 59	LR
452.950do	59	LR
452.95625do	33, 59	LR
452.9625do	30, 59	LR
452.96875do	33, 59	LR
452.975do	
452.98125do	33, 84.	
452.9875do	30, 84.	
452.99375do	33, 84.	
453.000do	
453.00625do	33.	
453.0125do	30.	
453.01875do	33.	
454.000do	8	IP
456.01875do	33	IW
456.025	Mobile	IW
456.03125do	33	IW
456.0375do	30	IW
456.04375do	33	IW
456.050do	IW
456.05625do	33	IW
456.0625do	30	IW
456.06875do	33	IW
456.075do	IW
456.08125do	33	IW
456.0875do	30	IW
456.09375do	33	IW
456.100do	IW
456.10625do	33	IW
456.1125do	30	IW
456.11875do	33	IW
456.125do	IW
456.13125do	33	IW
456.1375do	30	IW
456.14375do	33	IW
456.150do	IW
456.15625do	33	IW
456.1625do	30	IW
456.16875do	33	IW
456.175do	IP, IW
456.18125do	33, 84.	
456.1875do	30, 84.	
456.19375do	33, 84.	
456.200do	IW
456.20625do	33	IW
456.2125do	30	IW
456.21875do	33	IW
456.225do	IP, IW

§ 90.35

47 CFR Ch. I (10–1–14 Edition)

INDUSTRIAL/BUSINESS POOL FREQUENCY
TABLE—Continued

INDUSTRIAL/BUSINESS POOL FREQUENCY
TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
456.23125do	33, 84.	
456.2375do	30, 84.	
456.24375do	33, 84.	
456.250do		IW
456.25625do	33	IW
456.2625do	30	IW
456.26875do	33	IW
456.275do		IP, IW
456.28125do	33, 84.	
456.2875do	30, 84.	
456.29375do	33, 84.	
456.300do		
456.30625do	33, 84.	
456.3125do	30, 84.	
456.31875do	33, 84.	
456.325do		
456.33125do	33, 84.	
456.3375do	30, 84.	
456.34375do	33, 84.	
456.350do		
456.35625do	33, 84.	
456.3625do	30, 84.	
456.36875do	33, 84.	
456.375do		IP, IW
456.38125do	33, 84.	
456.3875do	30, 84.	
456.39375do	33, 84.	
456.400do		
456.40625do	33, 84.	
456.4125do	30, 84.	
456.41875do	33, 84.	
456.425do		IP, IW
456.43125do	33, 84.	
456.4375do	30, 84.	
456.44375do	33, 84.	
456.450do		
456.45625do	33, 84.	
456.4625do	30, 84.	
456.46875do	33, 84.	
456.475do		IP, IW
456.48125do	33, 84.	
456.4875do	30, 84.	
456.49375do	33, 84.	
456.500do		
456.50625do	33, 84.	
456.5125do	30, 84.	
456.51875do	33, 84.	
456.525do		IP, IW
456.53125do	33, 84.	
456.5375do	30, 84.	
456.54375do	33, 84.	
456.550do		IP
456.55625do	33, 84.	
456.5625do	30, 84.	
456.56875do	33, 84.	
456.575do		IP, IW
456.58125do	33, 84.	
456.5875do	30, 84.	
456.59375do	33, 84.	
456.600do		IP
456.60625do	33, 84.	
456.6125do	30, 84.	
456.61875do	33, 84.	
456.625do		IP, IW
456.63125do	33, 84.	
456.6375do	30, 84.	
456.64375do	33, 84.	
456.650do		IP
456.65625do	33, 84.	
456.6625do	30, 84.	

Frequency or band	Class of station(s)	Limitations	Coordinator
456.66875do	33, 84.	
456.675do		IP, IW
456.68125do	33, 84.	
456.6875do	30, 84.	
456.69375do	33, 84.	
456.700do		IP
456.70625do	33, 84.	
456.7125do	30, 84.	
456.71875do	33, 84.	
456.725do		
456.73125do	33, 84.	
456.7375do	30, 84.	
456.74375do	33, 84.	
456.750do		IP
456.75625do	33, 84.	
456.7625do	30, 84.	
456.76875do	33, 84.	
456.775do		
456.78125do	33.	
456.7875do	30.	
456.79375do	33.	
456.800do	Base, mobile, or operational fixed.	17, 58.
456.80625do		17, 33, 58.
456.8125do		17, 30, 58.
456.81875do		17, 33, 58.
456.825do	Mobile.	
456.83125do		33.
456.8375do		30.
456.84375do		33.
456.850do		
456.85625do		33.
456.8625do		30.
456.86875do		33.
456.875do		
456.88125do		33.
456.8875do		30.
456.89375do		33.
456.900do		
456.90625do		33.
456.9125do		30.
456.91875do		33.
456.925do		
456.93125do		33.
456.9375do		30.
456.94375do		33.
456.950do		
456.95625do		33.
456.9625do		30.
456.96875do		33.
456.975do		
456.98125do		33.
456.9875do		30.
456.99375do		33.
457.000do		
457.00625do		33.
457.0125do		30.
457.01875do		33.
457.025do		
457.03125do		33, 84.
457.0375do		30, 84.
457.04375do		33, 84.
457.050do		
457.05625do		33, 84.
457.0625do		30, 84.
457.06875do		33, 84.
457.075do		
457.08125do		33, 84.
457.0875do		30, 84.

Federal Communications Commission

§ 90.35

INDUSTRIAL/BUSINESS POOL FREQUENCY
TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
457.09375do	33, 84.	
457.100do		
457.10625do	33, 84.	
457.1125do	30, 84.	
457.11875do	33, 84.	
457.125do		
457.13125do	33, 84.	
457.1375do	30, 84.	
457.14375do	33, 84.	
457.150do		
457.15625do	33, 84.	
457.1625do	30, 84.	
457.16875do	33, 84.	
457.175do		
457.18125do	33, 84.	
457.1875do	30, 84.	
457.19375do	33, 84.	
457.200do		
457.20625do	33.	
457.2125do	30.	
457.21875do	33.	
457.225do		
457.23125do	33.	
457.2375do	30.	
457.24375do	33.	
457.250do		
457.25625do	33.	
457.2625do	30.	
457.26875do	33.	
457.275do		
457.28125do	33, 84.	
457.2875do	30, 84.	
457.29375do	33, 84.	
457.300do		
457.30625do	33, 84.	
457.3125do	30, 84.	
457.31875do	33, 84.	
457.325do		LR
457.33125do	33.	
457.3375do	30.	
457.34375do	33.	
457.350do		
457.35625do	33.	
457.3625do	30.	
457.36875do	33.	
457.375do		LR
457.38125do	33.	
457.3875do	30.	
457.39375do	33.	
457.400do		
457.40625do	33, 84.	
457.4125do	30, 84.	
457.41875do	33, 84.	
457.425do		LR
457.43125do	33.	
457.4375do	30.	
457.44375do	33.	
457.450do		
457.45625do	33.	
457.4625do	30.	
457.46875do	33.	
457.475do		LR
457.48125do	33, 84.	
457.4875do	30, 84.	
457.49375do	33, 84.	
457.500do		
457.50625do	33, 84.	
457.5125do	30, 84.	
457.51875do	33, 84.	
457.525do	12, 47, 60.	

INDUSTRIAL/BUSINESS POOL FREQUENCY
TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
457.53125do	11, 12, 33, 47, 60.	
457.5375do	11, 12, 30, 47, 60.	
457.54375do	11, 12, 33, 47, 60.	
457.550do	12, 47, 60.	
457.55625do	11, 12, 33, 47, 60.	
457.5625do	12, 30, 47, 60.	
457.56875do	11, 12, 33, 47, 60.	
457.575do	12, 47, 60.	
457.58125do	11, 12, 33, 47, 60.	
457.5875do	12, 30, 47, 60.	
457.59375do	11, 12, 33, 47, 60.	
457.600do	12, 47, 60.	
457.60625do	11, 12, 33, 47, 60.	
457.6125do	12, 30, 47, 60.	
457.61875do	11, 12, 33, 47, 60.	
457.625do		
457.63125do	33, 84.	
457.6375do	30, 84.	
457.64375do	33, 84.	
457.650do		
457.65625do	33, 84.	
457.6625do	30, 84.	
457.66875do	33, 84.	
457.675do		
457.68125do	33, 84.	
457.6875do	30, 84.	
457.69375do	33, 84.	
457.700do		
457.70625do	33, 84.	
457.7125do	30, 84.	
457.71875do	33, 84.	
457.725do		
457.73125do	33.	
457.7375do	30.	
457.74375do	33.	
457.750do		
457.75625do	33.	
457.7625do	30.	
457.76875do	33.	
457.775do		LR
457.78125do	33, 84.	
457.7875do	30, 84.	
457.79375do	33, 84.	
457.800do		
457.80625do	33, 84.	
457.8125do	30, 84.	
457.81875do	33, 84.	
457.825do		LR
457.83125do	33, 84.	
457.8375do	30, 84.	
457.84375do	33, 84.	
457.850do		
457.85625do	33, 84.	
457.8625do	30, 84.	
457.86875do	33, 84.	
457.875do		LR
457.88125do	33, 84.	
457.8875do	30, 84.	

§ 90.35

47 CFR Ch. I (10–1–14 Edition)

INDUSTRIAL/BUSINESS POOL FREQUENCY
TABLE—Continued

INDUSTRIAL/BUSINESS POOL FREQUENCY
TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
457.89375do	33, 84.	
457.900do	LR
457.90625do	33	LR
457.9125do	30	LR
457.91875do	33	LR
457.925do	59	LR
457.93125do	33, 59	LR
457.9375do	30, 59	LR
457.94375do	33, 59	LR
457.950do	59	LR
457.95625do	33, 59	LR
457.9625do	30, 59	LR
457.96875do	33, 59	LR
457.975do	
457.98125do	33, 84.	
457.9875do	30, 84.	
457.99375do	33, 84.	
458.000do	
458.00625do	33.	
458.0125do	30.	
458.01875do	33.	
459.000	Base or mobile	8	IP
460.650do	61, 62.	
460.65625do	33, 61, 62.	
460.6625do	30, 61, 62, 69.	
460.66875do	33, 61, 62.	
460.675do	61, 62.	
460.68125do	33, 61, 62.	
460.6875do	30, 61, 62, 69.	
460.69375do	33, 61, 62.	
460.700do	61, 62.	
460.70625do	33, 61, 62.	
460.7125do	30, 61, 62, 69.	
460.71875do	33, 61, 62.	
460.725do	61, 62.	
460.73125do	33, 61, 62.	
460.7375do	30, 61, 62, 69.	
460.74375do	33, 61, 62.	
460.750do	61, 62.	
460.75625do	33, 61, 62.	
460.7625do	30, 61, 62, 69.	
460.76875do	33, 61, 62.	
460.775do	61, 62.	
460.78125do	33, 61, 62.	
460.7875do	30, 61, 62, 69.	
460.79375do	33, 61, 62.	
460.800do	61, 62.	
460.80625do	33, 61, 62.	
460.8125do	30, 61, 62, 69.	
460.81875do	33, 61, 62.	
460.825do	61, 62.	
460.83125do	33, 61, 62.	
460.8375do	30, 61, 62, 69.	
460.84375do	33, 61, 62.	
460.850do	61, 62.	
460.85625do	33, 61, 62.	
460.8625do	30, 61, 62, 69.	
460.86875do	33, 61, 62.	
460.875do	61, 62.	
460.88125do	33, 61, 62.	
460.8875do	30, 61, 62, 69.	

Frequency or band	Class of station(s)	Limitations	Coordinator
460.89375do	33, 61, 62.	
460.900do	63, 64, 65.	
460.90625do	33, 63, 65, 87.	
460.9125do	63, 65, 83, 87.	
460.91875do	33, 63, 65, 87.	
460.925do	63, 64, 65.	
460.93125do	33, 63, 65, 87.	
460.9375do	63, 65, 83, 87.	
460.94375do	33, 63, 65, 87.	
460.950do	63, 64, 65.	
460.95625do	33, 63, 65, 87.	
460.9625do	63, 65, 83, 87.	
460.96875do	33, 63, 65, 87.	
460.975do	64, 65, 66	
460.98125do	33, 65, 66, 87.	
460.9875do	65, 66, 83, 87.	
460.99375do	33, 65, 66, 87.	
461.000do	64, 65, 66.	
461.00625do	33, 65, 66, 87.	
461.0125do	65, 66, 83, 87.	
461.01875do	33, 65, 66, 87.	
461.025do	62.	
461.03125do	33, 86.	
461.0375do	83, 86.	
461.04375do	33, 86.	
461.050do	62.	
461.05625do	33, 86.	
461.0625do	83, 86.	
461.06875do	33, 86.	
461.075do	62.	
461.08125do	33, 86.	
461.0875do	83, 86.	
461.09375do	33, 86.	
461.100do	62.	
461.10625do	33, 86.	
461.1125do	83, 86.	
461.11875do	33, 86.	
461.125do	62.	
461.13125do	33, 86.	
461.1375do	83, 86.	
461.14375do	33, 86.	
461.150do	62.	
461.15625do	33, .	
461.1625do	83, 86.	
461.16875do	33, 86.	
461.175do	62.	
461.18125do	33, 86.	
461.1875do	83, 86.	
461.19375do	33, 86.	
461.200do	62.	
461.20625do	33, 86.	
461.2125do	83, 86.	
461.21875do	33, 86.	
461.225do	62.	
461.23125do	33, 86.	

Federal Communications Commission

§ 90.35

INDUSTRIAL/BUSINESS POOL FREQUENCY
TABLE—Continued

INDUSTRIAL/BUSINESS POOL FREQUENCY
TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
461.2375do	83, 86.	
461.24375do	33, 86.	
461.250do	62.	
461.25625do	33, 86.	
461.2625do	83, 86.	
461.26875do	33, 86.	
461.275do	62.	
461.28125do	33, 86.	
461.2875do	83, 86.	
461.29375do	33, 86.	
461.300do	62.	
461.30625do	33, 86.	
461.3125do	83, 86.	
461.31875do	33, 86.	
461.325do	62.	
461.33125do	33, 86.	
461.3375do	83, 86.	
461.34375do	33, 86.	
461.350do	62.	
461.35625do	33, 86.	
461.3625do	83, 86.	
461.36875do	33, 86.	
461.375do	62.	
461.38125do	33, 62.	
461.3875do	30, 62.	
461.39375do	33, 62.	
461.400do	62.	
461.40625do	33, 62.	
461.4125do	30, 62.	
461.41875do	33, 62.	
461.425do	62.	
461.43125do	33, 62.	
461.4375do	30, 62.	
461.44375do	33, 62.	
461.450do	62.	
461.45625do	33, 62.	
461.4625do	30, 62.	
461.46875do	33, 62.	
461.475do	62.	
461.48125do	33, 62.	
461.4875do	30, 62.	
461.49375do	33, 62.	
461.500do	62.	
461.50625do	33, 62.	
461.5125do	30, 62.	
461.51875do	33, 62.	
461.525do	62.	
461.53125do	33, 62.	
461.5375do	30, 62.	
461.54375do	33, 62.	
461.550do	62.	
461.55625do	33, 62.	
461.5625do	30, 62.	
461.56875do	33, 62.	
461.575do	62.	
461.58125do	33, 62.	
461.5875do	30, 62.	
461.59375do	33, 62.	
461.600do	62.	
461.60625do	33, 62.	
461.6125do	30, 62.	
461.61875do	33, 62.	
461.625do	62.	
461.63125do	33, 62.	
461.6375do	30, 62.	
461.64375do	33, 62.	
461.650do	62.	
461.65625do	33, 62.	
461.6625do	30, 62.	
461.66875do	33, 62.	

Frequency or band	Class of station(s)	Limitations	Coordinator
461.675do	62.	
461.68125do	33, 62.	
461.6875do	30, 62.	
461.69375do	33, 62.	
461.700do	62.	
461.70625do	33, 62.	
461.7125do	30, 62.	
461.71875do	33, 62.	
461.725do	62.	
461.73125do	33, 62.	
461.7375do	30, 62.	
461.74375do	33, 62.	
461.750do	62.	
461.75625do	33, 62.	
461.7625do	30, 62.	
461.76875do	33, 62.	
461.775do	62.	
461.78125do	33, 62.	
461.7875do	30, 62.	
461.79375do	33, 62.	
461.800do	62.	
461.80625do	33, 62.	
461.8125do	30, 62.	
461.81875do	33, 62.	
461.825do	62.	
461.83125do	33, 62.	
461.8375do	30, 62.	
461.84375do	33, 62.	
461.850do	62.	
461.85625do	33, 62.	
461.8625do	30, 62.	
461.86875do	33, 62.	
461.875do	62.	
461.88125do	33, 62.	
461.8875do	30, 62.	
461.89375do	33, 62.	
461.900do	62.	
461.90625do	33, 62.	
461.9125do	30, 62.	
461.91875do	33, 62.	
461.925do	62.	
461.93125do	33, 62.	
461.9375do	30, 62.	
461.94375do	33, 62.	
461.950do	62.	
461.95625do	33, 62.	
461.9625do	30, 62.	
461.96875do	33, 62.	
461.975do	62.	
461.98125do	33, 62.	
461.9875do	30, 62.	
461.99375do	33, 62.	
462.000do	62.	
462.00625do	33, 62.	
462.0125do	30, 62.	
462.01875do	33, 62.	
462.025do	62.	
462.03125do	33, 62.	
462.0375do	30, 62.	
462.04375do	33, 62.	
462.050do	62.	
462.05625do	33, 62.	
462.0625do	30, 62.	
462.06875do	33, 62.	
462.075do	62.	
462.08125do	33, 62.	
462.0875do	30, 62.	
462.09375do	33, 62.	
462.100do	62.	
462.10625do	33, 62.	

§ 90.35

47 CFR Ch. I (10–1–14 Edition)

INDUSTRIAL/BUSINESS POOL FREQUENCY
TABLE—Continued

INDUSTRIAL/BUSINESS POOL FREQUENCY
TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
462.1125do	30, 62.	
462.11875do	33, 62.	
462.125do	62.	
462.13125do	33, 62.	
462.1375do	30, 62.	
462.14375do	33, 62.	
462.150do	62.	
462.15625do	33, 62.	
462.1625do	30, 62.	
462.16875do	33, 62.	
462.175do	62.	
462.18125do	33, 84.	
462.1875do	83, 84.	
462.19375do	33, 84.	
462.200do		
462.20625do	33, 85.	
462.2125do	83, 85.	
462.21875do	33, 85.	
462.225do		
462.23125do	33, 85.	
462.2375do	83, 85.	
462.24375do	33, 85.	
462.250do		
462.25625do	33, 85.	
462.2625do	83, 85.	
462.26875do	33, 85.	
462.275do		
462.28125do	33, 85.	
462.2875do	83, 85.	
462.29375do	33, 85.	
462.300do		
462.30625do	33, 85.	
462.3125do	83, 85.	
462.31875do	33, 85.	
462.325do		
462.33125do	33, 85.	
462.3375do	83, 85.	
462.34375do	33, 85.	
462.350do		
462.35625do	33, 85.	
462.3625do	83, 85.	
462.36875do	33, 85.	
462.375do		
462.38125do	33, 85.	
462.3875do	83, 85.	
462.39375do	33, 85.	
462.400do		
462.40625do	33, 85.	
462.4125do	83, 85.	
462.41875do	33, 85.	
462.425do		
462.43125do	33, 85.	
462.4375do	83, 85.	
462.44375do	33, 85.	
462.450do		
462.45625do	33, 84.	
462.4625do	83, 84.	
462.46875do	33, 84.	
462.475do		IP, IW
462.48125do	33, 84.	
462.4875do	83, 84.	
462.49375do	84.	
462.500do		
462.50625do	33, 84.	
462.5125do	83, 84.	
462.51875do	33, 84.	
462.525do		IP, IW
462.53125do	33.	
462.750	Base	29, 36.	
462.7625	Mobile	67, 86.	

Frequency or band	Class of station(s)	Limitations	Coordinator
462.775	Base	29, 36.	
462.7875	Mobile	67, 86.	
462.800	Base	29, 36.	
462.8125	Mobile	67, 86.	
462.825	Base	29, 36.	
462.8375	Mobile	67, 86.	
462.850	Base	29, 36.	
462.8625	Mobile	67, 86.	
462.875	Base	29, 36.	
462.8875	Mobile	67, 86.	
462.900	Base	29, 36.	
462.9125	Mobile	67, 86.	
462.925	Base	29, 36.	
462.9375	Mobile	88	
462.94375	Base or mobile	33.	
463.200do	62.	
463.20625do	33, 62.	
463.2125do	30, 62.	
463.21875do	33, 62.	
463.225do	62.	
463.23125do	33, 62.	
463.2375do	30, 62.	
463.24375do	33, 62.	
463.250do	62.	
463.25625do	33, 62.	
463.2625do	30, 62.	
463.26875do	33, 62.	
463.275do	62.	
463.28125do	33, 62.	
463.2875do	30, 62.	
463.29375do	33, 62.	
463.300do	62.	
463.30625do	33, 62.	
463.3125do	30, 62.	
463.31875do	33, 62.	
463.325do	62.	
463.33125do	33, 62.	
463.3375do	30, 62.	
463.34375do	33, 62.	
463.350do	62.	
463.35625do	33, 62.	
463.3625do	30, 62.	
463.36875do	33, 62.	
463.375do	62.	
463.38125do	33, 62.	
463.3875do	30, 62.	
463.39375do	33, 62.	
463.400do	62.	
463.40625do	33, 62.	
463.4125do	30, 62.	
463.41875do	33, 62.	
463.425do	62.	
463.43125do	33, 62.	
463.4375do	30, 62.	
463.44375do	33, 62.	
463.450do	62.	
463.45625do	33, 62.	
463.4625do	30, 62.	
463.46875do	33, 62.	
463.475do	62.	
463.48125do	33, 62.	
463.4875do	30, 62.	
463.49375do	33, 62.	
463.500do	62.	
463.50625do	33, 62.	
463.5125do	30, 62.	
463.51875do	33, 62.	
463.525do	62.	
463.53125do	33, 62.	
463.5375do	30, 62.	

Federal Communications Commission

§ 90.35

INDUSTRIAL/BUSINESS POOL FREQUENCY
TABLE—Continued

INDUSTRIAL/BUSINESS POOL FREQUENCY
TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
463.54375do	33, 62.	
463.550do	62.	
463.55625do	33, 62.	
463.5625do	30, 62.	
463.56875do	33, 62.	
463.575do	62.	
463.58125do	33, 62.	
463.5875do	30, 62.	
463.59375do	33, 62.	
463.600do	62.	
463.60625do	33, 62.	
463.6125do	30, 62.	
463.61875do	33, 62.	
463.625do	62.	
463.63125do	33, 62.	
463.6375do	30, 62.	
463.64375do	33, 62.	
463.650do	62.	
463.65625do	33, 62.	
463.6625do	30, 62.	
463.66875do	33, 62.	
463.675do	62.	
463.68125do	33, 62.	
463.6875do	30, 62.	
463.69375do	33, 62.	
463.700do	62.	
463.70625do	33, 62.	
463.7125do	30, 62.	
463.71875do	33, 62.	
463.725do	62.	
463.73125do	33, 62.	
463.7375do	30, 62.	
463.74375do	33, 62.	
463.750do	62.	
463.75625do	33, 62.	
463.7625do	30, 62.	
463.76875do	33, 62.	
463.775do	62.	
463.78125do	33, 62.	
463.7875do	30, 62.	
463.79375do	33, 62.	
463.800do	62.	
463.80625do	33, 62.	
463.8125do	30, 62.	
463.81875do	33, 62.	
463.825do	62.	
463.83125do	33, 62.	
463.8375do	30, 62.	
463.84375do	33, 62.	
463.850do	62.	
463.85625do	33, 62.	
463.8625do	30, 62.	
463.86875do	33, 62.	
463.875do	62.	
463.88125do	33, 62.	
463.8875do	30, 62.	
463.89375do	33, 62.	
463.900do	62.	
463.90625do	33, 62.	
463.9125do	30, 62.	
463.91875do	33, 62.	
463.925do	62.	
463.93125do	33, 62.	
463.9375do	30, 62.	
463.94375do	33, 62.	
463.950do	62.	
463.95625do	33, 62.	
463.9625do	30, 62.	
463.96875do	33, 62.	
463.975do	62.	

Frequency or band	Class of station(s)	Limitations	Coordinator
463.98125do	33, 62.	
463.9875do	30, 62.	
463.99375do	33, 62.	
464.000do	62.	
464.00625do	33, 62.	
464.0125do	30, 62.	
464.01875do	33, 62.	
464.025do	62.	
464.03125do	33, 62.	
464.0375do	30, 62.	
464.04375do	33, 62.	
464.050do	62.	
464.05625do	33, 62.	
464.0625do	30, 62.	
464.06875do	33, 62.	
464.075do	62.	
464.08125do	33, 62.	
464.0875do	30, 62.	
464.09375do	33, 62.	
464.100do	62.	
464.10625do	33, 62.	
464.1125do	30, 62.	
464.11875do	33, 62.	
464.125do	62.	
464.13125do	33, 62.	
464.1375do	30, 62.	
464.14375do	33, 62.	
464.150do	62.	
464.15625do	33, 62.	
464.1625do	30, 62.	
464.16875do	33, 62.	
464.175do	62.	
464.18125do	33, 62.	
464.1875do	30, 62.	
464.19375do	33, 62.	
464.200do	62.	
464.20625do	33, 62.	
464.2125do	30, 62.	
464.21875do	33, 62.	
464.225do	62.	
464.23125do	33, 62.	
464.2375do	30, 62.	
464.24375do	33, 62.	
464.250do	62.	
464.25625do	33, 62.	
464.2625do	30, 62.	
464.26875do	33, 62.	
464.275do	62.	
464.28125do	33, 62.	
464.2875do	30, 62.	
464.29375do	33, 62.	
464.300do	62.	
464.30625do	33, 62.	
464.3125do	30, 62.	
464.31875do	33, 62.	
464.325do	62.	
464.33125do	33, 62.	
464.3375do	30, 62.	
464.34375do	33, 62.	
464.350do	62.	
464.35625do	33, 62.	
464.3625do	30, 62.	
464.36875do	33, 62.	
464.375do	62.	
464.38125do	33, 62.	
464.3875do	30, 62.	
464.39375do	33, 62.	
464.400do	62.	
464.40625do	33, 62.	
464.4125do	30, 62.	

§ 90.35

47 CFR Ch. I (10–1–14 Edition)

INDUSTRIAL/BUSINESS POOL FREQUENCY
TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
464.41875do	33, 62.	
464.425do	62.	
464.43125do	33, 62.	
464.4375do	30, 62.	
464.44375do	33, 62.	
464.450do	62.	
464.45625do	33, 62.	
464.4625do	30, 62.	
464.46875do	33, 62.	
464.475do	62.	
464.48125do	33, 86.	
464.4875do	83, 86.	
464.500do	10, 34.	
464.5125do	83, 86.	
464.51875do	33, 86.	
464.525do	62.	
464.53125do	33, 86.	
464.5375do	83, 86.	
464.550do	10, 34.	
464.5625do	83, 86.	
464.56875do	33, .	
464.575do	62.	
464.58125do	33, 62.	
464.5875do	30, 62.	
464.59375do	33, 62.	
464.600do	62.	
464.60625do	33, 62.	
464.6125do	30, 62.	
464.61875do	33, 62.	
464.625do	62.	
464.63125do	33, 62.	
464.6375do	30, 62.	
464.64375do	33, 62.	
464.650do	62.	
464.65625do	33, 62.	
464.6625do	30, 62.	
464.66875do	33, 62.	
464.675do	62.	
464.68125do	33, 62.	
464.6875do	30, 62.	
464.69375do	33, 62.	
464.700do	62.	
464.70625do	33, 62.	
464.7125do	30, 62.	
464.71875do	33, 62.	
464.725do	62.	
464.73125do	33, 62.	
464.7375do	30, 62.	
464.74375do	33, 62.	
464.750do	62.	
464.75625do	33, 62.	
464.7625do	30, 62.	
464.76875do	33, 62.	
464.775do	62.	
464.78125do	33, 62.	
464.7875do	30, 62.	
464.79375do	33, 62.	
464.800do	62.	
464.80625do	33, 62.	
464.8125do	30, 62.	
464.81875do	33, 62.	
464.825do	62.	
464.83125do	33, 62.	
464.8375do	30, 62.	
464.84375do	33, 62.	
464.850do	62.	
464.85625do	33, 62.	
464.8625do	30, 62.	
464.86875do	33, 62.	
464.875do	62.	

INDUSTRIAL/BUSINESS POOL FREQUENCY
TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
464.88125do	33, 62.	
464.8875do	30, 62.	
464.89375do	33, 62.	
464.900do	62.	
464.90625do	33, 62.	
464.9125do	30, 62.	
464.91875do	33, 62.	
464.925do	62.	
464.93125do	33, 62.	
464.9375do	30, 62.	
464.94375do	33, 62.	
464.950do	62.	
464.95625do	33, 62.	
464.9625do	30, 62.	
464.96875do	33, 62.	
464.975do	62.	
464.98125do	33, 62.	
464.9875	Mobile	67.	
465.000	Base	29, 34, 36.	
465.0125	Mobile	88.	
465.01875do	33, 34.	
465.650do	62, 68.	
465.65625do	33, 62, 68.	
465.6625do	30, 62, 68, 69.	
465.66875do	33, 62, 68.	
465.675do	62, 68.	
465.68125do	33, 62, 68.	
465.6875do	30, 62, 68, 69.	
465.69375do	33, 62, 68.	
465.700do	62, 68.	
465.70625do	33, 62, 68.	
465.7125do	30, 62, 68, 69.	
465.71875do	33, 62, 68.	
465.725do	62, 68.	
465.73125do	33, 62, 68.	
465.7375do	30, 62, 68, 69.	
465.74375do	33, 62, 68.	
465.750do	62, 68.	
465.75625do	33, 62, 68.	
465.7625do	30, 62, 68, 69.	
465.76875do	33, 62, 68.	
465.775do	62, 68.	
465.78125do	33, 62, 68.	
465.7875do	30, 62, 68, 69.	
465.79375do	33, 62, 68.	
465.800do	62, 68.	
465.80625do	33, 62, 68.	
465.8125do	30, 62, 68, 69.	
465.81875do	33, 62, 68.	
465.825do	62, 68.	
465.83125do	33, 62, 68.	
465.8375do	30, 62, 68, 69.	
465.84375do	33, 62, 68.	
465.850do	62, 68.	
465.85625do	33, 62, 68.	
465.8625do	30, 62, 68, 69.	
465.86875do	33, 62, 68.	
465.875do	62, 68.	
465.88125do	33, 62, 68.	
465.8875do	30, 62, 68, 69.	

Federal Communications Commission

§ 90.35

INDUSTRIAL/BUSINESS POOL FREQUENCY
TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
465.89375do	33, 62, 68.	
465.900do	63, 64.	
465.90625do	33, 63, 87.	
465.9125do	63, 83, 87.	
465.91875do	33, 63, 87.	
465.925do	63, 64.	
465.93125do	33, 63, 87.	
465.9375do	63, 83, 87.	
465.94375do	33, 63, 87.	
465.950do	63, 64.	
465.95625do	33, 63, 87.	
465.9625do	63, 83, 87.	
465.96875do	33, 63, 64.	
465.975do	64, 66.	
465.98125do	33, 66, 87.	
465.9875do	66, 83, 87.	
465.99375do	33, 66, 87.	
466.000do	64, 66.	
466.00625do	33, 66, 87.	
466.0125do	66, 69, 83, 87.	
466.01875do	33, 66, 87.	
466.025do	62.	
466.03125do	33, 86.	
466.0375do	83, 86.	
466.04375do	33, 86.	
466.050do	62.	
466.05625do	33, 86.	
466.0625do	83, 86.	
466.06875do	33, 86.	
466.075do	62.	
466.08125do	33, 86.	
466.0875do	83, 86.	
466.09375do	33, 86.	
466.100do	62.	
466.10625do	33, 86.	
466.1125do	83, 86.	
466.11875do	33, 86.	
466.125do	62.	
466.13125do	33, 86.	
466.1375do	83, 86.	
466.14375do	33, 86.	
466.150do	62.	
466.15625do	33, 86.	
466.1625do	83, 86.	
466.16875do	33, 86.	
466.175do	62.	
466.18125do	33, 84.	
466.1875do	83, 84.	
466.19375do	33, 84.	
466.200do	62.	
466.20625do	33, 85.	
466.2125do	83, 85.	
466.21875do	33, 85.	
466.225do	62.	
466.23125do	33, 85.	
466.2375do	83, 85.	
466.24375do	33, 85.	
466.250do	62.	
466.25625do	33, 85.	
466.2625do	83, 85.	
466.26875do	33, 85.	
466.275do	62.	
466.28125do	33, 85.	
466.2875do	83, 85.	
466.29375do	33, 85.	
466.300do	62.	
466.30625do	33, 85.	
466.3125do	83, 85.	
466.31875do	33, 85.	

INDUSTRIAL/BUSINESS POOL FREQUENCY
TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
466.325do	62.	
466.33125do	33, 85.	
466.3375do	83, 85.	
466.34375do	33, 85.	
466.350do	62.	
466.35625do	33, 85.	
466.3625do	83, 85.	
466.36875do	33, 85.	
466.375do	62.	
466.38125do	33, 85.	
466.3875do	83, 85.	
466.39375do	33, 85.	
466.400do	62.	
466.40625do	33, 85.	
466.4125do	83, 85.	
466.41875do	33, 85.	
466.425do	62.	
466.43125do	33, 85.	
466.4375do	83, 85.	
466.44375do	33, 85.	
466.450do	62.	
466.45625do	33, 84.	
466.4625do	83, 84.	
466.46875do	33, 84.	
466.475do	62.	
466.48125do	33, 84.	
466.4875do	83, 84.	
466.49375do	33, 84.	
466.500do	62.	
466.50625do	33, 84.	
466.5125do	83, 84.	
466.51875do	33, 84.	
466.525do	62.	
466.53125do	33, 62.	
466.5375do	30, 62.	
466.54375do	33, 62.	
466.550do	62.	
466.55625do	33, 62.	
466.5625do	30, 62.	
466.56875do	33, 62.	
466.575do	62.	
466.58125do	33, 62.	
466.5875do	30, 62.	
466.59375do	33, 62.	
466.600do	62.	
466.60625do	33, 62.	
466.6125do	30, 62.	
466.61875do	33, 62.	
466.625do	62.	
466.63125do	33, 62.	
466.6375do	30, 62.	
466.64375do	33, 62.	
466.650do	62.	
466.65625do	33, 62.	
466.6625do	30, 62.	
466.66875do	33, 62.	
466.675do	62.	
466.68125do	33, 62.	
466.6875do	30, 62.	
466.69375do	33, 62.	
466.700do	62.	
466.70625do	33, 62.	
466.7125do	30, 62.	
466.71875do	33, 62.	
466.725do	62.	
466.73125do	33, 62.	
466.7375do	30, 62.	
466.74375do	33, 62.	
466.750do	62.	
466.75625do	33, 62.	

§ 90.35

47 CFR Ch. I (10–1–14 Edition)

INDUSTRIAL/BUSINESS POOL FREQUENCY
TABLE—Continued

INDUSTRIAL/BUSINESS POOL FREQUENCY
TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
466.7625do	30, 62.	
466.76875do	33, 62.	
466.775do	62.	
466.78125do	33, 62.	
466.7875do	30, 62.	
466.79375do	33, 62.	
466.800do	62.	
466.80625do	33, 62.	
466.8125do	30, 62.	
466.81875do	33, 62.	
466.825do	62.	
466.83125do	33, 62.	
466.8375do	30, 62.	
466.84375do	33, 62.	
466.850do	62.	
466.85625do	33, 62.	
466.8625do	67, 86.	
466.86875do	33, 62.	
466.875do	62.	
466.88125do	33, 62.	
466.8875do	67, 86.	
466.89375do	33, 62.	
466.900do	62.	
466.90625do	33, 62.	
466.9125do	67, 86.	
466.91875do	33, 62.	
466.925do	62.	
466.93125do	33, 62.	
466.9375do	88.	
466.94375do	33, 62.	
466.950do	62.	
466.95625do	33, 62.	
466.9625do	30, 62.	
466.96875do	33, 62.	
466.975do	62.	
466.98125do	33, 62.	
466.9875do	30, 62.	
466.99375do	33, 62.	
467.000do	62.	
467.00625do	33, 62.	
467.0125do	30, 62.	
467.01875do	33, 62.	
467.025do	62.	
467.03125do	33, 62.	
467.0375do	30, 62.	
467.04375do	33, 62.	
467.050do	62.	
467.05625do	33, 62.	
467.0625do	30, 62.	
467.06875do	33, 62.	
467.075do	62.	
467.08125do	33, 62.	
467.0875do	30, 62.	
467.09375do	33, 62.	
467.100do	62.	
467.10625do	33, 62.	
467.1125do	30, 62.	
467.11875do	33, 62.	
467.125do	62.	
467.13125do	33, 62.	
467.1375do	30, 62.	
467.14375do	33, 62.	
467.150do	62.	
467.15625do	33, 62.	
467.1625do	30, 62.	
467.16875do	33, 62.	
467.175do	62.	
467.18125do	33, 62.	
467.1875do	30, 62.	
467.19375do	33, 62.	

Frequency or band	Class of station(s)	Limitations	Coordinator
467.200do.		
467.20625do	33.	
467.2125do	30.	
467.21875do	33.	
467.225do.		
467.23125do	33.	
467.2375do	30.	
467.24375do	33.	
467.250do.		
467.25625do	33.	
467.2625do	30.	
467.26875do	33.	
467.275do.		
467.28125do	33.	
467.2875do	30.	
467.29375do	33.	
467.300do.		
467.30625do	33.	
467.3125do	30.	
467.31875do	33.	
467.325do.		
467.33125do	33.	
467.3375do	30.	
467.34375do	33.	
467.350do.		
467.35625do	33.	
467.3625do	30.	
467.36875do	33.	
467.375do.		
467.38125do	33.	
467.3875do	30.	
467.39375do	33.	
467.400do.		
467.40625do	33.	
467.4125do	30.	
467.41875do	33.	
467.425do.		
467.43125do	33.	
467.4375do	30.	
467.44375do	33.	
467.450do.		
467.45625do	33.	
467.4625do	30.	
467.46875do	33.	
467.475do	IP, IW	
467.48125do	33.	
467.4875do	30.	
467.49375do	33.	
467.500do.		
467.50625do	33.	
467.5125do	30.	
467.51875do	33.	
467.525do	IP, IW	
467.53125do	33.	
467.5375do	33, 62.	
467.54375do	11, 12, 35, 60.	
467.550do	11, 12, 33, 35, 60.	
467.55625do	11, 12, 30, 35, 60.	
467.5625do	11, 12, 33, 35, 60.	
467.56875do	11, 12, 33, 35, 60.	
467.575do	11, 12, 35, 60.	
467.58125do	11, 12, 33, 35, 60.	
467.5875do	11, 12, 30, 35, 60.	
467.59375do	11, 12, 33, 35, 60.	
467.600do	11, 12, 33, 35, 60.	

Federal Communications Commission

§ 90.35

INDUSTRIAL/BUSINESS POOL FREQUENCY
TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
467.800do	11, 12, 35, 60.	
467.80625do	11, 12, 33, 35, 60.	
467.8125do	11, 12, 30, 35, 60.	
467.81875do	11, 12, 33, 35, 60.	
467.825do	11, 12, 35, 60.	
467.83125do	11, 12, 33, 35, 60.	
467.8375do	11, 12, 30, 35, 60.	
467.850do	11, 12, 35.	
467.8625do	67.	
467.875do	11, 12, 35.	
467.8875do	67.	
467.900do	11, 12, 35.	
467.9125do	67.	
467.925do	11, 12, 35.	
467.93125do	33.	
467.9375do	30, 67.	
467.94375do	33.	
468.200do	62.	
468.20625do	33, 62.	
468.2125do	30, 62.	
468.21875do	33, 62.	
468.225do	62.	
468.23125do	33, 62.	
468.2375do	30, 62.	
468.24375do	33, 62.	
468.250do	62.	
468.25625do	33, 62.	
468.2625do	30, 62.	
468.26875do	33, 62.	
468.275do	62.	
468.28125do	33, 62.	
468.2875do	30, 62.	
468.29375do	33, 62.	
468.300do	62.	
468.30625do	33, 62.	
468.3125do	30, 62.	
468.31875do	33, 62.	
468.325do	62.	
468.33125do	33, 62.	
468.3375do	30, 62.	
468.34375do	33, 62.	
468.350do	62.	
468.35625do	33, 62.	
468.3625do	30, 62.	
468.36875do	33, 62.	
468.375do	62.	
468.38125do	33, 62.	
468.3875do	30, 62.	
468.39375do	33, 62.	
468.400do	62.	
468.40625do	33, 62.	
468.4125do	30, 62.	
468.41875do	33, 62.	
468.425do	62.	
468.43125do	33, 62.	
468.4375do	30, 62.	
468.44375do	33, 62.	
468.450do	62.	
468.45625do	33, 62.	
468.4625do	30, 62.	
468.46875do	33, 62.	
468.475do	62.	
468.48125do	33, 62.	

INDUSTRIAL/BUSINESS POOL FREQUENCY
TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
468.4875do	30, 62.	
468.49375do	33, 62.	
468.500do	62.	
468.50625do	33, 62.	
468.5125do	30, 62.	
468.51875do	33, 62.	
468.525do	62.	
468.53125do	33, 62.	
468.5375do	30, 62.	
468.54375do	33, 62.	
468.550do	62.	
468.55625do	33, 62.	
468.5625do	30, 62.	
468.56875do	33, 62.	
468.575do	62.	
468.58125do	33, 62.	
468.5875do	30, 62.	
468.59375do	33, 62.	
468.600do	62.	
468.60625do	33, 62.	
468.6125do	30, 62.	
468.61875do	33, 62.	
468.625do	62.	
468.63125do	33, 62.	
468.6375do	30, 62.	
468.64375do	33, 62.	
468.650do	62.	
468.65625do	33, 62.	
468.6625do	30, 62.	
468.66875do	33, 62.	
468.675do	62.	
468.68125do	33, 62.	
468.6875do	30, 62.	
468.69375do	33, 62.	
468.700do	62.	
468.70625do	33, 62.	
468.7125do	30, 62.	
468.71875do	33, 62.	
468.725do	62.	
468.73125do	33, 62.	
468.7375do	30, 62.	
468.74375do	33, 62.	
468.750do	62.	
468.75625do	33, 62.	
468.7625do	30, 62.	
468.76875do	33, 62.	
468.775do	62.	
468.78125do	33, 62.	
468.7875do	30, 62.	
468.79375do	33, 62.	
468.800do	62.	
468.80625do	33, 62.	
468.8125do	30, 62.	
468.81875do	33, 62.	
468.825do	62.	
468.83125do	33, 62.	
468.8375do	30, 62.	
468.84375do	33, 62.	
468.850do	62.	
468.85625do	33, 62.	
468.8625do	30, 62.	
468.86875do	33, 62.	
468.875do	62.	
468.88125do	33, 62.	
468.8875do	30, 62.	
468.89375do	33, 62.	
468.900do	62.	
468.90625do	33, 62.	
468.9125do	30, 62.	
468.91875do	33, 62.	

§ 90.35

47 CFR Ch. I (10–1–14 Edition)

INDUSTRIAL/BUSINESS POOL FREQUENCY
TABLE—Continued

INDUSTRIAL/BUSINESS POOL FREQUENCY
TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
468.925do	62.	
468.93125do	33, 62.	
468.9375do	30, 62.	
468.94375do	33, 62.	
468.950do	62.	
468.95625do	33, 62.	
468.9625do	30, 62.	
468.96875do	33, 62.	
468.975do	62.	
468.98125do	33, 62.	
468.9875do	30, 62.	
468.99375do	33, 62.	
469.000do	62.	
469.00625do	33, 62.	
469.0125do	30, 62.	
469.01875do	33, 62.	
469.025do	62.	
469.03125do	33, 62.	
469.0375do	30, 62.	
469.04375do	33, 62.	
469.050do	62.	
469.05625do	33, 62.	
469.0625do	30, 62.	
469.06875do	33, 62.	
469.075do	62.	
469.08125do	33, 62.	
469.0875do	30, 62.	
469.09375do	33, 62.	
469.100do	62.	
469.10625do	33, 62.	
469.1125do	30, 62.	
469.11875do	33, 62.	
469.125do	62.	
469.13125do	33, 62.	
469.1375do	30, 62.	
469.14375do	33, 62.	
469.150do	62.	
469.15625do	33, 62.	
469.1625do	30, 62.	
469.16875do	33, 62.	
469.175do	62.	
469.18125do	33, 62.	
469.1875do	30, 62.	
469.19375do	33, 62.	
469.200do	62.	
469.20625do	33, 62.	
469.2125do	30, 62.	
469.21875do	33, 62.	
469.225do	62.	
469.23125do	33, 62.	
469.2375do	30, 62.	
469.24375do	33, 62.	
469.250do	62.	
469.25625do	33, 62.	
469.2625do	30, 62.	
469.26875do	33, 62.	
469.275do	62.	
469.28125do	33, 62.	
469.2875do	30, 62.	
469.29375do	33, 62.	
469.300do	62.	
469.30625do	33, 62.	
469.3125do	30, 62.	
469.31875do	33, 62.	
469.325do	62.	
469.33125do	33, 62.	
469.3375do	30, 62.	
469.34375do	33, 62.	
469.350do	62.	
469.35625do	33, 62.	

Frequency or band	Class of station(s)	Limitations	Coordinator
469.3625do	30, 62.	
469.36875do	33, 62.	
469.375do	62.	
469.38125do	33, 62.	
469.3875do	30, 62.	
469.39375do	33, 62.	
469.400do	62.	
469.40625do	33, 62.	
469.4125do	30, 62.	
469.41875do	33, 62.	
469.425do	62.	
469.43125do	33, 62.	
469.4375do	30, 62.	
469.44375do	33, 62.	
469.450do	62.	
469.45625do	33, 62.	
469.4625do	30, 62.	
469.46875do	33, 62.	
469.475do	62.	
469.48125do	33, 86.	
469.4875do	83, 86.	
469.500do	10, 34.	
469.5125do	83, 86.	
469.51875do	33, 86.	
469.525do	62.	
469.53125do	33, 86.	
469.5375do	83, 86.	
469.550do	10, 34.	
469.5625do	83, 86.	
469.56875do	33, 86.	
469.575do	62.	
469.58125do	33, 62.	
469.5875do	30, 62.	
469.59375do	33, 62.	
469.600do	62.	
469.60625do	33, 62.	
469.6125do	30, 62.	
469.61875do	33, 62.	
469.625do	62.	
469.63125do	33, 62.	
469.6375do	30, 62.	
469.64375do	33, 62.	
469.650do	62.	
469.65625do	33, 62.	
469.6625do	30, 62.	
469.66875do	33, 62.	
469.675do	62.	
469.68125do	33, 62.	
469.6875do	30, 62.	
469.69375do	33, 62.	
469.700do	62.	
469.70625do	33, 62.	
469.7125do	30, 62.	
469.71875do	33, 62.	
469.725do	62.	
469.73125do	33, 62.	
469.7375do	30, 62.	
469.74375do	33, 62.	
469.750do	62.	
469.75625do	33, 62.	
469.7625do	30, 62.	
469.76875do	33, 62.	
469.775do	62.	
469.78125do	33, 62.	
469.7875do	30, 62.	
469.79375do	33, 62.	
469.800do	62.	
469.80625do	33, 62.	
469.8125do	30, 62.	
469.81875do	33, 62.	

INDUSTRIAL/BUSINESS POOL FREQUENCY
TABLE—Continued

Frequency or band	Class of station(s)	Limitations	Coordinator
469.825do	62.	
469.83125do	33, 62.	
469.8375do	30, 62.	
469.84375do	33, 62.	
469.850do	62.	
469.85625do	33, 62.	
469.8625do	30, 62.	
469.86875do	33, 62.	
469.875do	62.	
469.88125do	33, 62.	
469.8875do	30, 62.	
469.89375do	33, 62.	
469.900do	62.	
469.90625do	33, 62.	
469.9125do	30, 62.	
469.91875do	33, 62.	
469.925do	62.	
469.93125do	33, 62.	
469.9375do	30, 62.	
469.94375do	33, 62.	
469.950do	62.	
469.95625do	33, 62.	
469.9625do	30, 62.	
469.96875do	33, 62.	
469.975do	62.	
469.98125do	33, 62.	
470 to 512	Base or mobile	70.	
809 to 824	Mobile	71	
854 to 869	Base or mobile	71	
896 to 901	Mobile	71.	
928 and above	Operational fixed.	72.	
929 to 930	Base only	73.	
935 to 940	Base or mobile	71.	
1427 to 1432	Base, mobile or operational fixed.	55	
2,450 to 2,500	Base or mobile	74.	
5850-5925do	90, 91	Not applicable.
10,550 to 10,680do	76.	

circuits permitted by the Commission's rules. Circuits operating on these frequencies may be used only for the following purposes:

(A) Providing standby backup communications for circuits which have been disrupted and which directly affect the safety of life, property, or the national interest or are used for coordinating inter-utility, intra-utility, and power pool distribution of electric power;

(B) Providing operational circuits during exploration;

(C) Coordinating the repair of inter-utility, intra-utility, and power pool electric power distribution networks, or the repair of pipelines;

(D) Exploratory efforts in mining for solid fuels, minerals, and metals important to the national interest;

(E) Repair of pipelines used for the transmission of fuel or water;

(F) Services supporting the exploration for energy or mineral resources important to the national interest, without which such exploration cannot be conducted; or

(G) Coordinating the repair of wireline or point-to-point microwave circuits.

(2) [Reserved]

(3) This frequency is available for assignment only to stations utilized for geophysical purposes.

(4) Geophysical operations may use tone or impulse signaling for purposes other than indicating failure of equipment or abnormal conditions on this frequency. All such tone or impulse signaling shall be on a secondary basis and subject to the following limitations:

(i) Maximum duration of a single non-voice transmission may not exceed 3 minutes;

(ii) The bandwidth utilized for secondary tone or impulse signaling shall not exceed that authorized to the licensee for voice emission on the frequency concerned;

(iii) Frequency loading resulting from the use of secondary tone or impulse signaling will not be considered in whole or in part, as a justification for authorizing additional frequencies in the licensee's mobile service system; and

(c) Explanation of assignment limitations appearing in the frequency table of paragraph (b)(3) of this section:

(1) Use of this frequency is permitted as follows:

(i) Only entities engaged in the following activities are eligible to use this spectrum, and then only in accordance with §90.266:

(A) Prospecting for petroleum, natural gas or petroleum products;

(B) Distribution of electric power or the distribution by pipeline of fuels or water;

(C) Exploration, its support services, and the repair of pipelines; or

(D) The repair of telecommunications circuits.

(ii) Except as provided in this part, licensees may not use these frequencies in the place of other operational cir-

§ 90.35

47 CFR Ch. I (10–1–14 Edition)

(iv) The maximum transmitter output power for tone or impulse transmissions shall not exceed 50 watts.

(5) Frequencies below 25 MHz will be assigned to base or mobile stations only upon a satisfactory showing that, from a safety of life standpoint, frequencies above 25 MHz will not meet the operational requirements of the applicant.

(6) Frequencies may be assigned in pairs with the separation between base and mobile transmit frequencies being 5.26 MHz. A mobile station may be assigned the frequency which would normally be assigned to a base station for single frequency operation. However, this single-frequency operation may be subject to interference that would not occur to a two-frequency system. Base or mobile stations operating wholly within Standard Metropolitan Areas having 50,000 or more population (1950 Census) must be operated in the half-duplex mode.

(7) This frequency is available for assignment to geophysical stations on a secondary basis to other licensees. Geophysical stations must cease operations on this frequency immediately upon receiving notice that interference is being caused to mobile service stations.

(8) This frequency is primarily available for oil spill containment and cleanup operations and for training and drills essential in the preparations for the containment and cleanup of oil spills. It is secondarily available for general base-mobile operations on a noninterference basis. Secondary users of this frequency are required to forego its use should oil spill containment and cleanup activities be present in their area of operation or upon notice by the Commission or a primary user that harmful interference is being caused to oil spill containment or cleanup activities in other areas.

(9) Operation on this frequency is secondary to stations in the maritime mobile service operating in accordance with the International table of frequency allocations.

(10) This frequency will be assigned only to stations used in itinerant operations, except within 56 km (35 miles) of Detroit, Mich., where it may be as-

signed for either itinerant or permanent area operations (*i.e.*, general use).

(11) Operation on this frequency is limited to a maximum output power of 2 watts; and each station authorized will be classified and licensed as a mobile station. Any units of such a station, however, may provide the operational functions of a base or fixed station on a secondary basis to mobile service operations, Provided, that the separation between the control point and the center of the radiating portion of the antenna of any units so used does not exceed 8 m (25 ft.).

(12) This frequency may not be used aboard aircraft in flight.

(13) This frequency is shared with the Public Safety Pool.

(14) Operation on this frequency is limited to a maximum output power of 1 watt and each station authorized will be classified and licensed as a mobile station. Any units of such a station, however, may provide the operational functions of a base or fixed station on a secondary basis to mobile service operations, provided that the separation between the control point and the center of the radiating portion of the antenna of any units so used does not exceed 8m (25 ft.).

(15) This Government frequency is available for shared Government/non-Government use by stations engaged in oil spill containment and cleanup operations and for training and drills essential in the preparation for containment and cleanup of oil spills. Such use will be confined to inland and coastal waterways.

(16) This frequency may be assigned only to stations operating in an interconnected or coordinated utility system in accordance with an operational communications plan which sets forth all points of communications. Authorizations at variance with an established operational communications plan will be made only on a secondary basis.

(17) This frequency will be assigned only to stations used in itinerant operations.

(18) This frequency is also used on a secondary basis for cordless telephones under part 15 of this chapter.

(19) In addition to single frequency operation, this frequency is available

to base and mobile stations for the paired frequency mode of operation. For two frequency systems, the separation between base and mobile transmit frequencies is 500 kHz with the base stations transmitting on the higher of the two frequencies.

(20) In the State of Alaska only, the frequency 44.10 MHz is available for assignment on a primary basis to stations in the Common Carrier Rural Radio Service utilizing meteor burst communications. The frequency may be used by private radio stations for meteor burst communications on a secondary, non-interference basis. Usage shall be in accordance with parts 22 and 90 of this chapter. Stations utilizing meteor burst communications shall not cause harmful interference to stations of other radio services operating in accordance with the allocation table.

(21) In the State of Alaska only, the frequency 44.20 MHz is available for assignment on a primary basis to private land mobile radio stations utilizing meteor burst communications. The frequency may be used by common carrier stations for meteor burst communications on a secondary, non-interference basis. Usage shall be in accordance with parts 22 and 90 of this chapter. Stations utilizing meteor burst communications shall not cause harmful interference to stations of other radio services operating in accordance with the allocation table.

(22) The frequencies available for use at operational fixed stations in the band 72-76 MHz are listed in §90.257(a)(1). These frequencies are shared with other services and are available only in accordance with the provisions of §90.257. Seismic telemetry transmitters certificated with 1 watt or less power and a frequency tolerance not exceeding $\pm 0.005\%$ may be used as temporary operational fixed stations.

(23) This frequency is shared with fixed stations in other services and is subject to no protection from interference.

(24) All operations on this frequency are subject to the provisions of §90.257(b).

(25) This frequency is shared with the Radio Control (R/C) Service, of the part 95 Personal Radio Services, where it is

used solely for the radio control of models.

(26) Pulsed modulations will not be authorized on this frequency.

(27) Assignment of frequencies in this band are subject to the provisions of §90.173. In the 150-170 MHz band, licensees as of August 18, 1995 who operate systems that are 2.5 kHz removed from regularly assignable frequencies may continue to operate on a secondary, non-interference basis after August 1, 2003.

(28) In Puerto Rico and the Virgin Islands this frequency is subject to the following:

(i) This frequency is assigned only for one-way paging communications to mobile receivers. Only A1D, A2D, A3E, F1D, F2D, F3E, or G3E emissions may be authorized. Licensees may provide one-way paging communications on this frequency to individuals, persons eligible for licensing under subparts B or C of this part, to representatives of Federal Government agencies, and foreign governments and their representatives; and

(ii) This frequency will not be assigned to stations for use at temporary locations.

(29) This frequency will be authorized a channel bandwidth of 25 kHz. Except when limited elsewhere, one-way paging transmitters on this frequency may operate with an output power of 350 watts.

(30) This frequency will be assigned with an authorized bandwidth not to exceed 11.25 kHz. In the 450-470 MHz band, secondary telemetry operations pursuant to §90.238(e) will be authorized on this frequency.

(31) Use of this frequency is limited to stations located in Puerto Rico and the Virgin Islands.

(32) This frequency is not available to stations located in Puerto Rico and the Virgin Islands.

(33) This frequency will be assigned with an authorized bandwidth not to exceed 6 kHz.

(34) Operation on this frequency is limited to a maximum output power of 35 watts.

(35) This frequency may be used for mobile operation for radio remote control and telemetering functions. A1D,

§ 90.35

47 CFR Ch. I (10–1–14 Edition)

A2D, F1D, or F2D emission may be authorized and mobile stations used to control remote objects or devices may be operated on the continuous carrier transmit mode.

(36) This frequency is assigned only for one-way paging communications to mobile receivers. Only A1D, A2D, A3E, F1D, F2D, F3E, or G3E emissions may be authorized. Licensees may provide one-way paging communications on this frequency to individuals, persons eligible for licensing under subparts B or C of this part, to representatives of Federal Government agencies, and foreign governments and their representatives.

(37) This frequency is available on a secondary basis to one-way paging communications.

(38) This frequency will not be assigned to stations for use at temporary locations.

(39) For FM transmitters the sum of the highest modulating frequency and the amount of frequency deviation may not exceed 2.8 kHz and the maximum frequency deviation may not exceed 2.5 kHz. For AM transmitters the highest modulating frequency may not exceed 2.0 kHz. The carrier frequency must be maintained within 0.0005 percent, and the authorized bandwidth may not exceed 6 kHz.

(40) This frequency is shared with the Public Safety Pool for remote control and telemetry operations.

(41) Operational fixed stations must employ directional antennas having a front-to-back ratio of at least 20 dB. Omnidirectional antennas having unity gain may be employed for stations communicating with at least three receiving locations separated by 160 deg. of azimuth.

(42) The maximum effective radiated power (ERP) may not exceed 20 watts for fixed stations and 2 watts for mobile stations. The height of the antenna system may not exceed 15.24 meters (50 ft.) above the ground. All such operation is on a secondary basis to adjacent channel land mobile operations.

(43) This frequency is available for the following:

(i) Assignment to multiple address fixed stations employing omnidirectional antennas used for power utility peak load shaving and shedding

and to mobile stations used for the remote control of objects and devices. The maximum power that may be authorized to fixed stations is 300 watts output, and the maximum power that may be authorized for mobile stations is 1 watt output. This frequency may also be assigned to operational fixed stations employing directional antenna systems (front-to-back ratio of 20 dB) when such stations are located at least 120 km. (75 mi.) from the boundaries of any urbanized area of 200,000 or more population. (U.S. Census of Population, 1960). The maximum power output of the transmitter for such fixed stations may not exceed 50 watts. A1A, A1D, A2B, A2D, F1B, F1D, F2B, F2D, G1B, G1D, G2B, or G2D emission may be authorized; or

(ii) On a secondary basis for remote control and telemetry operations, subject to paragraphs (c)(41), (42), (43), (46), and (47) of this section.

(44) The maximum output power of the transmitter may not exceed 50 watts for fixed stations and 1 watt for mobile stations. A1A, A1D, A2B, A2D, F1B, F1D, F2B, F2D, G1B, G1D, G2B, or G2D emission may be authorized, and mobile stations used to control remote objects and devices may be operated in the continuous transmit mode.

(45) [Reserved]

(46) This frequency is limited to a maximum power of 20 watts.

(47) This frequency may be used for mobile operation for remote control and telemetering functions. A1D, A2D, F1D, or F2D emission may be authorized. The use of the continuous carrier transmit mode for these purposes is permitted only for stations authorized and continuously licensed since before May 21, 1971.

(48) Operation on this frequency is limited to a maximum output power of 20 watts.

(49) Operation on this frequency is limited to a maximum output power of 75 watts.

(50) This frequency may also be used for the transmission of tone or voice communications, including such communications when prerecorded, for purposes of automatically indicating abnormal conditions of trackage and railroad rolling stock when in motion, on a secondary basis to other stations on

this frequency. All such operations shall be subject to the following:

(i) The output power shall not exceed 30 watts;

(ii) The bandwidth used shall not exceed that authorized to the licensee for voice transmissions on the frequency concerned;

(iii) The station shall be so designed and installed that it can normally be activated only by its associated automatic control equipment and, in addition, it shall be equipped with a time delay or clock device which will deactivate the station within three (3) minutes following activation by the last car in the train; and

(iv) Stations authorized pursuant to the provisions of this paragraph are exempt from the station identification requirements of § 90.425.

(51) In Puerto Rico and the Virgin Islands only, this frequency is available on a shared basis with remote pickup broadcast stations.

(52) In Puerto Rico and the Virgin Islands only, this frequency is available to all stations operating in the Industrial/Business Pool and may be coordinated by any frequency coordinator certified in the Industrial/Business Pool.

(53) Frequencies in this band will be assigned only for transmitting hydrological or meteorological data or for low power wireless microphones in accordance with the provisions of § 90.265.

(54) For FM transmitters the sum of the highest modulating frequency and the amount of frequency deviation may not exceed 1.7 kHz and the maximum deviation may not exceed 1.2 kHz. For AM transmitters the highest modulating frequency may not exceed 1.2 kHz. The carrier frequency must be maintained within 0.0005 percent and the authorized bandwidth may not exceed 3 kHz.

(55) This band is available to stations operating in this service subject to the provisions of § 90.259.

(56) Subpart T of this part contains rules for assignment of frequencies in the 220–222 MHz band.

(57) The requirements for secondary fixed use of frequencies in this band are set forth in § 90.261.

(58) Operational fixed assignments on this frequency will only be made to an itinerant fixed control or relay station on a secondary basis to land-mobile stations in the Industrial/Business Pool, provided that the fixed relay or control station is to be associated with base and mobile facilities authorized to use other frequencies available for itinerant operation in the Industrial/Business Pool. All such use of these frequencies for fixed systems is limited to locations 161 or more km. (100 mi.) from the center of any urbanized area of 200,000 or more population, except that the distance may be 120 km. (75 mi.) if the output power does not exceed 20 watts. All such fixed systems are limited to a maximum of two frequencies and must employ directional antennas with a front-to-back ratio of at least 15 dB. The centers of urbanized areas of 200,000 or more population are determined from the appendix, page 226, of the U.S. Commerce publication, "Air Line Distance Between Cities in the United States." Urbanized areas of 200,000 or more population are defined in the U.S. Census of Population, 1960, volume 1, table 23, page 1–50.

(59) This frequency may be assigned primarily for stations used for the purpose of controlling slave locomotives that are placed within a train to assist the lead locomotive by providing, among other functions, auxiliary starting, pulling, and braking actions. Additionally, on a secondary basis this frequency may be assigned for remote control of all types of locomotives and, within a railroad yard or terminal area, for remote control of cab indicator devices placed with a locomotive to give visual signals to the operator of the locomotive. (A1, A2, F1 or F2 emissions may be authorized.)

(60)(i) This frequency is available for voice or non-voice communications concerned with cargo handling from a dock or cargo handling facility, a vessel alongside the dock, or cargo handling facility. The effective radiated power (ERP) shall not exceed 2 watts. Mobile relay stations may be temporarily installed on vessels located at or in the vicinity of a dock or cargo handling facility. The center of the radiating system of the mobile relay shall be located no more than 3 meters (10

§ 90.35

47 CFR Ch. I (10–1–14 Edition)

feet) above the vessel's highest working dock.

(ii) This frequency is also available for low power non-cargo handling operations, both voice and non-voice, on a secondary basis to cargo handling communications. Such operations are not subject to the power limitations in paragraph (c)(60)(i) of this section on the following frequencies: 457.525 MHz, 457.550 MHz, 457.5625 MHz, 457.575 MHz, 457.5875 MHz, 457.600 MHz, and 457.6125 MHz. This frequency will not be assigned for non-cargo handling operations at temporary locations.

(iii) For mobile relay operations under paragraph (c)(60)(i) of this section, frequency pairing is as follows:

Mobile relay (MHz) ¹	Mobile (MHz)
457.525	467.750
457.53125	467.75625
457.5375	467.7625
457.54375	467.76875
457.550	467.775
457.55625	467.78125
457.5625	467.7875
457.56875	467.79375
457.575	467.800
457.58125	467.80625
457.5875	467.8125
457.59375	467.81875
457.600	467.825
457.60625	467.83125
457.6125	
457.61875	

¹ The mobile relay frequencies may also be used for single frequency simplex.

(61) This frequency is available for assignment as follows:

(i) To persons furnishing commercial air transportation service or, pursuant

to § 90.179, to an entity furnishing radio communications service to persons so engaged, for stations located on or near the airports listed in paragraph (c)(61)(iv) of this section. Stations will be authorized on a primary basis and may be used only in connection with servicing and supplying of aircraft. Operation on this frequency is limited to a maximum effective radiated power (ERP) of 100 watts at locations within 16 km (10 miles) of the coordinates of the listed airports.

(ii) To stations in the Industrial/Business Pool for secondary use at locations 80 km (approximately 50 miles) or more from the coordinates of the listed airports. Operation will be limited to a maximum ERP of 300 watts.

(iii) To stations in the Industrial/Business Pool for secondary use at locations greater than 16 km (approximately 10 miles) but less than 80 km (approximately 50 miles) from the coordinates of the listed airports. Operation will be limited to a maximum ERP of 10 watts. Use of this frequency is restricted to the confines of an industrial complex or manufacturing yard area. Stations licensed prior to April 25, 2005, may continue to operate with facilities authorized as of that date.

(iv) The airports and their respective reference coordinates are (coordinates are referenced to North American Datum 1983 (NAD83)):

City and airport	Reference coordinates	
	N. Latitude	W. Longitude
Aberdeen, SD: Aberdeen Regional (ABR)	45°26'56.6"	98°25'18.6"
Agana, GU: Guam International (GUM)	13°29'00.4"	144°47'45.5" E
Akron, OH: Akron-Canton Regional (CAK)	40°54'58.7"	81°26'32.9"
Alamosa, CO: San Luis Valley Regional/Bergman Field (ALS)	37°26'05.7"	105°51'59.6"
Albany, NY: Albany Int'l (ALB)	42°44'53.2"	73°48'10.7"
Albuquerque, NM: Albuquerque International Sunport (ABQ)	35°02'24.8"	106°36'33.1"
Allentown-Bethlehem, PA: Lehigh Valley Int'l (ABE)	40°39'08.5"	75°26'25.5"
Amarillo, TX: Amarillo International (AMA)	35°13'09.7"	101°42'21.3"
Anchorage, AK: Ted Stevens Anchorage International (ANC)	61°10'27.6"	149°59'46.3"
Appleton, WI: Outagamie County Regional (ATW)	44°15'26.7"	88°31'10.1"
Aspen, CO: Aspen-Pitkin County/Sardy Field (ASE)	39°13'23.4"	106°52'07.9"
Atlanta, GA:		
Atlanta International (ATL)	33°38'25.6"	84°25'37.0"
DeKalb-Peachtree (PDK)	33°52'32.2"	84°18'07.1"
Fulton County (FTY)	33°46'44.9"	84°31'16.9"
Austin, TX: Austin Bergstrom International (AUS)	30°11'40.3"	97°40'11.5"
Bakersfield, CA: Meadows Field (BFL)	35°26'00.9"	119°03'24.4"
Baltimore, MD: Baltimore-Washington Int'l (BWI)	39°10'31.5"	76°40'05.5"
Baton Rouge, LA: Baton Rouge Metropolitan (BTR)	30°31'59.4"	91°08'58.7"
Billings, MT: Billings Logan International (BIL)	45°48'27.6"	108°32'34.3"
Birmingham, AL: Birmingham Int'l (BHM)	33°33'46.6"	86°45'12.8"

Federal Communications Commission

§ 90.35

City and airport	Reference coordinates	
	N. Latitude	W. Longitude
Bismarck, ND: Bismarck Municipal (BIS)	46°46'21.8"	100°44'44.7"
Boise, ID: Boise Air Terminal (BOI)	43°33'52.0"	116°13'22.0"
Boston, MA: Logan International (BOS)	42°21'51.7"	71°00'18.7"
Bozeman, MT: Gallatin Field (BZN)	45°46'36.8"	111°09'10.8"
Bridgeport, CT: Sikorsky Memorial (BDR)	41°09'48.5"	73°07'34.2"
Buffalo, NY: Buffalo Niagara Int'l (BUF)	42°56'25.9"	78°43'55.8"
Burlington, VT: Burlington Int'l (BTV)	44°28'18.7"	73°09'11.8"
Cedar Rapids, IA: The Eastern Iowa (CID)	41°53'04.5"	91°42'39.1"
Charleston, SC: Charleston AFB/International (CHS)	32°53'55.1"	80°02'25.8"
Charlotte, NC: Charlotte-Douglas Int'l (CLT)	35°12'50.4"	80°56'35.3"
Chattanooga, TN: Lovell (CHA)	35°02'06.9"	85°12'13.6"
Chicago, IL-Northwest, IN:		
Chicago-Wheeling-Palwaukee (PWK)	42°06'51.1"	87°54'05.3"
Meigs (CGX)	41°51'31.8"	87°36'28.5"
South Bend Regional (SBN)	41°42'32.2"	86°19'06.5"
Midway (MDW)	41°47'09.5"	87°45'08.7"
O'Hare International (ORD)	41°58'46.5"	87°54'16.1"
West Chicago-Dupage (DPE)	41°54'24.8"	88°14'54.3"
Cincinnati, OH:		
Cincinnati-Blue Ash (ISZ)	39°14'48.1"	84°23'20.3"
Lunken (LUK)	39°06'12.0"	84°25'07.0"
Cleveland, OH:		
Burke Lakefront (BKL)	41°31'03.0"	81°41'00.0"
Cuyahoga County (CGF)	41°33'54.5"	81°29'10.9"
Hopkins International (CLE)	41°24'39.2"	81°50'57.8"
Columbia, SC: Columbia Metropolitan (CAE)	33°56'19.8"	81°07'10.3"
Columbus, GA: Columbus Metropolitan (CSG)	32°30'58.8"	84°56'19.9"
Columbus, OH:		
Port Columbus Int'l (CMH)	39°59'52.8"	82°53'30.8"
Rickenbacker International (LCK)	39°48'49.5"	82°55'40.3"
Corpus Christi, TX: Corpus Christi International (CRP)	27°46'13.3"	97°30'04.4"
Covington/Cincinnati, KY: Cincinnati/Northern Kentucky Int'l (CVG)	39°02'46.1"	84°39'43.8"
Crescent City, CA: Jack McNamara Field (CEC)	41°46'48.6"	124°14'11.5"
Dallas, TX:		
Addison (ADS)	32°58'06.8"	96°50'11.2"
Dallas-Ft. Worth Int'l (DFW)	32°53'45.4"	97°02'13.9"
Dallas-Love Field (DAL)	32°50'49.6"	96°51'06.4"
Red Bird (RBD)	32°40'51.1"	96°52'05.5"
Davenport, IA (Rock Island, Moline, IL):		
Davenport Municipal (DVN)	41°36'37.0"	90°35'18.0"
Quad City (MLI)	41°26'54.7"	90°30'27.1"
Dayton, OH: Dayton International (DAY)	39°54'08.6"	84°13'09.8"
Denver, CO:		
Centennial (APA)	39°34'12.5"	104°50'57.5"
Colorado Springs Municipal (COS)	38°48'20.9"	104°42'00.9"
Jeffco (BJC)	39°54'31.6"	105°07'01.9"
Denver International (DEN)	39°51'30.3"	104°40'01.2"
Des Moines, IA: Des Moines Int'l (DSM)	41°32'05.8"	93°39'38.5"
Detroit, MI:		
Detroit City (DET)	42°24'33.1"	83°00'35.5"
Detroit Metro-Wayne County (DTW)	42°12'43.4"	83°20'55.8"
Oakland-Pontiac (PTK)	42°39'54.7"	83°25'07.4"
Willow Run (YIP)	42°14'16.5"	83°31'49.5"
Duluth, MN: Duluth International (DLH)	46°50'31.5"	92°11'37.1"
Durango, CO: Durango-La Plata County (DRO)	37°09'05.5"	107°45'13.6"
Eagle, CO: Eagle County Regional (EGE)	39°38'33.2"	106°55'03.7"
El Paso, TX: El Paso International (ELP)	31°48'24.0"	106°22'40.1"
Eugene, OR: Mahlon Sweet Field (EUG)	44°07'23.7"	123°13'07.3"
Eureka, CA: Eureka Municipal (033)	40°46'51.4"	124°12'44.2"
Fargo, ND: Hector International (FAR)	46°55'09.7"	96°48'53.9"
Flint, MI: Bishop (FNT)	42°57'55.8"	83°44'36.4"
Ft. Lauderdale-Hollywood, FL:		
Ft. Lauderdale Executive (FXE)	26°11'50.2"	80°10'14.6"
Ft. Lauderdale-Hollywd Int'l (FLL)	26°04'21.3"	80°09'09.9"
Ft. Meyers, FL: Page Field (FMY)	26°35'11.8"	81°51'47.7"
Ft. Meyers, FL: Southwest Florida International (RSW)	26°32'10.2"	81°45'18.6"
Ft. Wayne, IN: Fort Wayne International (FWA)	40°58'42.5"	85°11'42.5"
Ft. Worth, TX:		
Fort Worth Alliance (AFW)	32°59'12.5"	97°19'07.7"
Meacham (FTW)	32°49'11.2"	97°21'44.8"
Fresno, CA:		
Fresno-Chandler Downtown (FCH)	36°43'56.5"	119°49'11.6"

City and airport	Reference coordinates	
	N. Latitude	W. Longitude
Fresno Yosemite Int'l (FAT)	36°46'34.3"	119°43'05.3"
Gainesville, FL: Gainesville Regional (GNV)	29°41'24.2"	82°16'18.4"
Grand Forks, ND: Grand Forks International (GFK)	47°56'57.3"	97°10'34.0"
Grand Rapids, MI: Gerald R. Ford Int'l (GRR)	42°52'51.0"	85°31'22.1"
Great Falls, MT: Great Falls International (GTF)	47°28'55.2"	111°22'14.5"
Green Bay, WI: Austin Straubel Int'l (GRB)	44°29'06.3"	88°07'46.5"
Greensboro, NC: Piedmont Triad International (GSO)	36°05'51.9"	79°56'14.3"
Greer, SC: Greenville-Spartanburg Int'l (GSP)	34°53'44.4"	82°13'07.9"
Gunnison, CO: Gunnison County (GUC)	38°32'02.2"	106°55'58.9"
Hana, HI: Hana (HNM)	20°47'44.3"	156°00'52.0"
Haringen, TX: Valley International (HRL)	26°13'42.6"	97°39'15.8"
Harrisburg, PA:		
Capital City (CXY)	40°13'01.7"	76°51'05.3"
Harrisburg Int'l (MDT)	40°11'36.6"	76°45'48.3"
Hartford, CT (Windsor Locks):		
Bradley Int'l (BDL)	41°56'20.0"	72°40'59.6"
Hartford-Brainard (HFD)	41°44'10.6"	72°39'00.8"
Hayden, CO: Yampa Valley (HDN)	40°28'52.2"	107°13'03.6"
Hilo, HI: Hilo Int'l (ITO)	19°43'12.9"	155°02'54.5"
Honolulu, HI: Honolulu International (HNL)	21°19'07.3"	157°55'20.7"
Houston, TX:		
W.P. Hobby (HOU)	29°38'43.5"	95°16'44.0"
D.W. Hooks Memorial (DWH)	30°03'42.7"	95°33'10.0"
George Bush Intercontinental (IAH)	29°58'49.7"	95°20'23.0"
Indianapolis, IN: Indianapolis Int'l (IND)	39°43'02.4"	86°17'39.8"
Jackson Hole, WY: Jackson Hole (JAC)	43°36'26.4"	110°44'15.9"
Jacksonville, FL:		
Craig Municipal (CRG)	30°20'10.8"	81°30'52.0"
Jacksonville Int'l (JAX)	30°29'38.6"	81°41'16.3"
Kalamazoo, MI: Kalamazoo/Battle Creek International (AZO)	42°14'05.5"	85°33'07.4"
Kalispell, MT: Glacier Park International (FCA)	48°18'41.1"	114°15'18.2"
Kansas City, MO-KS:		
Kansas City Int'l (MCI)	39°17'51.4"	94°42'50.1"
Kansas City Municipal Dntn (MCK)	39°07'23.7"	94°35'33.9"
Kauna Kakai, HI: Molokai (MKK)	21°09'10.4"	157°05'46.5"
Knoxville, TN: McGhee Tyson (TYS)	35°48'44.9"	83°59'34.3"
Lacrosse, WI: Lacrosse Municipal (LSE)	43°52'46.5"	91°15'24.6"
Lansing, MI: Capital City (LAN)	42°46'43.3"	84°35'14.5"
Las Vegas, NV: McCarran Int'l (LAS)	36°04'49.3"	115°09'08.4"
Lihue, HI: Lihue (LIH)	21°58'33.5"	159°20'20.3"
Lincoln, NE: Lincoln Municipal (LNK)	40°51'03.5"	96°45'33.3"
Little Rock, AR: Adams Field (LIT)	34°43'48.8"	92°13'27.3"
Los Angeles, CA:		
Burbank-Glendale-Pasadena (BUR)	34°12'02.2"	118°21'30.6"
Catalina (AVX)	33°24'17.8"	118°24'57.1"
Long Beach-Daugherty Field (LGB)	33°49'03.8"	118°09'05.8"
Los Angeles Int'l (LAX)	33°56'33.1"	118°24'29.1"
Ontario Int'l (ONT)	34°03'21.6"	117°36'04.3"
Santa Ana-John Wayne-Orange City (SNA)	33°40'32.4"	117°52'05.6"
Louisville, KY: Louisville Int'l-Standiford Field (SDF)	38°10'27.8"	85°44'09.6"
Lubbock, TX: Lubbock International (LBB)	33°39'49.1"	101°49'22.0"
Lynchburg, VA: Lynchburg Regional-Preston Glen Field (LYH)	37°19'36.1"	79°12'01.6"
Madison, WI: Dane County Regional-Truax Field (MSN)	43°08'23.5"	89°20'15.1"
Manchester, NH: Manchester (MHT)	42°56'04.3"	71°26'13.4"
Memphis, TN: Memphis Int'l (MEM)	35°02'32.7"	89°58'36.0"
Miami, FL:		
Miami Int'l (MIA)	25°47'35.7"	80°17'26.0"
Opa Locka (OPF)	25°54'25.2"	80°16'42.2"
Kendall-Tamiami Executive (TMB)	25°38'52.4"	80°25'58.0"
Milwaukee, WI: General Mitchell Int'l (MKE)	42°56'50.0"	87°53'47.7"
Minneapolis-St. Paul, MN: Minneapolis-St. Paul Int'l (MSP)	44°52'49.9"	93°13'00.9"
Minot, ND: Minot International (MOT)	48°15'33.8"	101°16'49.2"
Missoula, MT: Missoula International (MSO)	46°54'58.7"	114°05'26.0"
Mobile, AL: Mobile Regional (MOB)	30°41'29.1"	88°14'34.2"
Modesto, CA: Modesto City-County (MOD)	37°37'32.9"	120°57'15.9"
Monterey, CA: Monterey Peninsula (MRJ)	36°35'13.1"	121°50'34.6"
Montrose, CO: Montrose Regional (MTJ)	38°30'31.9"	107°53'37.8"
Nashville, TN: Nashville Int'l (BNA)	36°07'28.1"	86°40'41.5"
New Haven, CT: Tweed-New Haven Municipal (HVN)	41°15'50.0"	72°53'13.6"
New Orleans, LA:		
Lakefront (NEW)	30°02'32.7"	90°01'41.7"
New Orleans Int'l (MYS)	29°59'36.2"	90°15'28.9"

Federal Communications Commission

§ 90.35

City and airport	Reference coordinates	
	N. Latitude	W. Longitude
Newburgh, NY: Stewart International (SWF)	41°30'14.7"	74°06'17.4"
Newport News-Hampton, VA: Newport News/Williamsburg (PHF)	37°07'54.8"	76°29'34.8"
New York-Northeast, NJ:		
Republic (FRG)	40°43'43.6"	73°24'48.3"
JFK International (JFK)	40°38'23.1"	73°46'44.1"
LaGuardia (LGA)	40°46'38.1"	73°52'21.4"
Long Island-McArthur (ISP)	40°47'42.8"	73°06'00.8"
Morristown Municipal (NJ) (MMU)	40°47'57.7"	74°24'53.5"
Newark Int'l (FWR)	40°41'32.9"	74°10'07.2"
Teterboro (NJ) (TEB)	40°51'00.4"	74°03'39.0"
Norfolk, VA: Norfolk Int'l (ORF)	36°53'40.6"	76°12'04.4"
Oklahoma City, OK:		
Wiley Post (PWA)	35°32'04.4"	97°38'49.9"
Will Rogers World (OKC)	35°23'35.1"	97°36'02.6"
Omaha, NE: Eppley Airfield (OMA)	41°18'09.1"	95°53'39.0"
Orlando, FL:		
Orlando Executive (ORL)	28°32'43.7"	81°19'58.6"
Orlando Int'l (MCO)	28°25'44.0"	81°18'57.7"
Palm Springs, CA: Palm Springs International (PSP)	33°49'46.8"	116°30'24.1"
Peoria, IL: Greater Peoria Regional (PIA)	40°39'51.3"	89°41'35.9"
Philadelphia, PA-NJ:		
Northeast Philadelphia (PNE)	40°04'55.0"	75°00'38.1"
Philadelphia Int'l (PHL)	39°52'19.0"	75°14'28.1"
Phoenix, AZ:		
Phoenix-Sky Harbor Int'l (PHX)	33°26'03.0"	112°00'29.0"
Scottsdale (SDL)	33°37'22.3"	111°54'37.9"
Pittsburgh, PA:		
Allegheny County (AGC)	40°21'15.9"	79°55'48.9"
Pittsburgh Int'l (PIT)	40°29'29.3"	80°13'58.3"
Portland, ME: Portland International Jetport (PWM)	43°38'46.2"	70°18'31.5"
Portland, OR:		
Portland-Hillsboro (HIO)	45°32'25.4"	122°56'59.4"
Portland International (PDX)	45°35'19.4"	122°35'51.0"
Portland-Troutdale (TTD)	45°32'57.7"	122°24'04.5"
Providence-Pawtucket, RI-MA:		
North Central State (SFZ)	41°55'14.7"	71°29'29.0"
T.F. Green State (PVD)	41°43'26.4"	71°25'41.6"
Pueblo, CO: Pueblo Memorial (PUB)	38°17'20.7"	104°29'47.7"
Raleigh/Durham, NC: Raleigh-Durham International (RDU)	35°52'39.5"	78°47'14.9"
Rapid City, SD: Rapid City Regional (RAP)	44°02'43.2"	103°03'26.5"
Reno, NV: Reno/Tahoe International (RNO)	39°29'54.8"	119°46'05.0"
Richmond, VA: Richmond International (RIC)	37°30'18.6"	77°19'10.8"
Roanoke, VA: Roanoke Regional/Woodrum Field (ROA)	37°19'31.7"	79°58'31.5"
Rochester, MN: Rochester International (RST)	43°54'26.0"	92°29'56.4"
Rochester, NY: Greater Rochester Int'l (ROC)	43°07'07.9"	77°40'20.6"
Sacramento, CA:		
Sacramento Executive (SAC)	38°30'45.1"	121°29'36.5"
Sacramento Int'l (SMF)	38°41'43.5"	121°35'26.8"
Saginaw, MI: MBS International (MBS)	43°31'58.5"	84°04'46.7"
Saipan Isl., CQ: Saipan International (GSN)	15°07'08.4"	145°43'45.7" E
St. Louis, MO-IL:		
Spirit of St. Louis (SUS)	38°39'42.7"	90°39'04.4"
St. Louis-Lambert Int'l (STC)	38°44'51.7"	90°21'35.9"
St. Petersburg, FL:		
Albert Whitted Municipal (SPG)	27°45'54.4"	82°37'37.1"
St. Petersburg Clearwater Int'l (PIE)	27°54'38.8"	82°41'14.9"
Salt Lake City, UT: Salt Lake City Int'l (SLC)	40°47'18.2"	111°58'39.9"
San Antonio, TX: San Antonio Int'l (SAT)	29°32'01.3"	98°28'11.2"
San Diego, CA: San Diego Lindbergh Int'l (SAN)	32°44'00.8"	117°11'22.8"
San Francisco-Oakland, CA:		
Metropolitan Oakland Int'l (OAK)	37°43'16.7"	122°13'14.6"
San Francisco Int'l (SFO)	37°37'08.4"	122°22'29.4"
San Jose, CA: San Jose Int'l (SJC)	37°21'42.7"	121°55'44.4"
San Juan, PR: Luis Munoz (SJU)	18°26'21.9"	66°00'06.6"
Santa Barbara, CA: Santa Barbara Municipal (SBA)	34°25'34.4"	119°50'25.3"
Santa Fe, NM: Santa Fe Municipal (SAF)	35°37'00.4"	106°05'17.3"
Sarasota, FL: Sarasota/Bradenton International (SRQ)	27°23'43.2"	82°33'14.8"
Savannah, GA: Savannah International (SAV)	32°07'39.3"	81°12'07.7"
Seattle, WA:		
Boeing/King County Int'l (BFI)	47°26'47.9"	122°18'33.5"
Seattle-Tacoma Int'l (SEA)	47°26'56.3"	122°18'33.5"
Shreveport, LA:		
Shreveport Downtown (DTN)	32°32'24.8"	93°44'42.1"

City and airport	Reference coordinates	
	N. Latitude	W. Longitude
Shreveport Regional (SHV)	32°26'47.9"	93°49'32.2"
Sioux City, IA: Sioux Gateway (SUX)	42°24'09.4"	96°23'03.7"
Sioux Falls, SD: Joe Foss Field (FSD)	43°34'52.9"	96°44'30.1"
South Bend, IN: South Bend Regional (SBN)	41°42'32.2"	86°19'06.5"
Spokane, WA:		
Grant County Int'l (MWH)	47°12'27.5"	119°19'12.7"
Spokane Int'l (GEG)	47°37'11.5"	117°32'01.8"
Springfield, MA:		
Barnes Municipal (BAF)	42°09'27.8"	72°42'56.2"
Westover ARB/Metropolitan (CEF)	42°11'53.8"	72°32'03.3"
Springfield, MO: Springfield-Branson Regional (SGF)	37°14'39.6"	93°23'12.7"
Syracuse, NY: Syracuse-Hancock Int'l (SYR)	43°06'40.3"	76°06'22.7"
Tacoma, WA: Tacoma Narrows (TIW)	47°16'04.6"	122°34'41.2"
Tallahassee, FL: Tallahassee Regional (TLH)	30°23'47.5"	84°21'01.2"
Tampa, FL: Tampa Int'l (TPA)	27°58'31.7"	82°31'59.7"
Telluride, CO: Telluride Regional (TEX)	37°57'13.5"	107°54'30.5"
Toledo, OH: Toledo Express (TOL)	41°35'12.5"	83°48'28.2"
Trenton, NJ-PA: Trenton Mercer (TTN)	40°16'36.1"	74°48'48.5"
Tucson, AZ: Tucson Int'l (TUS)	32°06'57.9"	110°56'27.7"
Tulsa, OK:		
R.L. Jones, Jr. (RVS)	36°02'22.7"	95°59'04.7"
Tulsa Int'l (TUL)	36°11'54.1"	95°53'17.7"
Washington, DC:		
Dulles International (IAD)	38°56'40.3"	77°27'20.9"
Ronald Reagan National (DCA)	38°51'07.5"	77°02'15.8"
Waterloo, IA: Waterloo Municipal (ALO)	42°33'25.5"	92°24'01.2"
West Palm Beach, FL: Palm Beach International (PBI)	26°40'59.4"	80°05'44.1"
White Plains, NY: Westchester County (HPN)	41°04'01.1"	73°42'27.3"
Wichita, KS: Mid-Continent (ICT)	37°38'59.9"	97°25'58.9"
Scranton, PA: Wilkes-Barre/Scranton Int'l (AVP)	41°20'17.3"	75°43'27.4"
Wilmington, DE: New Castle County (ILG)	39°40'43.4"	75°36'23.5"
Worcester, MA: Worcester Regional (ORH)	42°16'02.4"	71°52'32.6"
Youngstown-Warren, OH-PA: Youngstown-Warren Regional (YNG)	41°15'38.7"	80°40'44.8"

¹ Coordinates followed by an "E" are east longitude.

(62) This frequency may be assigned to fixed stations in the Industrial/Business Pool in accordance with the provisions of § 90.261.

(63) Within the boundaries of urbanized areas of 200,000 or more population, defined in the United States Census of Population, 1960, vol. 1, table 23, page 1–50, this frequency may be used only by persons rendering a central station commercial protection service within the service area of the radio station utilizing the frequency and may be used only for communications pertaining to safety of life and property, and for maintenance or testing of the protection facilities. Central Station commercial protection service is defined as an electrical protection and supervisory service rendered to the public from and by a central station accepted and certified by one or more of the recognized rating agencies, or the Underwriters Laboratories' (UL), or Factory Mutual System. Other stations in the Industrial/Business Pool may be licensed on this frequency only

when all base, mobile relay and control stations are located at least 120 km (75 miles) from the city center or centers of the specified urbanized areas of 200,000 or more population. With respect to combination urbanized areas containing more than one city, 120 km (75 mile) separation shall be maintained from each city center which is included in the urbanized area. The locations of centers of cities are determined from appendix, page 226, of the U.S. Commerce publication "Air Line Distance Between Cities in the United States."

(64) Persons who render a central station commercial protection service are authorized to operate fixed stations on this frequency for the transmission of tone or impulse signals on a secondary, noninterference base-to-base/mobile operations subject to the following conditions and limitations:

- (i) Secondary fixed operations may be used only for the following purposes:
 - (A) Indication of equipment malfunction;

Federal Communications Commission

§ 90.35

(B) Actuation of a device to indicate the presence of an intruder, fire, or other hazardous condition on the property under the protection of the licensee;

(C) Indication of an abnormal condition in facilities under the protection of the licensee that, if not promptly reported, would result in danger to human life;

(D) Transmission, as may be necessary, to verify status of equipment; adjust operating conditions; or correct any abnormal condition; or

(E) Confirmation of status, or that an operation or correction has been accomplished.

(ii) The maximum duration of any one non-voice signal may not exceed 2 seconds and shall not be transmitted more than three times.

(iii) Systems employing automatic interrogation shall be limited to non-voice techniques and shall not be activated for this purpose more than 10 seconds out of any 60-second period. This 10-second frame includes both transmit and response times.

(iv) The bandwidth shall not exceed that authorized to the licensee for the primary operation on the frequency concerned.

(v) Frequency loading resulting from the use of secondary signaling will not be considered in whole or in part as a justification for authorizing additional frequencies in the licensee's mobile system.

(vi) A mobile service frequency may not be used exclusively for secondary signaling.

(vii) The output power shall not exceed 30 watts (at the remote site).

(viii) A1D, A2D, F1D, or F2D emission may be authorized.

(ix) The transmitter shall be designed to deactivate automatically after 3 minutes of continuous carrier radiation.

(x) Operational fixed stations authorized under this paragraph are exempt from the requirements of §§90.137(b), 90.429(d), 90.425 and 90.433.

(xi) On these frequencies, base, mobile relay or mobile stations may transmit secondary tone or impulse signals to receivers, as provided in this section.

(65) Licensees providing a central station commercial protection service may communicate with police or fire stations, or vehicles, on this frequency, and may install licensed transmitting units which operate on this frequency at police or fire stations, or in police or fire vehicles, if the frequency's primary use is in a base/mobile system for a central station commercial protection service.

(66) This frequency may be assigned only to persons rendering a central station commercial protection service, which is defined in paragraph (c)(63) of this section, within the service area of the radio station utilizing the frequency.

(67) Medical telemetry operations are authorized on this frequency on a secondary basis. Medical telemetry operations are subject to the provisions of §90.267(h)(2).

(68) Each station authorized on this frequency will be classified and licensed as a mobile station. Any units of such a station, however, may provide the operational functions of a base station on a secondary basis to mobile service operations provided that the vertical separation between control point or ground level and the center of the radiating portion of the antenna of any units so used does not exceed 8 meters (approximately 25 feet). This frequency is available for assignment as follows:

(i) To persons furnishing commercial air transportation service or, pursuant to §90.179, to an entity furnishing radio communications service to persons so engaged, for stations located on or near the airports listed in paragraph (c)(61)(iv) of this section. Stations will be authorized on a primary basis and may be used only in connection with servicing and supplying of aircraft. Operation on this frequency is limited to a maximum effective radiated power (ERP) of 40 watts at locations within 16 km (approximately 10 miles) of the coordinates of the listed airports.

(ii) To stations in the Industrial/Business Pool for secondary use at locations 80 km (approximately 50 miles) or more from the coordinates of the listed airports. Operation will be limited to a maximum ERP of 120 watts.

§ 90.35

47 CFR Ch. I (10–1–14 Edition)

Wide area operation will not be permitted. The area of normal, day-to-day operations will be described in the application.

(iii) To stations in the Industrial/Business Pool for secondary use at locations greater than 16 km (approximately 10 miles) but less than 80 km (approximately 50 miles) from the coordinates of the listed airports. Operation will be limited to a maximum ERP of 6 watts. Use of this frequency is restricted to the confines of an industrial complex or manufacturing yard area. Stations licensed prior to April 25, 2005, may continue to operate with facilities authorized as of that date.

(69) This frequency may be used on a secondary, non-interference basis by a hospital or health care institution holding a license to operate a radio station under this part to operate a medical radio telemetry device with an output power not to exceed 20 milliwatts without specific authorization from the Commission.

(70) Subpart L of this part contains rules for assignment of frequencies in the 470–512 MHz band.

(71) Subpart S of this part contains rules for assignment of frequencies in the 806–821/851–866 and 896–901/935–940 MHz bands.

(72) Assignment of frequencies above 928 MHz for operational-fixed stations is governed by part 101 of this chapter.

(73) Frequencies in this band are available only for one-way paging operations in accordance with § 90.494.

(74) Available only on a shared basis with stations in other services, and subject to no protection from interference due to the operation of industrial, scientific, or medical (ISM) devices. In the band 2483.5–2500 MHz, no applications for new stations or modification to existing stations to increase the number of transmitters will be accepted. Existing licensees as of July 25, 1985, and licensees whose initial applications were filed on or before July 25, 1985, are grandfathered and their operations are on a co-primary basis with the mobile-satellite and radiodetermination-satellite services, and in the segment 2495–2500 MHz, their operations are also on a co-primary basis with part 27 fixed and mobile except aeronautical mobile service operations.

(75) [Reserved]

(76) The frequencies in the band 10.55–10.68 GHz are available for Digital Termination Systems and for associated intermodal links in the Point-to-Point Microwave Service. No new licenses will be issued under this subpart but current licenses will be renewed.

(77) All communications on this frequency must be conducted within the boundaries or confines of the licensee's business premises.

(78) Base and mobile stations authorized as of April 1, 1968, may continue to be authorized for such operation on a secondary basis to the Maritime Mobile Service. The licensees of such stations may renew, modify, reinstate, or assign their licenses in those cases where such assignment accompanies a change of ownership of the licensee's business to the assignee, and may expand existing systems when using that frequency; however, they will not be authorized to establish any new systems.

(79) Frequencies may be assigned in pairs with the separation between base and mobile transmit frequencies being 5.26 MHz. A mobile station may be assigned the frequency which would normally be assigned to a base station for single frequency operation. However, this single-frequency operation may be subject to interference that would not occur to a two-frequency system. Base or mobile stations located 80.5 km (50 miles) or less from the center or any urbanized area of 600,000 or more population (U.S. Census of Population, 1970) must be operated in the half-duplex mode.

(80) Concurrence from the Petroleum Coordinator is required only for applications for this frequency that request authorization for transmitters in Arkansas, Louisiana, Oklahoma, or Texas.

(81) Concurrence from the Petroleum Coordinator is required only for applications for this frequency that request authorization for transmitters in Arkansas, Louisiana, Oklahoma, Oregon, Texas, or Washington.

(82) After December 7, 2000 new stations will only be licensed with an authorized bandwidth not to exceed 11.25 kHz. Licensees authorized prior to December 7, 2000 may continue to use

bandwidths wider than 11.25 kHz on a co-primary basis until January 1, 2005. After January 1, 2005, all stations operating with an authorized bandwidth greater than 11.25 kHz will be secondary to adjacent channel public safety interoperability operations. (See § 90.20(c)(3)).

(83) Telemetry operations on this frequency will be authorized pursuant to § 90.267.

(84) Operation on this frequency is subject to the low power provisions of § 90.267. This frequency is assigned to Group A in the low power pool.

(85) Operation on this frequency is subject to the low power provisions of § 90.267. This frequency is assigned to Group B in the low power pool.

(86) Operation on this frequency is subject to the low power provisions of § 90.267. This frequency is assigned to Group C in the low power pool.

(87) Operation on this frequency is subject to the low power provisions of § 90.267. This frequency is assigned to Group D in the low power pool.

(88) Use of this frequency is on a secondary basis limited to 2 watts output power and subject to the provisions of § 90.267(h)(1), (h)(2), (h)(3) and (h)(4).

(89) The frequency may be assigned only to entities meeting the definition of a forest product licensee (see § 90.7). Operations are on a secondary basis to Federal Government operations including experimental stations, will not exceed 150 watts output power, and are limited to the states of Washington, Oregon, Maine, North Carolina, South Carolina, Tennessee, Georgia, Florida, Alabama, Mississippi, Louisiana, and Texas (eastern portion).

(90) As of March 25, 2007, the FCC will cease to issue licenses for new stations in the fixed and mobile services in the following bands: 5900–5950 kHz, 7300–7350 kHz, 9400–9500 kHz, 11600–11650 kHz, 12050–12100 kHz, 13800–13870 kHz, and 15600–15800 kHz. As of March 29, 2009, the FCC will cease to issue licenses for new stations in the fixed and mobile services in the band 7350–7400 kHz and, in the U.S. Pacific insular areas in Region 3, the band 7400–7450 kHz. Stations licensed as of March 25, 2007 in the bands 5900–5950 kHz, 7300–7350 kHz, 9400–9500 kHz, 11600–11650 kHz, 12050–12100 kHz, 13800–13870 kHz, and 15600–15800

kHz and as of March 29, 2009 for the band 7350–7400 kHz in Region 2 and the band 7350–7450 kHz in Region 3 shall:

(1) Be limited to communications only within the United States and its insular areas;

(2) Not cause harmful interference to the broadcasting service;

(3) Be limited to the minimum power needed to achieve communications; and

(4) Take account of the seasonal use of frequencies by the broadcasting service published in accordance with Article 12 of the ITU Radio Regulations.

(91) Subpart M of this part contains rules for assignment of frequencies in the 5850–5925 MHz band.

(d) *Additional frequencies available.* In addition to the frequencies shown in the frequency table of this section, the following frequencies are available in this service. (See also § 90.253.)

(1) Frequencies may be substituted for those available below 25 MHz in accordance with the provisions of § 90.263.

(2) Frequencies in the band 73.0–74.6 MHz may be assigned to stations authorized on or before December 1, 1961, but no new stations will be authorized in this band, nor will expansion of existing systems be permitted. (See also § 90.257).

(3) Frequencies in the 421–430 MHz band are available in the Detroit, Cleveland, and Buffalo areas in accordance with the rules in §§ 90.273 through 90.281.

(4) The following frequencies are available only in Puerto Rico and the Virgin Islands. These “Base and Mobile” and “Mobile only” frequencies are available on a shared basis with the Public Safety Pool. These “Mobile only” frequencies may be assigned to a control station associated with a mobile relay system if it is also assigned to the associated mobile station.

Base and mobile	Mobile only
159.240	160.410
159.2475	160.4175
159.255	160.425
159.2625	160.4325
159.270	160.440
159.2775	160.4475
159.285	160.455
159.2925	160.4625
159.300	160.470
159.3075	160.4775

§ 90.35

47 CFR Ch. I (10–1–14 Edition)

Base and mobile	Mobile only
159.315	160.485
159.3225	160.4925
159.330	160.500
159.3375	160.5075
159.345	160.515
159.3525	160.5225
159.360	160.530
159.3675	160.5375
159.375	160.545
159.3825	160.5525
159.390	160.560
159.3975	160.5675
159.405	160.575
159.4125	160.5825
159.420	160.590
159.4275	160.5975
159.435	160.605
159.4425	160.6125

(5) Low power mobile stations of 100 mw or less output power used for one-way, non-voice medical telemetry operations in hospitals or in medical convalescent centers are subject to the provisions of § 90.238.

(6) [Reserved]

(7) A railroad licensee, i.e., a licensee eligible for frequencies listed in § 90.35(b)(3) of this section that are coordinated by the railroad coordinator (LR), may operate radio units at fixed locations and in moving railroad locomotives/cars that transmit on the frequency 24.10 GHz, both unmodulated continuous wave radio signals and modulated FM digital signals for the purpose of alerting motorists to the presence of an approaching train. Unattended and continuous operation of such transmitters will be permitted without additional authorization from the Commission, provided type accepted equipment or equipment authorized pursuant to §§ 90.203(b)(4) and (b)(5) of this part is used, and all other rule provisions are satisfied.

(e) *Limitation on number of frequencies assignable.* Normally only one frequency, or pair of frequencies in the paired frequency mode of operation, will be assigned for mobile service operations by a single applicant in a given area. The assignment of an additional frequency or pair of frequencies will be made only upon a satisfactory showing of need, except that:

(1) Additional frequencies above 25 MHz may be assigned in connection with operation of mobile repeaters in accordance with § 90.247 notwithstanding this limitation.

(2) [Reserved]

(3) Frequencies in the 25–50 MHz, 150–170 MHz, 450–512 MHz and 902–928 MHz bands may be assigned for the operation of Location and Monitoring Service (LMS) systems in accordance with the provisions of subpart M of this part, notwithstanding this limitation.

(4) Authorizations for multiple frequencies for geophysical operations will be granted on the frequencies governed by the limitations in paragraphs (c)(3) and (c)(4) of this section. However, each geophysical exploration party may use a maximum of four frequencies at any one time.

(5) Authorization for more than one mobile frequency in the band 72–76 MHz will be issued notwithstanding this limitation.

(6) This limitation shall not apply to paragraph (c)(1) of this section.

(7) Frequencies in the 457 and 467 MHz bands may be assigned collectively as provided by paragraph (c)(60) of this section notwithstanding this limitation.

(f) *Limitation on itinerant operation.* Base or mobile stations being utilized in itinerant operation will be authorized only on base or mobile frequencies designated for itinerant operation under paragraphs (c)(10) or (c)(17) of this section, or on other frequencies not designated for permanent use.

(g) The frequencies 9–490 kHz are used to operate electric utility Power Line Carrier (PLC) systems on power transmission lines for communications essential to the reliability and security of electric service to the public, in accordance with part 15 of this chapter. Any electric utility that generates, transmits, or distributes electrical energy for use by the general public or by the members of a cooperative organization may operate PLC systems and shall supply to a Federal Communications Commission/National Telecommunications and Information Administration recognized industry-operated entity, information on all existing, changes to existing, and proposed systems for inclusion in a data base. Such information shall include the frequency, power, location of transmitter(s), location of receivers and other technical and operational parameters, which would characterize the

system's potential both to interfere with authorized radio users, and to receive harmful interference from these users. In an agreed upon format, the industry-operated entity shall inform the FCC and the NTIA of these system characteristics prior to implementation of any proposed PLC system and shall provide monthly or periodic lists with supplements of PLC systems. The FCC and NTIA will supply appropriate application and licensing information to the notification activity regarding authorized radio stations operating in the band. PLC systems in this band operate on a non-interference basis to radio systems assigned frequencies by the NTIA or licensed by the FCC and are not protected from interference due to these radio operations.

[62 FR 18874, Apr. 17, 1997]

EDITORIAL NOTE: For FEDERAL REGISTER citations affecting § 90.35, see the List of CFR Sections Affected, which appears in the Finding Aids section of the printed volume and at www.fdsys.gov.

EFFECTIVE DATE NOTE: At 64 FR 36262, July 6, 1999, § 90.35 was amended by revising entries in the table in paragraph (b)(3) and by adding paragraphs (c)(80) and (c)(81), effective Aug. 5, 1999. At 64 FR 50467, Sept. 17, 1999, paragraphs (c)(80), (c)(81), and the following entries in the table in paragraph (b)(3) were stayed:

153.035 MHz through 153.4025 MHz, 153.4025 MHz through 153.4625 MHz, 153.485 MHz through 153.5225 MHz, 153.545 MHz through 153.5825 MHz, 153.605 MHz through 153.6425 MHz, 153.665 MHz through 153.6675 MHz, 158.145 MHz through 158.1825 MHz, 158.205 MHz through 158.2425 MHz, 158.265 MHz through 158.3325 MHz, 158.355 MHz through 158.3775 MHz, 158.415 MHz through 158.4375 MHz, 173.250 MHz, 173.300 MHz, 173.350 MHz, 451.175 MHz, 451.225 MHz, 451.275 MHz, 451.375 MHz, 451.425 MHz, 451.475 MHz, 451.525 MHz, 451.550 MHz, 451.575 MHz, 451.600 MHz, 451.625 MHz, 451.650 MHz, 451.675 MHz, 451.700 MHz, 451.750 MHz, 452.325 MHz, 452.375 MHz, 452.425 MHz, 452.475 MHz, 452.775 MHz, 452.825 MHz, 452.875 MHz, 456.175 MHz, 456.225 MHz, 456.275 MHz, 456.375 MHz, 456.425 MHz, 456.475 MHz, 456.525 MHz, 456.550 MHz, 456.575 MHz, 456.600 MHz, 456.625 MHz, 456.650 MHz, 456.675 MHz, 456.700 MHz, 456.750 MHz, 457.325 MHz, 457.375 MHz, 457.425 MHz, 457.475 MHz, 457.775 MHz, 457.825 MHz, 457.875 MHz, 462.475 MHz, 462.525 MHz, 467.475 MHz, and 467.525 MHz

Subparts D–E [Reserved]

Subpart F—Radiolocation Service

§ 90.101 Scope.

The Radiolocation Service accommodates the use of radio methods for determination of direction, distance, speed, or position for purposes other than navigation. Rules as to eligibility for licensing, permissible communications, frequency available, and any special requirements are set forth in § 90.103. Provisions for the Location and Monitoring Service (LMS) are contained in subpart M of this part.

[60 FR 15252, Mar. 23, 1995]

§ 90.103 Radiolocation Service.

(a) *Eligibility.* The following persons are eligible for authorizations in the Radiolocation Service to operate stations to determine distance, direction, speed, or position by means of radiolocation devices, for purposes other than navigation:

(1) Any person engaged in a commercial, industrial, scientific, educational, or local government activity

(2) A corporation or association that will furnish radiolocation service to other persons.

(3) A corporation that will furnish a nonprofit radio communication service to its parent corporation, to another subsidiary of the same parent, or to its own subsidiary where the party to be served is regularly engaged in any of the eligibility activities set forth in this paragraph.

(b) *Frequencies available.* The following table indicates frequencies available for assignment to stations in the Radiolocation Service, together with the class of station(s) to which they are normally assigned, and the specific assignment limitations, which are explained in paragraph (c) of this section:

RADIOLOCATION SERVICE FREQUENCY TABLE

Frequency or band	Class of station(s)	Limitation
Kilohertz		
70 to 90	Radiolocation land or mobile.	1
90 to 110	Radiolocation land	2
110 to 130	Radiolocation land or mobile.	1
1705 to 1715do	4, 5, 6
1715 to 1750do	5, 6
1750 to 1800do	5, 6