

## § 1.1418

of apportioning the cost of unusable space.

(c) Utilities may use the following rebuttable presumptive averages when calculating the number of attaching entities with respect to the formula referenced in § 1.1409(e)(2). For non-urbanized service areas (under 50,000 population), a presumptive average number of attaching entities of three (3). For urbanized service areas (50,000 or higher population), a presumptive average number of attaching entities of five (5). If any part of the utility's service area within the state has a designation of urbanized (50,000 or higher population) by the Bureau of Census, United States Department of Commerce, then all of that service area shall be designated as urbanized for purposes of determining the presumptive average number of attaching entities.

(d) A utility may establish its own presumptive average number of attaching entities for its urbanized and non-urbanized service area as follows:

(1) Each utility shall, upon request, provide all attaching entities and all entities seeking access the methodology and information upon which the utilities presumptive average number of attachers is based.

(2) Each utility is required to exercise good faith in establishing and updating its presumptive average number of attachers.

(3) The presumptive average number of attachers may be challenged by an attaching entity by submitting information demonstrating why the utility's presumptive average is incorrect. The attaching entity should also submit what it believes should be the presumptive average and the methodology used. Where a complete inspection is impractical, a statistically sound survey may be submitted.

(4) Upon successful challenge of the existing presumptive average number of attachers, the resulting data determined shall be used by the utility as the presumptive number of attachers within the rate formula.

[63 FR 12026, Mar. 12, 1998, as amended at 66 FR 34581, June 29, 2001]

## 47 CFR Ch. I (10–1–16 Edition)

### § 1.1418 Use of presumptions in calculating the space factor.

With respect to the formulas referenced in § 1.1409(e)(1) and § 1.1409(e)(2), the space occupied by an attachment is presumed to be one (1) foot. The amount of usable space is presumed to be 13.5 feet. The amount of unusable space is presumed to be 24 feet. The pole height is presumed to be 37.5 feet. These presumptions may be rebutted by either party.

[66 FR 34581, June 29, 2001]

### § 1.1420 Timeline for access to utility poles.

(a) The term "attachment" means any attachment by a cable television system or provider of telecommunications service to a pole owned or controlled by a utility.

(b) All time limits in this subsection are to be calculated according to § 1.4.

(c) *Survey.* A utility shall respond as described in § 1.1403(b) to a cable operator or telecommunications carrier within 45 days of receipt of a complete application to attach facilities to its utility poles (or within 60 days, in the case of larger orders as described in paragraph (g) of this section). This response may be a notification that the utility has completed a survey of poles for which access has been requested. A complete application is an application that provides the utility with the information necessary under its procedures to begin to survey the poles.

(d) *Estimate.* Where a request for access is not denied, a utility shall present to a cable operator or telecommunications carrier an estimate of charges to perform all necessary make-ready work within 14 days of providing the response required by § 1.1420(c), or in the case where a prospective attacher's contractor has performed a survey, within 14 days of receipt by the utility of such survey.

(1) A utility may withdraw an outstanding estimate of charges to perform make-ready work beginning 14 days after the estimate is presented.

(2) A cable operator or telecommunications carrier may accept a valid estimate and make payment anytime after receipt of an estimate but before the estimate is withdrawn.