Federal Communications Commission

Plan of Shore-Based Facilities. The Master Plan can be purchased from the International Maritime Organization, 4 Albert Embankment, London SE1 7SR, United Kingdom.

§80.1071 Exemptions.

- (a) In certain circumstances, partial or conditional exemptions may be granted to individual ships from the requirements of §§ 80.1085, 80.1087, 80.1089, 80.1091, and 80.1093 provided: such ships comply with the functional requirements of §80.1081 and a showing is made that such an exemption will not have a material effect upon the general efficiency of the service for the safety of all ships.
- (b) An exemption may be granted under paragraph (a) of this section only:
- (1) If the conditions affecting safety are such as to render the full application of §§ 80.1085, 80.1087, 80.1089, 80.1091, and 80.1093 unreasonable or unnecessary or otherwise not in the public interest:
- (2) In exceptional circumstances, for a single voyage outside the sea area or sea areas for which the ship is equipped.
- (c) All fishing vessels of 300 gross tons and upward are exempt from subpart W requirements applicable for carriage of VHF-DSC and MF-DSC equipment until one year after the USCG establishes GMDSS coast facilities for Sea Areas A1 and A2, if the following provisions are met:
 - (1) The ship is equipped with:
- (i) A VHF radiotelephone installation.
- (ii) A MF or HF radiotelephone installation.
- (iii) A Category 1, 406.0-406.1 MHz EPIRB meeting the requirements of §80.1061;
- (iv) A NAVTEX receiver meeting the requirements of §80.1101(c)(1):
- (v) Survival craft equipment meeting the requirements of §80.1095;
- (vi) A Search and Rescue Transponder meeting the requirements of $\S 80.1101(c)(6)$; and
- (2) The ship remains within coverage of a VHF coast station and maintains a continuous watch on VHF Channel 16; or

(3) The vessel remains within coverage of an MF coast station and maintains a continuous watch on 2182 kHz and VHF Channel 16.

[57 FR 9065, Mar. 16, 1992, as amended at 68 FR 46975, Aug. 7, 2003; 73 FR 4489, Jan. 25, 2008]

§80.1073 Radio operator requirements for ship stations.

- (a) Ships must carry at least two persons holding GMDSS Radio Operator's Licenses as specified in §13.7 of this chapter for distress and safety radiocommunications purposes. The GMDSS Radio Operator's License qualifies personnel as a GMDSS radio operator for the purposes of operating a GMDSS radio installation, including basic equipment adjustments as denoted in the knowledge requirements specified in §13.203 of this chapter.
- (1) A qualified GMDSS radio operator must be designated to have primary responsibility for radiocommunications during distress incidents, except if the vessel operates exclusively within twenty nautical miles of shore, in which case a qualified restricted radio operator may be so designated.
- (2) A second qualified GMDSS radio operator must be designated as backup for distress and safety radiocommunications, except if the vessel operates exclusively within twenty nautical miles of shore, in which case a qualified restricted GMDSS radio operator may be so designated.
- (b) A qualified GMDSS radio operator, and a qualified backup, as specified in paragraph (a) of this section must be:
- (1) Available to act as the dedicated radio operator in cases of distress as described in §80.1109(a);
- (2) Designated to perform as part of normal routine each of the applicable communications described in §80.1109(b);
- (3) Responsible for selecting HF DSC guard channels and receiving scheduled maritime safety information broadcasts:
- (4) Designated to perform communications described in §80.1109(c);
- (5) Responsible for ensuring that the watches required by \$80.1123 are properly maintained; and

§ 80.1074

(6) Responsible for ensuring that the ship's navigation position is entered into all installed DSC equipment, either automatically through a connected or integral navigation receiver. or manually at least every four hours when the ship is underway.

[57 FR 9065, Mar. 16, 1992, as amended at 68 FR 46975, Aug. 7, 2003; 73 FR 4489, Jan. 25,

§80.1074 Radio maintenance sonnel for at-sea maintenance.

- (a) Ships that elect the at-sea option for maintenance of GMDSS equipment (see §80.1105) must carry at least one person who qualifies as a GMDSS radio maintainer, as specified in paragraph (b) of this section, for the maintenance and repair of equipment specified in this subpart. This person may be, but need not be, the person designated as GMDSS radio operator as specified in §80.1073.
- (b) The following licenses qualify personnel as GMDSS radio maintainers to perform at-sea maintenance of equipment specified in this subpart. For the purposes of this subpart, no order is intended by this listing or the alphanumeric designator.
- (1) DM: GMDSS Maintainer's License:

- (2) DB: GMDSS Operator's/Maintainer's License.
- (c) While at sea, all adjustments of radio installations, servicing, or maintenance of such installations that may affect the proper operation of the GMDSS station must be performed by, or under the immediate supervision and responsibility of, a qualified GMDSS radio maintainer as specified in paragraph (b) of this section.
- (d) The GMDSS radio maintainer must possess the knowledge covering the requirements set forth in IMO Assembly on Training for Radio Personnel (GMDSS), Annex 5 and IMO Assembly on Radio Maintenance Guidelines for the Global Maritime Distress and Safety System related to Sea Areas A3 and A4.

[57 FR 9065, Mar. 16, 1992, as amended at 63 FR 49872, Sept. 18, 1998; 68 FR 46976, Aug. 7, 2003; 76 FR 67616, Nov. 2, 2011]

§80.1075 Radio records.

A record must be kept, as required by the Radio Regulations and §80.409 (a), (b) and (e), of all incidents connected with the radiocommunication service which appear to be of importance to safety of life at sea.

§80.1077 Frequencies.

The following table describes the frequencies used in the Global Maritime Distress and Safety System:

Alerting:

406.0–406.1 EPIRBs 406.0-406.1 MHz (Earth-to-space). 1544-1545 MHz (space-to-Earth). INMARSAT Ship Earth Stations 1626.5–1645.5 MHz (Earth-to-space). capable of voice and/or direct printing.

VHF DSC Ch. 70 156.525 MHz. 1

kHz, 12577 kHz, and 16804.5 kHz.

On-scene communications:

MF Radiotelephony 2182 kHz. NBDP 2174.5 kHz.

Communications involving aircraft:

On-scene, including search and 156.8 MHz 4, 121.5 MHz 5, 123.1 MHz, 156.3 rescue.

MHz, 2182 kHz, 3023 kHz, 4125 kHz, and 5680 kHz.6

Locating signals:

406-406.1 EPIRB Beacons 121.5 MHz. 9 GHz radar transponders 9200–9500 MHz.