§ 36.142

§ 36.142 Categories and apportionment procedures.

- (a) Other Information Origination/Termination Equipment—Category 1. This category includes the cost of other information origination/termination equipment not assigned to Category 2. The costs of other information origination/termination equipment are allocated pursuant to the factor that is used to allocate subcategory 1.3 Exchange Line C&WF.
- (b) Customer Premises Equipment—Category 2. This category includes the cost of Customer Premises Equipment that was detariffed pursuant to the Second Computer Inquiry decision. It shall be assigned to the state operations.
- (c) Effective July 1, 2001, through December 31, 2024, all study areas shall apportion costs in the categories, as specified in §36.141(b), among the jurisdictions using the relative use measurements or factors, as specified in paragraph (a) of this section, for the twelve-month period ending December 31, 2000. Direct assignment of any category of Information Origination/Termination Equipment to the jurisdictions shall be updated annually.

[52 FR 17229, May 6, 1987, as amended at 66 FR 33206, June 21, 2001; 71 FR 65746, Nov. 9, 2006; 75 FR 30301, June 1, 2010; 76 FR 30841, May 27, 2011; 79 FR 36237, June 26, 2014]

CABLE AND WIRE FACILITIES

§36.151 General.

- (a) Cable and Wire Facilities, Account 2410, includes the following types of communications plant in service: Poles and antenna supporting structures, aerial cable, underground cable, buried cable, submarine cable, deep sea cable, intrabuilding network cable, aerial wire and conduit systems.
- (b) For separations purposes, it is necessary to analyze the cable and wire facilities classified in subordinate records in order to determine their assignment to the categories listed in the following paragraphs.
- (c) In the separation of the cost of cable and wire facilities among the operations, the first step is the assignment of the facilities to certain categories. The basic method of making this assignment is the identification of the facilities assignable to each cat-

egory and the determination of the cost of the facilities so identified. Because of variations among companies in the character of the facilities and operating conditions, and in the accounting and engineering records maintained, the detailed methods followed, of necessity, will vary among the companies. The general principles to be followed, however, will be the same for all companies.

(d) The second step is the apportionment of the cost of the facilities in each category among the operations through the application of appropriate factors or by direct assignment.

§ 36.152 Categories of Cable and Wire Facilities (C&WF).

- (a) C&WF are basically divided between exchange and interexchange. Exchange C&WF consists of the following categories:
- (1) Exchange Line C&WF Excluding Wideband—Category 1—This category includes C&W facilities between local central offices and subscriber premises used for message telephone, private line, local channels, and for circuits between control terminals and radio stations providing very high frequency maritime service or urban or highway mobile service.
- (2) Wideband and Exchange Trunk C&WF-Category 2-This category includes all wideband, including Exchange Line Wideband and C&WF between local central offices and Wideband facilities. It also includes C&WF between central offices or other switching points used by any common carrier for interlocal trunks wholly within an exchange or metropolitan service area, interlocal trunks with one or both terminals outside a metropolitan service area carrying some exchange traffic, toll connecting trunks, tandem trunks principally carrying exchange traffic, the exchange trunk portion of WATS access lines, the exchange trunk portion of private line local channels, and the exchange trunk portion of circuits between control terminals and radio stations providing very high frequency maritime service or urban or highway mobile service.

- (3) The procedures for apportioning the cost of exchange cable and wire facilities among the operations are set forth in §§ 36.154 and 36.155.
- (b) Interexchange C&WF—Category 3—This category includes the C&WF used for message toll and toll private line services. It includes cable and wire facilities carrying intertoll circuits, tributary circuits, the interexchange channel portion of special service circuits, circuits between control terminals and radio stations used for overseas or coastal harbor service. interlocal trunks between offices in the different exchange or metropolitan service areas carrying only message toll traffic and certain tandem trunks which carry principally message toll traffic.
- (1) The procedures for apportioning the cost of interexchange cable and wire facilities among the operations are set forth in §36.156.
- (c) Host/Remote Message C&WF—Category 4—This category includes the cost of message host/remote location C&WF for which a message circuit switching function is performed at the host central office. It applies to C&WF between host offices and all remote locations. The procedures for apportioning the cost of these facilities among the operations are set forth in §36.157.
- (d) Effective July 1, 2001, through December 31, 2024, study areas subject to price cap regulation, pursuant to §61.41 of this chapter, shall assign the average balance of Account 2410 to the categories/subcategories, as specified in paragraph (a) through (c) of this section based on the relative percentage assignment of the average balance of Account 2410 to these categories/subcategories during the twelve-month period ending December 31, 2000.

[52 FR 17229, May 6, 1987, as amended at 66 FR 33206, June 21, 2001; 71 FR 65746, Nov. 9, 2006; 75 FR 30301, June 1, 2010; 76 FR 30841, May 27, 2011; 79 FR 36237, June 26, 2014]

§ 36.153 Assignment of Cable and Wire Facilities (C&WF) to categories.

(a) Cable consists of: Aerial cable, underground cable, buried cable, submarine cable, deep sea cable and intrabuilding network cable. Where an entire cable or aerial wire is assignable

- to one category, its cost and quantity are, where practicable, directly assigned.
- (1) Cable. (i) There are two basic methods for assigning the cost of cable to the various categories. Both of them are on the basis of conductor cross section. The methods are as follows:
- (A) By section of cable, uniform as to makeup and relative use by categories. From an analysis of cable engineering and assignment records, determine in terms of equivalent gauge the number of pairs in use or reserved, for each category. The corresponding percentages of use, or reservation, are applied to the cost of the section of cable, i.e., sheath meters times unit cost per meter, to obtain the cost assignable to each category.
- (B) By using equivalent pair kilometers, i.e., pair kilometers expressed in terms of equivalent gauge. From an analysis of cable engineering and assignment records, determine the equivalent pair kilometers in use for each category by type of facility, e.g., quadded, paired. The equivalent pair kilometers are then divided by a cable fill factor to obtain the equivalent pair kilometers in plant. The total equivalent pair kilometers in plant assigned to each category is summarized by type of facility, e.g., quadded and paired, and priced at appropriate average unit costs per equivalent pair kilometer in plant. If desired, this study may be made in terms of circuit kilometers rather than physical pair kilometers, with average cost and fill data consistent with the basis of the facilities kilometer count.
- (ii) In the assignment of the cost of cable under the two basic methods described in §36.153(a)(1)(i) consideration is given to the following:
- (A) Method (A) described in §36.153(a)(1)(i)(A) will probably be found more desirable where there is a relatively small amount of cable of variable make-up and use by categories. Conversely, method (B) described in §36.153(a)(1)(i)(B) will probably be more desirable where there is a large amount of cable of variable make-up and use by categories. However, in some cases a combination of both methods may be desirable.